DARBY APF STRAWBERRY- sodium fluoride aerosol, foam DARBY APF MINT- sodium fluoride aerosol, foam DARBY APF BUBBLE GUM- sodium fluoride aerosol, foam Darby Dental Supply, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

FLUORIDE FOAM

Strawberry

FOR PROFESSIONAL USE ONLY. A topical anti-caries preparation.

Directions For Use

I. Following prophylaxis treatment, fill I/4 of tray with foam. 2. To dispense, shake can vigorously then invert applicator 180° downward to the bottom of the tray. 3. Insert tray, have patient bite down lightly for a minimum of 60 seconds, up to 4 minutes. 4. Remove tray and have patient expectorate excess. 5. Advise patient not to eat, drink or rinse for 30 minutes after the treatment.

Medical Ingredients

Fluoride Ions 1.23% w/w (from 2.72% w/w sodium fluoride).

Non-Medical Ingredients

Cocamidopropyl betaine, sodium phosphate monobasic, poloxamer 407, sucralose, xylitol, purified water, strawberry flavor.

Warnings

KEEP OUT OF REACH OF CHILDREN. For professional use only. Avoid spraying toward open flame. Store at room temperature. Do not expose to excessive heat over 104° F (40°C). Contents under pressure. Do not puncture or incinerate. Do not use if seal is broken.

To reorder: Call 800.645.2310 or visit darby.com

Distributed by: Darby Dental Supply, LLC, Jericho, NY 11753

NDC 66467-8003•2

Reorder# 9510050

1900196

Mint

FOR PROFESSIONAL USE ONLY. A topical anti-caries preparation.

Directions For Use

I. Following prophylaxis treatment, fill I/4 of tray with foam. 2. To dispense, shake can vigorously then invert applicator 180° downward to the bottom of the tray. 3. Insert tray, have patient bite down lightly for a minimum of 60 seconds, up to 4 minutes. 4. Remove tray and have patient expectorate excess. 5. Advise patient not to eat, drink or rinse for 30 minutes after the treatment.

Medical Ingredients

Fluoride Ions 1.23% w/w (from 2.72% w/w sodium fluoride).

Non-Medical Ingredients

Cocamidopropyl betaine, sodium phosphate monobasic, poloxamer 407, sucralose, xylitol, purified water, mint flavor.

Warnings

KEEP OUT OF REACH OF CHILDREN. For professional use only. Avoid spraying toward open flame. Store at room temperature. Do not expose to excessive heat over 104° F (40°C). Contents under pressure. Do not puncture or incinerate. Do not use if seal is broken.

To reorder: Call 800.645.2310 or visit darby.com

Distributed by: Darby Dental Supply, LLC, Jericho, NY 11753

NDC 66467-8004 • 2

Reorder# 9510051

1900197

Bubble Gum

FOR PROFESSIONAL USE ONLY. A topical anti-caries preparation.

Directions For Use

I. Following prophylaxis treatment, fill I/4 of tray with foam. 2. To dispense, shake can vigorously then invert applicator 180° downward to the bottom of the tray. 3. Insert tray, have patient bite down lightly for a minimum of 60 seconds, up to 4 minutes. 4. Remove tray and have patient expectorate excess. 5. Advise patient not to eat, drink or rinse for 30 minutes after the treatment.

Medical Ingredients

Fluoride Ions 1.23% w/w (from 2.72% w/w sodium fluoride).

Non-Medical Ingredients

Cocamidopropyl betaine, sodium phosphate monobasic, poloxamer 407, sucralose, xylitol, purified water, bubble gum flavor.

Warnings

KEEP OUT OF REACH OF CHILDREN. For professional use only. Avoid spraying toward open flame. Store at room temperature. Do not expose to excessive heat over 104° F (40°C). Contents under pressure. Do not puncture or incinerate. Do not use if seal is broken.

To reorder: Call 800.645.2310 or visit darby.com

Distributed by: Darby Dental Supply, LLC, Jericho, NY 11753

NDC 66467-8005•2

Reorder# 9510052

1900198

PRINCIPAL DISPLAY PANEL - 125 g Can Label - Strawberry

darby dental supply, llc

TOPICAL FLUORIDE FOAM 2.72% TOPICAL SODIUM FLUORIDE FOAM 1.23% FLUORIDE IONS

130 Applications | 4.4 oz (125 g)

Strawberry



TOPICAL FLUORIDE FOAM

2.72% TOPICAL SODIUM FLUORIDE FOAM 1.23% FLUORIDE IONS

130 Applications | 4.4 oz (125 g)

Strawberry

FOR PROFESSIONAL USE ONLY,

A topical anti-caries preparation.

Directions For Use: 1. Following prophylaxis treatment, fill 1/4 of tray with foam. 2. To dispense, shake can vigorously then invert applicator 180° downward to the bottom of the tray. 3. Insert tray, have patient bite down lightly for a minimum of 60 seconds, up to 4 minutes. 4. Remove tray and have patient expectorate excess. 5. Advise patient not to eat, drink or rinse for 30 minutes after the treatment.

Medical Ingredients: Fluoride lons 1.23% w/w (from 2.72% w/w sodium fluoride).

Non-Medical Ingredients: Cocamidopropyl betaine, sodium phosphate monobasic, poloxamer 407, sucralose, xylitol, purified water, strawberry flavor.

Warnings: KEEP OUT OF REACH OF CHILDREN. For professional use only. Avoid spraying toward open flame. Store at room temperature. Do not expose to excessive heat over 104°F (40°C). Contents under pressure. Do not puncture or incinerate. Do not use if seal is broken.

To reorder: Call 800.645.2310 or visit darby.com Distributed by: Darby Dental Supply, LLC, Jericho, NY 11753

SAFE PRINT AREA

NDC 66467-8003-2 Reorder # 9510050 1900196



MADE IN THE USA

PRINCIPAL DISPLAY PANEL - 125 g Can Label - Mint

darby dental supply, llc

TOPICAL FLUORIDE FOAM 2.72% TOPICAL SODIUM FLUORIDE FOAM 1.23% FLUORIDE IONS

130 Applications | 4.4 oz (125 g)

Mint



TOPICAL FLUORIDE FOAM

2.72% TOPICAL SODIUM FLUORIDE FOAM 1.23% FLUORIDE IONS

130 Applications | 4.4 oz (125 g)



FOR PROFESSIONAL USE ONLY.

A topical anti-caries preparation.

Directions For Use: 1. Following prophylaxis treatment, fill 1/4 of tray with foam. 2. To dispense, shake can vigorously then invert applicator 180° downward to the bottom of the tray. 3. Insert tray, have patient bite down lightly for a minimum of 60 seconds, up to 4 minutes. 4. Remove tray and have patient expectorate excess. 5. Advise patient not to eat, drink or rinse for 30 minutes after the treatment.

Medical Ingredients: Fluoride lons 1,23% w/w (from 2,72% w/w sodium fluoride).

Non-Medical Ingredients: Cocamidopropyl betaine, sodium phosphate monobasic, poloxamer 407, sucralose, xylitol, purified water, mint flavor.

Warnings: KEEP OUT OF REACH OF CHILDREN. For professional use only. Avoid spraying toward open flame. Store at room temperature. Do not expose to excessive heat over 104°F (40°C). Contents under pressure. Do not puncture or incinerate. Do not use if seal is broken.

To reorder: Call 800.645.2310 or visit darby.com Distributed by: Darby Dental Supply, LLC, Jericho, NY 11753

SAFE PRINT AREA





MADE IN THE USA

PRINCIPAL DISPLAY PANEL - 125 g Can Label - Bubble Gum

darby dental supply, llc

TOPICAL FLUORIDE FOAM 2.72% TOPICAL SODIUM FLUORIDE FOAM 1.23% FLUORIDE IONS

130 Applications | 4.4 oz (125 g)

Bubble Gum



TOPICAL FLUORIDE FOAM

2.72% TOPICAL SODIUM FLUORIDE FOAM 1.23% FLUORIDE IONS

130 Applications | 4.4 oz (125 g)

Bubble Gum

FOR PROFESSIONAL USE ONLY.

A topical anti-caries preparation.

Directions For Use: 1. Following prophylaxis treatment, fill 1/4 of tray with foam. 2. To dispense, shake can vigorously then invert applicator 180° downward to the bottom of the tray. 3. Insert tray, have patient bite down lightly for a minimum of 60 seconds, up to 4 minutes. 4. Remove tray and have patient expectorate excess. 5. Advise patient not to eat, drink or rinse for 30 minutes after the treatment.

Medical Ingredients: Fluoride lons 1.23% w/w (from 2.72% w/w sodium fluoride).

Non-Medical Ingredients: Cocamidopropyl betaine, sodium phosphate monobasic, poloxamer 407, sucralose, xylitol, purified water, bubble gum flavor.

Warnings: KEEP OUT OF REACH OF CHILDREN. For professional use only. Avoid spraying toward open flame. Store at room temperature. Do not expose to excessive heat over 104°F (40°C). Contents under pressure. Do not puncture or incinerate. Do not use if seal is broken.

To reorder: Call 800.645.2310 or visit darby.com Distributed by: Darby Dental Supply, LLC, Jericho, NY 11753

SAFE PRINT AREA

NDC 66467-8005-2 Reorder # 9510052 1900198



MADE IN THE USA

DARBY APF STRAWBERRY

sodium fluoride aerosol, foam

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:66467-8003
Route of Administration	DENTAL		

Basis of Strength	Strength
ODIUM FLUORIDE	2.72 g in 100 g

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
Sucralose (UNII: 96K6UQ3ZD4)		
Xylitol (UNII: VCQ006KQ1E)		
SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS (UNII: KH7I04HPUU)		
COCAMIDOPROPYL BETAINE (UNII: 50CF3011KX)		
STRAWBERRY (UNII: 4J2TY8Y81V)		
POLOXAMER 407 (UNII: TUF2IVW3M2)		

Product Characteristics			
Color	WHITE	Score	
Shape		Size	
Flavor	STRAWBERRY	Imprint Code	
Contains			

ı	P	Packaging			
	# Item Code Package Description		Marketing Start Date	Marketing End Date	
	1	NDC:66467- 8003-2	125 g in 1 CAN; Type 0: Not a Combination Product	10/29/2019	

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		10/29/2019	

DARBY APF MINT

sodium fluoride aerosol, foam

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:66467-8004
Route of Administration	DENTAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (Fluoride Ion - UNII:Q80VPU408O)	SODIUM FLUORIDE	2.72 g in 100 g	

Inactive Ingredients		
	Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)	
Sucralose (UNII: 96K6UQ3ZD4)	
Xylitol (UNII: VCQ006KQ1E)	
SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS (UNII: KH7I04HPUU)	
COCAMIDOPROPYL BETAINE (UNII: 50CF3011KX)	
Peppermint Oil (UNII: AV092KU4JH)	
Spearmint Oil (UNII: C3M81465G5)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	

Product Characteristics		
Color	WHITE	Score
Shape		Size
Flavor	MINT	Imprint Code
Contains		

l	Packaging			
# Item Code Package Description		Marketing Start Date	Marketing End Date	
	1 NDC:66467- 8004-2	125 g in 1 CAN; Type 0: Not a Combination Product	10/29/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		10/29/2019	

DARBY APF BUBBLE GUM

sodium fluoride aerosol, foam

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:66467-8005
Route of Administration	DENTAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (Fluoride Ion - UNII:Q80VPU408O)	SODIUM FLUORIDE	2.72 g in 100 g	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
Sucralose (UNII: 96K6UQ3ZD4)	

Xylitol (UNII: VCQ006KQ1E)	
SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS (UNII: KH7I04HPUU)	
COCAMIDOPROPYL BETAINE (UNII: 50CF3011KX)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	

Product Characteristics		
Color	WHITE	Score
Shape		Size
Flavor	BUBBLE GUM	Imprint Code
Contains		

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:66467- 8005-2	125 g in 1 CAN; Type 0: Not a Combination Product	10/29/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		10/29/2019	

Labeler - Darby Dental Supply, LLC (825137818)

Revised: 1/2023 Darby Dental Supply, LLC