

LIDO KING LIDOCAINE 4% PAIN RELIEVING GEL-PATCH- lidocaine patch
Galaxy Bio, Inc.

LIDO KING- lidocaine patch

Active ingredient

Lidocaine 4%

Purpose

Topical anesthetic

Uses

For temporary relief of pain

Warnings

For external use only

Do not use

- if you are allergic to any ingredients of this product
- more than one patch at a time
- on wounds or damaged skin
- with a heating pad
- if pouch is damaged or opened

When using this product

- avoid contact with the eyes, mucous membranes or rashes
- use only as directed
- do not bandage tightly
- do not reuse patch

Stop use and ask a doctor if

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- symptoms clear up and occur again within a few days
- symptoms persist for more than 7 days
- conditions worsen

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and over:

- clean and dry affected area
- remove film from patch and apply to the skin (see illustration)
- apply to affected area not more than 3 to 4 times daily
- remove patch from the skin after at most 8-hour application

Children under 12 years of age: consult a doctor

Other information

- store in a cool dry place
- protect product from freezing, excessive heat and moisture
- avoid storing product in direct sunlight

Inactive ingredients

dihydroxyaluminum aminoacetate, edetate disodium, glycerin, kaolin, methylparaben, polyacrylic acid, propylene glycol, propylparaben, polysorbate 80, polyvinylpyrrolidone k90, purified water, sodium polyacrylate, tartaric acid, titanium dioxide

Questions or comments?

Toll free **1-888-894-8002** www.lidokingpatch.com

Principal Display Panel

NEW



LIDO KING®

NDC #73354-1280-2

**MAXIMUM
STRENGTH***

LIDOCAINE 4%


Pain Relieving Gel-Patch

Apply for 8 Hours

**For temporary
relief of pain**

- Back
- Shoulders
- Elbows
- Arms
- Neck
- Knees
- Legs

5 PATCHES
3¹⁵/₁₆" x 5¹/₂" (10cm x 14cm)



Designed in USA

*Numbing Relief
Good Skin Feel
Unscented*

LIDO KING ®

NDC# 73354-1280-2

MAXIMUM

STRENGTH*

LIDOCAINE 4%

Pain Relieving Gel-Patch

Apply for 8 Hours

Designed in USA

Numbing Relief

Good Skin Feel

Unscented

For temporary relief of pain

- Back
- Neck
- Shoulders
- Knees
- Elbows
- Legs
- Arms

5 PATCHES

3 15/16" x 5 1/2" (10 cm x 14 cm)

For Galaxy Bio, Inc.

Cranbury, NJ 08512

Made in China

* Available without a prescription

® Registered Trademark of NAL Pharma

LIDO KING LIDOCAINE 4% PAIN RELIEVING GEL-PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73354-1280
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

POLYSORBATE 80 (UNII: 6OZP39ZG8H)
POVIDONE K90 (UNII: RDH86HJV5Z)
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)
EDETATE DISODIUM (UNII: 7FLD91C86K)
GLYCERIN (UNII: PDC6A3C0OX)
KAOLIN (UNII: 24H4NWX5CO)
METHYLPARABEN (UNII: A2I8C7HI9T)
POLYACRYLIC ACID (450000 MW) (UNII: KD3S7H73D3)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
WATER (UNII: 059QF0KO0R)
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)
TARTARIC ACID (UNII: W4888I119H)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73354-1280-2	5 in 1 CARTON	11/11/2024	
1		1 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/11/2024	

Labeler - Galaxy Bio, Inc. (782793231)

Revised: 10/2024

Galaxy Bio, Inc.