

**BENADRYL ALLERGY- diphenhydramine hydrochloride solution**  
**Kenvue Brands LLC**

-----  
**BENADRYL Allergy Oral Solution**

***Drug Facts***

**Active ingredient (in each 5 mL)**

Diphenhydramine HCl 12.5 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if the user has**

- a breathing problem such as chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if the user is** taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

- excitability may occur, especially in children

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### Directions

- find right dose on chart below
- mL = milliliter
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

---

<b>Age (yr)</b>	<b>Dose (mL)</b>
adults and children 12 years and over	10 mL to 20 mL (2x10 mL; Note: dosing cup needs to be filled to 10 mL line twice for the 20 mL dose)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

---

**Attention:** use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

### Other information

- each 5 mL contains: **sodium 14 mg**
- store between 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.
- **do not use if carton is opened**
- **do not use if bottle wrap imprinted with “Sealed For Your Safety” is broken or missing**

### Inactive ingredients

anhydrous citric acid, D&C red no. 33, FD&C red no. 40, flavors, glycerin, monoammonium glycyrrhizinate, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

### Questions or comments?

call **1-877-717-2824** or **215-273-8755 (collect)**

### PRINCIPAL DISPLAY PANEL

NDC 50580-573-04

NEW DOSING FOR ADULTS

Benadryl®

ALLERGY

LIQUID

Diphenhydramine HCl/antihistamine  
12.5 mg/5 mL oral solution

Same as Children's Benadryl® Allergy Liquid


- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Alcohol Free

Wild Cherry

Flavored Liquid

4 fl oz (118 mL)



# BENADRYL ALLERGY

diphenhydramine hydrochloride solution

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50580-573
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>AMMONIUM GLYCYRRHIZATE</b> (UNII: 3VRD35U26C)	
<b>POLOXAMER 407</b> (UNII: TUF2IVW3M2)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SUCROSE</b> (UNII: C151H8M554)	

## Product Characteristics

<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-573-04	1 in 1 CARTON	12/02/2024	
1		118 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/02/2024	

**Labeler** - Kenvue Brands LLC (118772437)