BENADRYL ALLERGY- diphenhydramine hydrochloride solution Kenvue Brands LLC

BENADRYL Allergy Oral Solution

Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
 - temporarily relieves these symptoms due to the common cold:
- runny nose
- sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if the user has

- a breathing problem such as chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the user is taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- find right dose on chart below
- mL = milliliter
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)	
	10 mL to 20 mL (2x10 mL;	
adults and children	Note: dosing cup needs to	
12 years and over	be filled to 10 mL line twice	
	for the 20 mL dose)	
children 6 to 11 years	5 mL to 10 mL	
children 2 to 5 years	do not use unless directed	
children 2 to 5 years	by a doctor	
children under 2 years	do not use	

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Other information

- each 5 mL contains: **sodium 14 mg**
- store between 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.
- do not use if carton is opened
- do not use if bottle wrap imprinted with "Sealed For Your Safety" is broken or missing

Inactive ingredients

anhydrous citric acid, D&C red no. 33, FD&C red no. 40, flavors, glycerin, monoammonium glycyrrhizinate, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

Questions or comments?

call 1-877-717-2824 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL

NDC 50580-573-04

NEW DOSING FOR ADULTS

Benadryl[®]

ALLERGY

LIQUID

Diphenhydramine HCl/antihistamine 12.5 mg/5 mL oral solution

Same as Children's Benadryl® Allergy Liquid

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Alcohol Free

Wild Cherry

Flavored Liquid

4 fl oz (118 mL)



Important: Read all product information before using. Keep this box for important information.

Drug Facts

Active ingredient

(in each 5 mL) Diphenhydramine HCI 12.5 mg...

Purnose ... Antihistamine

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
 itchy, watery eyes
 itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:

Do not use

- to make a child sleepy
 with any other product containing diphenhydramine, even one used on skin
- Ask a doctor before use if the user has
- a breathing problem such as chronic bronchitis
 glaucoma
 trouble urinating due to an enlarged prostate of
- trouble urinating due to an enlarged prostate gland a sodium-restricted diet

Ask a doctor or pharmacist before use if the user is taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase
- drowsiness
 be careful when driving a motor vehicle or operating
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health

regional of the described in the describ



- do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
adults and children 12 years and over	10 mL to 20 mL (2x10 mL; Note: dosing cup needs to be filled to 10 mL line twice for the 20 mL dose)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

designed for use with this product. Do not use any other dosing device.

Other information

- each 5 mL contains: sodium 14 mg
 store between 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.
- do not use if carton is opened
- do not use if bottle wrap imprinted with "Sealed For Your Safety" is broken or missing

Inactive ingredients

anhydrous citric acid, D&C red no. 33, FD&C red no. 40, flavors, glycerin, monoammonium glycyrrhizinate, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

Questions or comments? call 1-877-717-2824 or 215-273-8755 (collect)

JOHNSON & JOHNSON CONSUMER INC.

Fort Washington, PA 19034 USA

Pat. www.kenvuepats.com



Directions

- find right dose on chart below
- take every 4 to 6 hours, or as directed by a doctor

Age (yr)	Dose (mL)
adults and children 12 years and over	10 mL to 20 mL (2x10 mL; Note: dosing cup needs to be filled to 10 mL line twice for the 20 mL dose)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 veere	do not uso

Attention: use only enclosed dosing cup specifically



Diphenhydramine HCI / antihistamine 12.5 mg / 5 mL oral solution

Benadryl

ALLERGY

OPEN HERE •

How can we help? <u>(</u>† 1-877-717-2824 benadryl.com

NEW DOSING FOR ADULTS

Same as Children's Benadryl® Allergy Liquid

- **Sneezing**
- Runny Nose
- Itchy, Watery Eyes
- **Itchy Throat or Nose**

Alcohol Free

Wild Cherry Flavored Liquid



4 fl oz (118 mL)





LIQUID

Diphenhydramine HCI/antihistamine 12.5 mg/5 mL oral solution

Same as Children's Benadryl® Allergy Liquid

- **Sneezing**
- **Runny Nose**
- Itchy, Watery Eyes
- **Itchy Throat or Nose**

Alcohol Free

Wild Cherry Flavored Liquid



4 fl oz (118 mL)

BENADRYL ALLERGY

diphenhydramine hydrochloride solution

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:50580-573

Route of Administration

ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL	

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
D&C RED NO. 33 (UNII: 9DBA0SBB0L)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
GLYCERIN (UNII: PDC6A3C0OX)			
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)			
POLOXAMER 407 (UNII: TUF2IVW3M2)			
WATER (UNII: 059QF0KO0R)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			
SUCROSE (UNII: C151H8M554)			

Product Characteristics			
Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:50580-573- 04	1 in 1 CARTON	12/02/2024		
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/02/2024	

Labeler - Kenvue Brands LLC (118772437)

Revised: 12/2024 Kenvue Brands LLC