BENZEFOAM- benzoyl peroxide aerosol Bausch Health US, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Benzoyl Peroxide (5.3%)

Purpose

Acne Treatment

Use

For the treatment of acne.

Warnings

For external use only

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- skin irritation and dryness are more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen.
- avoid contact with the eyes, lips, and mouth.
- avoid contact with hair and dyed fabrics, which may be bleached by this product.
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.
- do not puncture or incinerate container. Contents under pressure.
- do not expose to temperatures above 120°F (49°C).

Stop use and ask a doctor if

■ irritation becomes severe

Keep Out of Reach of Children

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor
- can be used as either a leave-on or short contact application

Other Information

■ store at room temperature 15°-25°C (59°-77°F). Protect from freezing. Store upright.

Inactive Ingredients

BHT, C12-15 alkyl benzoate, cetearyl alcohol, citric acid, dimethicone, disodium EDTA, emulsifying wax, glycerin, hydrofluorocarbon 134a, methylparaben, propylene glycol, propylparaben, purified water,

sodium citrate, steareth-10

Questions/comments?

Call: 1-800-321-4576

Package/Label Principal Display Panel - Carton

NDC: 0187-0194-10

BenzEFoam Emollient Foam
benzoyl peroxide 5.3%

Acne Treatment Emollient Foam

For Topical Use Only

Do Not Use in Eyes

Will not dispense entire contents. Container is overfilled to guarantee dispensing a minimum of 100 grams.

Back Applicator Included

Ortho Dermatologics

Net Wt 3.5 OZ (100 g)







Includes Back Applicator to help you apply BenzEFoam®Emollient Foam to your shoulders and back





Ortho Dermatologics

Prime Can Before Initial Use: Shake can well. Firmly strike bottom of can onto palm of hand 3 times. Hold can upright and direct initial spray to a non-skin surface. Until foam dispenses, DO NOT spray directly on the skin as the initial spray may expel cold liquid propellant. Press down on actuator for 1-3 seconds until foam begins to dispense.

During Use: Holding can upright, dispense BenzEFoam® into palm of hand or onto applicator pad. Rinse applicator with water and allow to dry after use. Wash hands with soap and water after use.

BenzEFoam is a trademark of Bausch Health Companies Inc. or its affiliates. @ 2019 Bausch Health Companies Inc. or its affiliates

Manufactured for: Ortho Dermatologics, a division of Bausch Health US, LLC Bridgewater, NJ 08807 USA

9684900





Acne Treatment **Emollient Foam**

For Topical Use Only Do Not Use in Eyes

Will not dispense entire contents. Container is overfilled to guarantee dispersing a minimum of 100 grams.

Back Applicator Included

Ortho Dermatologics NET WT 3.5 OZ (100 g)

Drug Facts

Active ingredient Berzzyl Peroxide (5.3%)

Purpose e Treatment

Use For the treatment of acne

Warnings For external use only

The contract was only to be not use if you
thave very sensitive sits
are assettive to be recoyl percoide
Wees using this product
with intraction and dryness are more likely to occur if
you use another logical acree medication at the same
time. If which occurs, only use one to plead acre
medication at a time.

medication of a time.

a wold unnecessary sun exposure and use a suscereen

a wold confact with the eyes, itps, and month,

a wold confact with hair and dyed fabrics, which may
be blacabed by this product,

skin inflation may occur, characterized by redness,

skin initiation may occur, characterized by redness, bursleg, libbling, peeling, or possibly swellleg, irritiation may be reduced by using the product less frequently or in a lower connectration.

 do not puscture or iscinerate container. Comiteats under pressure.

 do not expose to temperatures above 120°F (48°C).

Buy use and ankin dealer if it is initiation becomes severe Keep aut of reach of children. If swallowed get medical help or contact a Poissa Control Center right away.

Directions:

In dean the skin thoroughly before applying this product

In over the entire affected area with a thin layer one to

is over the entire affected area with a thin layer case to three times daily!

It is cleared to the control of the control of

Other information

m store at room temperature 15"-25"C (58"-77"F).

Protect from freezing. Store upright.

Frocus norm meaning scare aprigm.

Inactive ingradients
BHT, (12-15 sity) beszete, ortanyl alochol, citric
acid, dinethicorie, disodum EUTA, emalstlying wax,
gycerin, hydrofusoroanten 134a, methyparaben,
propylene glyoo, propyl panden, purited water,
sodum citrati, sitearth-10

Charatten in Apparen and 2

Questions/comments? Calt 1-800-321-4576

BENZEFOAM

benzoyl peroxide aerosol

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0187-0194	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety Ingredient Name BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII: W9WZN9A0GM) BENZOYL PEROXIDE | 5.3 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
BUTYLATED HYDRO XYTO LUENE (UNII: 1P9 D0 Z171K)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CITRIC ACID MO NO HYDRATE (UNII: 2968 PHW8 QP)	
DIMETHICO NE (UNII: 92RU3N3Y1O)	
EDETATE DISO DIUM ANHYDRO US (UNII: 8 NLQ36 F6 MM)	
GLYCERIN (UNII: PDC6A3C0OX)	
NO RFLURANE (UNII: DH9 E53K1Y8)	
METHYLPARABEN (UNII: A2I8 C7HI9 T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
STEARETH-10 (UNII: FD0913P475)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:0187-0194-10	1 in 1 CARTON	02/06/2020	
1	100 g in 1 CAN; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333D	02/06/2020		

Labeler - Bausch Health US, LLC (831922468)

Establishment			
Name	Address	ID/FEI	Business Operations

Denison Pharmaceuticals	001207208	MANUFACTURE(0187-0194)	
-------------------------	-----------	------------------------	--

Revised: 2/2020 Bausch Health US, LLC