

**DELLA BARRIER 2500- iodine solution solution**  
**DeLaval**

-----  
**Della Barrier 2500**

**DELLA BARRIER 2500™**

Storage: Store at room temperature

Approval No.: 17 Shoan No. 1220

Veterinary medicinal product - Teat disinfectant for dairy cows

For disinfection and sanitization of bovine teats.

Use this product undiluted.

Pour the original solution into a cup or similar container and briefly immerse the teats after each milking.

Composition/Content (per 100 g)

Iodine-glycerin complex solution.....0.85 g (Available iodine 0.25 g)

Sodium iodate .....0.14g

Glycerin.....1.59g

Sorbitol.....3.00g

**Precautions (to be strictly observed).**

Use this product only for the purposes specified in the indications and effects. Follow the prescribed dosage and administration strictly. Shake the undiluted solution lightly before use to mix the contents thoroughly.

As the product is corrosive, do not use metal containers. Do not mix this product with other disinfectants.

Organic matter consumes available iodine; avoid contamination.

If a large amount of milk or other organic matter enters the container, discard the solution and refill with fresh product before use.

Do not reuse solution that has been left standing for a long time after use.

Keep Out of Reach of Children

**Storage and Disposal**

Store away from direct sunlight at room temperature.

If frozen in cold climates, warm the product to room temperature to thaw before use.

To avoid misuse and preserve product quality, do not transfer the contents to another container.

In case of leakage, wash away with plenty of water.

When disposing of the product, take care to avoid environmental and water-system contamination and follow local government regulations.

### **Precautions for Use**

Wear protective goggles when using this product.

If it gets into the eyes, immediately rinse thoroughly with plenty of water - including under the eyelids - for at least 15 minutes.

If eye irritation persists, consult a physician or seek medical treatment.

Wear long-sleeved clothing and protective gloves.

If the product adheres to the skin, wash immediately with soap and plenty of water, and remove contaminated clothing and shoes.

Do not ingest this product.

If accidentally swallowed, administer plenty of water, induce vomiting as appropriate, and seek medical advice immediately.

Ensure adequate ventilation during use.

If vapors are inhaled, move the person to a place with fresh air.

### **Precautions for Cattle**

Side effects: In rare cases, hypersensitivity reactions such as rash may occur.

If such symptoms appear, discontinue use and consult a veterinarian.

For external use only.

Do not use this product for pre-milking disinfection.

Net Volume:

Lot No:

Expiration Date:

### **Product Label image**

Product Label image

DeLaval

小児の手の届かない場所に保管のこと

1288



ご使用前に、すべての指示を読んで、理解してください。



BARRIER TECHNOLOGY

OPTIMIZED IODINE

ACT ADVANCED TECHNOLOGY

貯法 室温保存

承認指令番号 17消安第1220号

# デラバリア 2500™

動物用医薬品 牛の乳頭殺菌消毒剤

【効能又は効果】  
牛の乳頭の殺菌及び消毒

【用法及び用量】  
本液は原液にて使用し、コップなどの容器に入れ、  
毎搾乳後乳頭を短時間浸漬する。

【成分・分量 (100g中)】  
ヨウ素グリセリン複合液.....0.84g (有効ヨウ素 0.25g)  
ヨウ素酸ナトリウム.....0.14g  
グリセリン.....1.59g  
ソルビドール.....3.00g



## 1. 守らなければならないこと

【一般的注意】

- 本剤は、効能、効果において定められた目的のみに使用すること。
- 本剤は、定められた用法、用量を厳守すること。

【取扱い及び廃棄に関する注意】

- 本剤は、希釈せずに原液を軽く振とうして、内容液をよく混合してから使用すること。
- 本剤は、腐食性があるため、金属製の容器を使用しないこと。
- 本剤と他の消毒剤を混用しないこと。
- 有機物は有効ヨウ素を消費するので、混入を避けること。万一、多量の乳汁等が混入した場合は、廃棄し、新たに本剤を容器に入れ、使用すること。
- 一度使用した本剤で、長時間放置したものの再使用はさげること。
- 本剤は、小児の手の届かないところに保管すること。
- 本剤は、直射日光を避け、室温にて保管すること。
- 本剤は、寒冷地等で凍結した場合は、室温で温めて溶かしてから使用すること。
- 本剤の誤用を避け、本剤の品質を保持するため、他の容器に入れ替えないこと。
- 本剤が漏出した場合は、大量の水で洗い流すこと。
- 本剤の廃棄に際し、環境や水系への汚染に注意し、地方公共団体条例等に従って処分すること。
- 本剤の使用済み容器は、地方公共団体条例等に従って処分すること。

## 2. 使用に際して気を付けること

【使用者に対する注意】

- 本剤の使用の際には保護メガネを着用し、万一、目に入った場合は、ただちに十分な水で洗い流し、まぶたの内側も15分以上洗い流すこと。目の刺激が治まらない場合は、医師に相談するか治療を受けること。
- 本剤の使用の際には長袖の衣服と保護手袋を着用し、万一、皮膚に付着した場合は、石鹸と十分な水ですぐに洗い流し、汚染された衣服や靴を脱ぐこと。
- 本剤を誤飲しないこと。万一、誤飲した場合は、大量の水を飲ませ、吐き出させるなどの適切な処置を行い、ただちに医師に相談すること。
- 本剤の使用時には、適切な換気を確認し、万一、吸引した場合は、空気の清浄な場所へ移動すること。

【牛に関する注意】

- 副作用  
本剤の使用によりまれに発疹等の過敏症があらわれることがあるが、このような症状があらわれた場合は、使用を中止し、獣医師の治療を受けること。

【取扱い上の注意】

- 本剤は、外用以外には使用しないこと。
- 本剤を搾乳前の消毒に使用しないこと。

製造販売業者  
デラバル株式会社  
北海道千歳市上長都1117-2  
TEL 0123-40-8172

正味量： ガロン (約 L)

ロット番号：

使用期限：

## DELLA BARRIER 2500

iodine solution solution

### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55756-783
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Iodine (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	Iodine	2.5 g in 1 L

### Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITOL SOLUTION 70% (UNII: 8KW3E207O2)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM IODATE (UNII: U558PCS5Z9)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

**SODIUM HYDROXIDE** (UNII: 55X04QC32I)

**poloxamer 335** (UNII: G6DQL26D50)

**POVIDONE K30** (UNII: U725QWY32X)

**XANTHAN GUM** (UNII: TTV12P4NEE)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55756-783-08	19 L in 1 PAIL		
2	NDC:55756-783-02	56.8 L in 1 PAIL		
3	NDC:55756-783-01	208 L in 1 DRUM		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
export only		02/19/2026	

**Labeler - DeLaval** (173704867)

### Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		147528723	manufacture, analysis, label, api manufacture

### Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		095906480	manufacture, analysis, label, api manufacture

Revised: 2/2026

DeLaval