

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLARE 1/BEIGE- octinoxate, titanium dioxide, and zinc oxide paste
LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLARE 2/ BEIGE- octinoxate, titanium dioxide, and zinc oxide paste
LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLARE 3/ BEIGE- octinoxate, titanium dioxide, and zinc oxide paste
LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLARE 4/ BEIGE- octinoxate, titanium dioxide, and zinc oxide paste
LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 MEDIUM 5/ BEIGE- octinoxate, titanium dioxide, and zinc oxide paste
LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 MEDIUM 6/ BEIGE- octinoxate, titanium dioxide, and zinc oxide paste
LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 MEDIUM 7/ BEIGE- octinoxate, titanium dioxide, and zinc oxide paste
LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 OBSCURE 8/ BEIGE- octinoxate, titanium dioxide, and zinc oxide paste
LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 OBSCURE 9/ BEIGE- octinoxate, titanium dioxide, and zinc oxide paste
Ventura Corporation LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

L'BEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
OCTINOXATE 6.5%	Sunscreen
TITANIUM DIOXIDE 2.44%	Sunscreen
ZINC OXIDE 1.57%	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

CYCLOPENTASILOXANE, MICA, DIMETHICONE CROSSPOLYMER, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TRIMETHYLSILOXYSILICATE, CYCLOHEXASILOXANE, BIS-HYDROXYETHOXYPROPYL DIMETHICONE, OCTYLDODECANOL, PHENOXYETHANOL, BORON NITRIDE, IRVINGIA GABONENSIS KERNEL BUTTER, DISTEARDIMONIUM HECTORITE, ALUMINA, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA, HYDROGENATED COCO-GLYCERIDES, HEXYL LAURATE, DIMETHICONOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, LAUROYL LYSINE, PROPYLENE CARBONATE, METHICONE, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, RHODIOLA ROSEA ROOT EXTRACT, CARNOSINE, TRIETHOXYCAPRYLYLSILANE, ALANYL GLUTAMINE.

MAY CONTAIN:

TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77492), IRON OXIDES (CI 77491), IRON OXIDES (CI 77499).

Dist. by
Ventura Corp, Ltd., San Juan, Puerto Rico
00926

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - Clare 1/Beige

L'BEL
MOUSSE
MATIFFIANT

Matte finish mousse
foundation SPF 15

Net wt. 1 oz. e (30 g)



Drug Facts

Active Ingredients Purpose

Octinoxate 6.5% Sunscreen
 Titanium Dioxide 2.44% Sunscreen
 Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes.** Rinse with water to remove.
- **Stop use and ask a doctor if rash occurs.**
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure.

- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone.

Drug Facts (Continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, methicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. **May contain:** titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77491), iron oxides (CI 77499).

U.S.A.: Dist. by Ventura Int Ltd, DBA Be Corp USA, Miami, FL 33126, Made in Colombia. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926 Made in Colombia Exp./ Vence:



#UnaMujerdeVerdad
 www.lbel.com

L'BEL
MOUSSE
MATIFFIANT

- Base textura mousse acabado mate FPS 15
- Matte finish mousse foundation SPF 15
- Base textura mousse acabamento mate FPS 15

Net wt. 1 oz. e (30 g)

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - Clare 2/ Beige

L'BEL
 MOUSSE
 MATIFFIANT

Matte finish mousse
foundation SPF 15

Net wt. 1 oz. e (30 g)

Drug Facts

Active Ingredients Purpose

Octinoxate 6.5% Sunscreen
Titanium Dioxide 2.44% Sunscreen
Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. Rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.


Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone. ▶

Drug Facts (Continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, methicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. **May contain:** titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77491), iron oxides (CI 77499).

U.S.A.: Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00928. Made in Colombia.
Exp./ Vence:



#UnaMujerdeVerdad
www.lbel.com

L'BEL
MOUSSE
MATIFFIANT

Base textura mousse
acabado mate FPS 15

Matte finish mousse
foundation SPF 15

Base textura mousse
acabamento mate FPS 15

Net wt. 1 oz. e (30 g)

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - Clare 3/ Beige

L'BEL

MOUSSE

MATIFFIANT

Matte finish mousse

foundation SPF 15

Net wt. 1 oz. e (30 g)



Drug Facts

Active Ingredients Purpose

Octinoxate 6.5% Sunscreen
Titanium Dioxide 2.44% Sunscreen
Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use on damaged or broken skin.**

■ **When using this product keep out of eyes.** Rinse with water to remove.

■ **Stop use and ask a doctor if rash occurs.**

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone. ▶

Drug Facts (Continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, methicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. **May contain:** titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77491), iron oxides (CI 77499).

U.S.A.: Dist. by Ventura Int.Ltd, DBA Be!corp USA, Miami, FL 33126, Made in Colombia. **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926 Made in Colombia
Exp./ Vence:



#UnaMujerdeVerdad
www.lbel.com

L'BEL
MOUSSE
MATIFFIANT

Base textura mousse
acabado mate FPS 15

Matte finish mousse
foundation SPF 15

Base textura mousse
acabamento mate FPS 15

Net wt. 1 oz. e (30 g)

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - Clare 4/ Beige

L'BEL
MOUSSE
MATIFFIANT

Matte finish mousse
foundation SPF 15

Net wt. 1 oz. e (30 g)

Drug Facts

Active Ingredients Purpose

Octinoxate 6.5% Sunscreen
Titanium Dioxide 2.44% Sunscreen
Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. Rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone. ▶

Drug Facts (Continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, methicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. **May contain:** titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77491), iron oxides (CI 77499).

U.S.A.: Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00928. Made in Colombia.
Exp./ Vence:



#UnaMujerdeVerdad
www.lbel.com

L'BEL
MOUSSE
MATIFFIANT

Base textura mousse
acabado mate FPS 15

Matte finish mousse
foundation SPF 15

Base textura mousse
acabamento mate FPS 15

Net wt. 1 oz. e (30 g)

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - Medium 5/ Beige

L'BEL

MOUSSE

MATIFFIANT

Matte finish mousse

foundation SPF 15

Net wt. 1 oz. e (30 g)



Drug Facts

Active Ingredients Purpose

Octinoxate 6.5% Sunscreen
 Titanium Dioxide 2.44% Sunscreen
 Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use on damaged or broken skin.**

■ **When using this product keep out of eyes.** Rinse with water to remove.

■ **Stop use and ask a doctor if rash occurs.**

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsilyloxy silicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone. ▶

Drug Facts (Continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, methicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. **May contain:** titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77491), iron oxides (CI 77499).

U.S.A.: Dist. by Ventura Int Ltd, DBA Be Corp USA, Miami, FL 33126, Made in Colombia. **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926 Made in Colombia
 Exp./ Vence:



#UnaMujerdeVerdad
 www.lbel.com

L'BEL
MOUSSE
MATIFFIANT

Base textura mousse
 acabado mate FPS 15

Matte finish mousse
 foundation SPF 15

Base textura mousse
 acabamento mate FPS 15

Net wt. 1 oz. e (30 g)

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - Medium 6/ Beige

L'BEL
 MOUSSE
 MATIFFIANT

Matte finish mousse
foundation SPF 15

Net wt. 1 oz. e (30 g)

Drug Facts

Active Ingredients Purpose

Octinoxate 6.5% Sunscreen
Titanium Dioxide 2.44% Sunscreen
Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. Rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.


Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxy silicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone. ▶

Drug Facts (Continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, methicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. **May contain:** titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77491), iron oxides (CI 77499).

U.S.A.: Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00928. Made in Colombia.
Exp./ Vence:



#UnaMujerdeVerdad
www.lbel.com

L'BEL
MOUSSE
MATIFFIANT

Base textura mousse
acabado mate FPS 15

Matte finish mousse
foundation SPF 15

Base textura mousse
acabamento mate FPS 15

Net wt. 1 oz. e (30 g)

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - Medium 7/ Beige

L'BEL

MOUSSE

MATIFFIANT

Matte finish mousse

foundation SPF 15

Net wt. 1 oz. e (30 g)



Drug Facts

Active Ingredients Purpose

Octinoxate 6.5% Sunscreen
 Titanium Dioxide 2.44% Sunscreen
 Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use on damaged or broken skin.**

■ **When using this product keep out of eyes.** Rinse with water to remove.

■ **Stop use and ask a doctor if rash occurs.**

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone.

Drug Facts (Continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, methicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. **May contain:** titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77491), iron oxides (CI 77499).

U.S.A.: Dist. by Ventura Int Ltd, DBA Be Corp USA, Miami, FL 33126, Made in Colombia. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926 Made in Colombia Exp./ Vence:



#UnaMujerdeVerdad
www.lbel.com

L'BEL
MOUSSE
MATIFFIANT

Base textura mousse
 acabado mate FPS 15

Matte finish mousse
 foundation SPF 15

Base textura mousse
 acabamento mate FPS 15

Net wt. 1 oz. e (30 g)

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - Obscure 8/ Beige

L'BEL
 MOUSSE
 MATIFFIANT

Matte finish mousse
foundation SPF 15

Net wt. 1 oz. e (30 g)

Drug Facts

Active Ingredients Purpose

Octinoxate 6.5% Sunscreen
Titanium Dioxide 2.44% Sunscreen
Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. Rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxy silicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone. ▶

Drug Facts (Continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, methicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. **May contain:** titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77491), iron oxides (CI 77499).

U.S.A.: Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00928 Made in Colombia
Exp./ Vence:



#UnaMujerdeVerdad
www.lbel.com

L'BEL MOUSSE MATIFFIANT

Base textura mousse
acabado mate FPS 15

Matte finish mousse
foundation SPF 15

Base textura mousse
acabamento mate FPS 15

Net wt. 1 oz. e (30 g)

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - Obscure 9/ Beige

L'BEL

MOUSSE

MATIFFIANT

Matte finish mousse

foundation SPF 15

Net wt. 1 oz. e (30 g)

Drug Facts

Active Ingredients Purpose

Octinoxate 6.5% Sunscreen
Titanium Dioxide 2.44% Sunscreen
Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use on damaged or broken skin.**

■ **When using this product keep out of eyes.** Rinse with water to remove.

■ **Stop use and ask a doctor if rash occurs.**

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone.

Drug Facts (Continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, methicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. **May contain:** titanium dioxide (CI 77891), iron oxides (CI 77492), iron oxides (CI 77491), iron oxides (CI 77499).

U.S.A.: Dist. by Ventura Int Ltd, DBA Be Corp USA, Miami, FL 33126, Made in Colombia. **PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926 Made in Colombia
Exp./Vence:



#UnaMujerdeVerdad
www.lbel.com

L'BEL MOUSSE MATIFFIANT

Base textura mousse
acabado mate FPS 15

Matte finish mousse
foundation SPF 15

Base textura mousse
acabamento mate FPS 15

Net wt. 1 oz. e (30 g)

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLARE 1/BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0079
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0157 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)	
CARNOSINE (UNII: 8HO6PVN24W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALANYL GLUTAMINE (UNII: U5JDO2770Z)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0079-2	1 in 1 BOX	08/08/2018	
1	NDC:43596-0079-1	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/08/2018	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLARE 2/ BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0080
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0157 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)	
CARNOSINE (UNII: 8HO6PVN24W)	

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALANYL GLUTAMINE (UNII: U5JDO2770Z)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0080-2	1 in 1 BOX	08/08/2018	
1	NDC:43596-0080-1	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/08/2018	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLARE 3/ BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0081
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0157 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
LAUROYL LYSINE (UNII: 113171Q70B)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
METHICONE (20 CST) (UNII: 6777U11MKT)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)
CARNOSINE (UNII: 8HO6PVN24W)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
ALANYL GLUTAMINE (UNII: U5JDO2770Z)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0081-2	1 in 1 BOX	08/08/2018	
1	NDC:43596-0081-1	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/08/2018	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLARE 4/ BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0082
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0157 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)	
CARNOSINE (UNII: 8HO6PVN24W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALANYL GLUTAMINE (UNII: U5JDO2770Z)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0082-2	1 in 1 BOX	08/08/2018	
1	NDC:43596-0082-1	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/08/2018	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 MEDIUM 5/ BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0083
--------------	----------------	--------------------	----------------

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0157 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)	
CARNOSINE (UNII: 8HO6PVN24W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALANYL GLUTAMINE (UNII: U5JDO2770Z)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0083-2	1 in 1 BOX	08/08/2018	
1	NDC:43596-0083-1	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/08/2018	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 MEDIUM 6/ BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0084
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0157 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)	
CARNOSINE (UNII: 8HO6PVN24W)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ALANYL GLUTAMINE (UNII: U5JDO2770Z)	

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0084-2	1 in 1 BOX	08/08/2018	
1	NDC:43596-0084-1	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/08/2018	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 MEDIUM 7/ BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0085
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
	Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 g
	Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0157 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
OCTYLDOECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	

HEXYL LAURATE (UNII: 4CG9F9W01Q)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
LAUROYL LYSINE (UNII: 113171Q70B)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
METHICONE (20 CST) (UNII: 6777U11MKT)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)
CARNOSINE (UNII: 8HO6PVN24W)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
ALANYL GLUTAMINE (UNII: U5JDO2770Z)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0085-2	1 in 1 BOX	08/08/2018	
1	NDC:43596-0085-1	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/08/2018	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 OBSCURE 8/ BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0086
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0157 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	

MICA (UNII: V8A1AW0880)
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
OCTYLDODECANOL (UNII: 461N1O614Y)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BORON NITRIDE (UNII: 2U4T60A6YD)
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM OXIDE (UNII: LM26O6933)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
LAUROYL LYSINE (UNII: 113171Q70B)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
METHICONE (20 CST) (UNII: 6777U11MKT)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)
CARNOSINE (UNII: 8HO6PVN24W)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
ALANYL GLUTAMINE (UNII: U5JDO2770Z)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0086-2	1 in 1 BOX	08/08/2018	
1	NDC:43596-0086-1	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/08/2018	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 OBSCURE 9/ BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0087
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.0157 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)	
CARNOSINE (UNII: 8HO6PVN24W)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALANYL GLUTAMINE (UNII: U5JDO2770Z)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0087-2	1 in 1 BOX	08/08/2018	
1	NDC:43596-0087-1	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC MONOGRAPH FINAL	part352	08/08/2018	
---------------------	---------	------------	--

Labeler - Ventura Corporation LTD (602751344)

Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(43596-0079, 43596-0080, 43596-0081, 43596-0082, 43596-0083, 43596-0084, 43596-0085, 43596-0086, 43596-0087)

Revised: 8/2018

Ventura Corporation LTD