

**FLAVOMYCIN- bambermycins type a medicated article powder**  
**Huvepharma, Inc.**

-----  
**FLAVOMYCIN® 4**

(bambermycins Type A medicated article)

**ANTIBIOTIC**

To report suspected adverse drug events, for technical assistance or to obtain a copy of the Safety Data Sheet (SDS), contact Huvepharma, Inc. at 1-877-994-4883 or [www.huvepharma.us](http://www.huvepharma.us). For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>.

**INDICATIONS FOR USE**

For increased rate of weight gain and improved feed efficiency in broiler chickens, growing-finishing swine and growing turkeys.

**ACTIVE DRUG INGREDIENT**

Bambermycins 4 grams per pound (8.8 grams per kilogram)

**INGREDIENTS**

Roughage products and/or calcium carbonate, dried bambermycins fermentation product, ethoxyquin (a preservative), mineral oil.

**MIXING DIRECTIONS AND INDICATIONS ON REVERSE SIDE**

**WITHDRAWAL PERIODS**

No withdrawal period is required when used according to labeling.

**FOR USE IN MANUFACTURED FEEDS ONLY**

**USER SAFETY WARNINGS**

**Not For Human Use**

**Keep out of reach of children.**

**Restricted Drug (California) - Use only as directed**

**Net Weight - 50 pounds (22.68 kg)**

**Distributed by:**

**HUVEPHARMA, INC.**

**Peachtree City, GA 30269**

**FLAVOMYCIN® 4**

**(bambermycins Type A Medicated Article)**

**ANTIBIOTIC**

**INDICATIONS FOR USE**

Species	Bambermycins g/ton in Type C medicated feed	Indication(s)
---------	---	---------------

Broiler Chickens	1-2*	Increased rate of weight gain; improved feed efficiency
Growing-Finishing Swine	2	Increased rate of weight gain; improved feed efficiency
	2-4*	Increased rate of weight gain
Growing Turkeys	2	Increased rate of weight gain; improved feed efficiency
	1-2*	Improved feed efficiency

\*Only a single level of bambermycins (e.g., 4 grams/ton bambermycins) can be indicated on a feed tag. A different feed tag must be submitted for each level of bambermycins needed for your complete feeding program.

**MIXING DIRECTIONS:**

It is recommended that Flavomycin® 4 be diluted with a suitable grain carrier before addition to the final feed. A dilution of 1 part of Flavomycin® 4 and 9 parts grain carrier is the suggested working intermediate preblend. The table below shows Flavomycin® 4 and working intermediate preblend addition levels for various commonly used feeds:

Feed	Bambermycins in Type C Medicated Feed (g/ton)	Pounds Flavomycin® 4 per Ton Type C Medicated Feed	Pounds 1-9 Intermediate Preblend per Ton Type C Medicated Feed
Broiler Chickens	1	.25	2.50
	2	.50	5.00
Growing-Finishing Swine	2	.50	5.00
	3	.75	7.50
Growing Turkeys	4	1.00	10.00
	1	.25	2.50
	2	.50	5.00

Thoroughly mix both working intermediate preblend and finished Type C medicated feed to ensure complete and uniform distribution of the Flavomycin® 4.

**FEEDING DIRECTIONS:**

Type C medicated feed containing Flavomycin® 4 should be fed continuously as the sole ration.

**Huvepharma®**

**Approved by FDA under NADA #044-759**

**Flavomycin<sup>®</sup> 4**  
(bambermycins  
Type A medicated article)

**ANTIBIOTIC**

**INDICATIONS FOR USE**

Species	Bambermycins (g/ton), Type C medicated feed	Indications
Broiler Chickens	1-2*	Increased rate of weight gain; improved feed efficiency
Growing Finishing Swine	2 2-4*	Increased rate of weight gain; improved feed efficiency
Growing Turkeys	2 1-2*	Increased rate of weight gain; improved feed efficiency

\*On a single level of bambermycins. If multiple levels are indicated in directions feeding, a different level may be used for each level of bambermycins in the feed.

**MIXING DIRECTIONS:**  
It is recommended that Flavomycin<sup>®</sup> 4 be diluted with a suitable gain center before addition to the finished or distributed product. Flavomycin<sup>®</sup> 4 and bambermycins in the required feeding amounts should be added to the finished product. The total bambermycins<sup>®</sup> 4 and working the mixture per the additional levels for use in common feed levels.

Feed	Bambermycins in Type C Medicated Feed (g/ton)	Flavomycin <sup>®</sup> 4 Medicated Feed	Pounds 1.0 Imperial per Ton, Type C Medicated Feed
Broiler Chickens	1	25	2.50
	2	50	5.00
Growing Finishing Swine	2	75	7.50
	4	150	15.00
Growing Turkeys	1	25	2.50
	2	50	5.00

Thoroughly mix both working intermediate pre-mixed medicated Type C medicated feed to ensure complete and uniform distribution of the Flavomycin<sup>®</sup> 4.

**FEEDING DIRECTIONS:**  
Type C medicated feed containing Flavomycin<sup>®</sup> 4 should be fed continuously at the rate shown.



**Flavomycin<sup>®</sup> 4**  
(bambermycins  
Type A medicated article)

**Flavomycin<sup>®</sup> 4**  
(bambermycins  
Type A medicated article)

**ANTIBIOTIC**

To report suspected adverse drug events, for technical assistance or to obtain a copy of the Safety Data Sheet (SDS), contact Huvepharma, Inc. at 1-877-994-4483 or [www.huvepharma.us](http://www.huvepharma.us). For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalde>.

**INDICATIONS FOR USE**

For increased rate of weight gain and improved feed efficiency in broiler chickens, growing-finishing swine and growing turkeys.

**ACTIVE DRUG INGREDIENT**  
Bambermycins 4 grams per pound (8.8 grams per kilogram)

**INGREDIENTS**  
Roughage products and/or calcium carbonate, dried bambermycins fermentation product, ethoxyquin (a preservative), mineral oil.

**MIXING DIRECTIONS AND INDICATIONS ON REVERSE SIDE**

**WITHDRAWAL PERIODS**  
No withdrawal period is required when used according to labeling.

**FOR USE IN MANUFACTURED FEEDS ONLY**

**USERS SAFETY WARNINGS**  
Not For Human Use  
Keep out of reach of children.  
Restricted Drug (California) - Use only as directed  
Net Weight - 50 pounds (22.68 kg)

Distributed by:  
HUYEPHARMA, INC.  
Peachtree City, GA 30269

**Flavomycin<sup>®</sup> 4**  
(bambermycins  
Type A medicated article)

Bottom Print  
Live-Cosy Area

<b>FLAVOMYCIN</b>			
bambermycins type a medicated article powder			
<b>Product Information</b>			
<b>Product Type</b>	OTC TYPE A MEDICATED ARTICLE ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:23243-2060
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	BAMBERMYCINS (UNII: PP922A42V2) (BAMBERMYCINS - UNII:PP922A42V2)	BAMBERMYCINS	8.8 g in 1 kg
<b>Inactive Ingredients</b>			
	<b>Ingredient Name</b>		<b>Strength</b>
	MINERAL OIL (UNII: T5L8T28FGP)		
	CALCIUM CARBONATE (UNII: H0G9379FGK)		

## Product Characteristics

<b>Color</b>	brown ((Off White to Tan))	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:23243-2060-5	22.68 kg in 1 BAG		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA044759	12/04/2012	

**Labeler** - Huvepharma, Inc. (619153559)

**Registrant** - Huvepharma EOOD (552691651)

## Establishment

Name	Address	ID/FEI	Business Operations
Huvepharma, Inc.		883128204	manufacture, analysis, label, pack, medicated animal feed manufacture

Revised: 5/2024

Huvepharma, Inc.