

**BANANA BOAT- avobenzone,homosalate,octisalate,octocrylene lotion**  
**Edgewell Personal Care Brands LLC**

-----

**Active Ingredients**

Avobenzone 2.7%, Homosalate 7.5%, Octisalate 4.5%, Octocrylene 5.0%.

**Purpose**

Sunscreen

**Uses**

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early aging caused by the sun.

**Warnings**

**For external use only.**

May stain some fabrics.

**Do not use**

• on damaged or broken skin.

**When using this product**

• keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• Shake well • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses J • children under 6 months: Ask a doctor

## **Inactive Ingredients:**

Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

## **Other information**

- protect the product in this container from excessive heat and direct sun

## **Questions or comments?**

Call 1-800 SafeSun, Mon-Fri

## **PRINCIPAL DISPLAY PANEL**

BONUS

25% MORE

10 OZ

VS

8 OZ

BANANA BOAT

New &

Improved

SPORT

SUNSCREEN LOTION

BROAD SPECTRUM SPF 50

50

PROTECTS

FROM UP TO 98%

OF BURNING RAYS

OXYBENZONE FREE

WATER RESISTANT

10 FL. OZ. (295 mL)

**BONUS**  
**25% MORE**  
10 OZ  
VS  
8 OZ



**SPORT**

SUNSCREEN LOTION  
BROAD SPECTRUM SPF 50



**PROTECTS**  
**FROM UP TO 98%**  
**OF BURNING RAYS**

Oxybenzone Free  
Water Resistant  
(80 Minutes)

10 FL. OZ. (295 mL)

**BONUS**  
**25% MORE**  
10 OZ  
VS  
8 OZ

**SUN SAFETY DIRECTIONS**



Fast rub-in. Blends in clear across skin tones.

**Drug Facts**

**Active Ingredients** Purpose  
Arobenzone 2.7%, Homosalate 7.5%,  
Octisalate 4.5%, Octocrylene 5.0% ..... Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

**Warnings**  
For external use only.  
Do not use ■ on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.  
May stain some fabrics.

**Directions** ■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply: \* after 80 minutes of swimming or sweating \* immediately after towel drying \* at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: \* limit time in the sun, especially from 10 a.m.-2 p.m. \* wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Inactive Ingredients:** Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadosis Leaf Juice.

**Other Information** ■ protect the product in this container from excessive heat and direct sun

**Questions or Comments?**  
Call 1-800-SafeSun, Mon-Fri

www.bananaboat.com  
Distributed by:  
EDGEWELL PERSONAL CARE  
BRANDS, LLC  
Shelton, CT 06484  
© 2024 Edgewell

Edgewell

93044529

PLAST BOTTLE PLAST LABEL

Recycling symbols

- BANANA BOAT
- New & Improved
- SPORT
- SUNSCREEN LOTION
- BROAD SPECTRUM SPF 50
- 50
- PROTECTS
- FROM UP TO 98%
- OF BURNING RAYS
- Oxybenzone Free

Sweat | Water Resistant

(80 Minutes)

1 gal (128 FL. OZ.)



Fast rub-in. Blends in clear across skin tones.

| <b>Drug Facts</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <b>Active Ingredients</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>Purpose</b> |
| Azobenzene 2.7%, Homosalate 7.5%, Octisalate 4.5%, Octocrylene 5.0% . . . . Sunscreen                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                |
| <b>Uses</b> ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early aging caused by the sun.                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |
| <b>Warnings</b><br>For external use only.<br>Do not use ■ on damaged or broken skin.<br>When using this product ■ keep out of eyes. Rinse with water to remove.<br>Stop use and ask a doctor if rash occurs.<br>Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.<br>May stain some fabrics.                                                                                                                                                                                                                                                           |                |
| <b>Directions</b><br>■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor |                |
| <b>Inactive Ingredients:</b> Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadosis Leaf Juice.                                                                                                                                                                                                                                                                                         |                |
| <b>Other Information</b><br>■ protect the product in this container from excessive heat and direct sun                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                |
| <b>Questions or Comments?</b><br>Call 1-800-SafeSun, Mon-Fri                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                |

BANANA BOAT

New &

Improved

SPORT

SUNSCREEN LOTION

BROAD SPECTRUM SPF 50

50

PROTECTS

FROM UP TO 98%

OF BURNING RAYS

Oxybenzone Free

Sweat | Water Resistant

(80 Minutes)

8 FL. OZ. (236 mL)



SUNSCREEN LOTION  
BROAD SPECTRUM SPF 50



PROTECTS  
FROM UP TO 98%  
OF BURNING RAYS

Oxybenzone Free  
Sweat | Water Resistant  
(80 Minutes)

8 FL. OZ. (236 mL)

**SUN SAFETY DIRECTIONS**

Apply 1 oz. LiberaIly    Wait 15 min.    Reapply 2 HR.    Cover Up!

Fast rub-in. Blends in clear across skin tones.

### Drug Facts

| Active Ingredients                                                   | Purpose   |
|----------------------------------------------------------------------|-----------|
| Avo benzene 2.7%, Homosalate 7.5%, Octisalate 4.5%, Octocrylene 5.0% | Sunscreen |

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early aging caused by the sun.

**Warnings**  
For external use only.  
Do not use ■ on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

**Directions** ■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply, ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m.-2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Inactive Ingredients:** Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

**Other Information** ■ protect the product in this container from excessive heat and direct sun

### Questions or Comments?

Call 1-800-SafeSun, Mon-Fri

Distributed by:  
EDGEWELL PERSONAL CARE BRANDS, LLC  
Shelton, CT 06484  
www.bananeboat.com  
© 2024 Edgewell



83044528



50%

MORE

FAMILY SIZE!

12OZ

VS

8OZ

BANANA BOAT

New &

Improved

SPORT

SUNSCREEN LOTION

BROAD SPECTRUM SPF 50

50

PROTECTS

FROM UP TO 98%

OF BURNING RAYS

12 FL OZ. (354 mL)

**50%  
MORE  
FAMILY SIZE!**

**12 OZ  
VS  
8 OZ**



**New &  
Improved**

**SPORT**

SUNSCREEN LOTION  
BROAD SPECTRUM SPF 50



**PROTECTS  
FROM <sup>UP</sup> <sub>TO</sub> 98%  
OF BURNING RAYS**

**12 FL. OZ. (354 mL)**

93044530

SUN SAFETY DIRECTIONS



Apply 1oz liberally



Wait 15 min.



Reapply 2 HR.



Cover Up!

Fast rub-in. Blends in clear across skin tones.

Drug Facts

Active Ingredients

Avobenzone 2.7%, Homosalate 7.5%, Octisalate 4.5%, Octocrylene 5.0%.....Sunscreen

Purpose

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

Warnings

For external use only.

Do not use ■ on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients: Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadosis Leaf Juice.

Other information ■ protect the product in this container from excessive heat and direct sun

Questions or comments?

Call 1-800 SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484 www.bananaboat.com © 2024 Edgewell.



BANANA BOAT

New &

Improved

2 PACK

IMPROVED FORMULA

INSTANTLY  
RUBS IN  
ACROSS ALL SKIN TONES  
SUPERIOR  
PERFORMANCE  
VS. SWEAT & WATER  
WON'T RUN  
INTO EYES  
BANANA BOAT  
New &  
Improved  
SPORT  
SUNSCREEN LOTION  
BROAD SPECTRUM SPF 50  
50  
PROTECTS  
FROM UP TO 98%  
OF BURNING RAYS  
Oxybenzone Free  
Sweat | Water Resistant  
(80 Minutes)  
2-10 FL.OZ (295 mL)



2 PACK LOTION

BANANA BOAT

New &

Improved

SPORT

SUNSCREEN LOTION

BROAD SPECTRUM SPF 50

50

PROTECTS

FROM UP TO 98%

OF BURNING RAYS

Oxybenzone Free

Sweat | Water Resistant

(80 Minutes)

2-8 FL.OZ (236 mL) TOTAL 16 FL. OZ. (472 mL)

# 2 PACK LOTION



PROTECTS FROM UP TO 98% OF BURNING RAYS

Oxybenzone Free  
Sweat | Water Resistant  
(80 Minutes)

2 - 8 FL. OZ. (236 mL) Total 16 FL. OZ. (472 mL)

**SUN SAFETY DIRECTIONS**

Apply 1 oz. Liberally    Wait 15min.    Reapply    2 HR.    Cover Up!

**Drug Facts**

**Active Ingredients**  
 Avobenzone 3.7%, Homosalate 7.5%, Octisalate 4.5%, Octocrylene 5.0%    **Sunscreen**  
**Purpose**  
**Use:** ■ helps prevent sunburn ■ If used as directed with other sun protection measures (see Directions), decrease the risk of skin cancer and early skin aging caused by the sun.  
**Warnings**  
 For external use only  
 Do not use ■ on damaged or broken skin.  
 When using this product ■ keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if ■ rash occurs.  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.  
 May stain some fabrics.  
**Directions**  
 ■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including ■ limit time in the sun, especially from 10 a.m. - 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor  
**Other Information** ■ protect the product in this container from excessive heat and direct sun  
**Inactive Ingredients:** Water, Glycerin, Silica, Dimethicone, Phenoxethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Carbonyl Acetyl, Sodium Polyacrylate, Citranisone, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Polarginate, Dibutyl EDTA, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.  
**Questions or Comments?** Call 1-800-SafeSun, Mon-Fri

#1 SPORT SUN PROTECTION\*

FAST RUB-IN THAT BLENDS IN ACROSS SKIN TONES

SUPERIOR ENDURANCE VS. SWEAT & WATER

\*U.S. Drug Sales, Circum Circum Sun Categories, 11Q M11Q, 32 WE 07 21/2024

Distributed by:  
EDGEWELL PERSONAL CARE BRANDS, LLC  
Shelton, CT 06484  
www.bananaboat.com  
© 2024 Edgewell



FC24032433

## BANANA BOAT

avobenzone,homosalate,octisalate,octocrylene lotion

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:63354-141 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name                                                       | Basis of Strength | Strength       |
|-----------------------------------------------------------------------|-------------------|----------------|
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM) | OCTOCRYLENE       | 5 g in 100 g   |
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)   | HOMOSALATE        | 7.5 g in 100 g |
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE        | 2.7 g in 100 g |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE        | 4.5 g in 100 g |

### Inactive Ingredients

| Ingredient Name                                           | Strength |
|-----------------------------------------------------------|----------|
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XB4U)                 |          |
| <b>PHENOXYETHANOL</b> (UNII: H1E492ZZ3T)                  |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                           |          |
| <b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)           |          |
| <b>SODIUM POLYACRYLATE (250000 MW)</b> (UNII: 05I15JNI2J) |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                        |          |

|                                                      |  |
|------------------------------------------------------|--|
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                |  |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)            |  |
| <b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)        |  |
| <b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)              |  |
| <b>PEG-100 STEARATE</b> (UNII: YD01N1999R)           |  |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)                |  |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)           |  |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0) |  |
| <b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)             |  |

### Packaging

| # | Item Code        | Package Description                                         | Marketing Start Date | Marketing End Date |
|---|------------------|-------------------------------------------------------------|----------------------|--------------------|
| 1 | NDC:63354-141-18 | 354 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product  | 02/01/2025           |                    |
| 2 | NDC:63354-141-56 | 236 g in 1 BOTTLE; Type 0: Not a Combination Product        | 02/01/2025           |                    |
| 3 | NDC:63354-141-57 | 295 g in 1 BOTTLE; Type 0: Not a Combination Product        | 02/01/2025           |                    |
| 4 | NDC:63354-141-10 | 3785 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 02/01/2025           |                    |
| 5 | NDC:63354-141-50 | 295 g in 1 BOTTLE; Type 0: Not a Combination Product        | 02/01/2025           | 10/01/2027         |
| 6 | NDC:63354-141-59 | 236 g in 1 BOTTLE; Type 0: Not a Combination Product        | 02/01/2025           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|------------------------------------------|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 02/01/2025           |                    |

**Labeler** - Edgewell Personal Care Brands LLC (151179769)

Revised: 11/2025

Edgewell Personal Care Brands LLC