

BANANA BOAT- avobenzene,homosalate,octisalate,octocrylene lotion
Edgewell Personal Care Brands LLC

Active Ingredients

Avobenzene 2.7%, Homosalate 7.5%, Octisalate 4.5%, Octocrylene 5.0%.

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early aging caused by the sun.

Warnings

For external use only.

May stain some fabrics.

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Shake well • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses J • children under 6 months: Ask a doctor

Inactive Ingredients:

Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

Other information

- protect the product in this container from excessive heat and direct sun

Questions or comments?

Call 1-800 SafeSun, Mon-Fri

PRINCIPAL DISPLAY PANEL

BONUS

25% MORE

10 OZ

VS

8 OZ

BANANA BOAT

New &

Improved

SPORT

SUNSCREEN LOTION

BROAD SPECTRUM SPF 50

50

PROTECTS

FROM UP TO 98%

OF BURNING RAYS

OXYBENZONE FREE

WATER RESISTANT

10 FL. OZ. (295 mL)

BONUS
25% MORE
10 OZ
VS
8 OZ



SPORT

SUNSCREEN LOTION
BROAD SPECTRUM SPF 50



PROTECTS
FROM UP TO 98%
OF BURNING RAYS

Oxybenzone Free
Water Resistant
(80 Minutes)

10 FL. OZ. (295 mL)

BONUS
25% MORE
10 OZ
VS
8 OZ

SUN SAFETY DIRECTIONS



Fast rub-in. Blends in clear across skin tones.

Drug Facts

Active Ingredients	Purpose
Azobenzene 2.7%, Homosalate 7.5%, Octisalate 4.5%, Octocrylene 5.0%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

Warnings
For external use only.
Do not use ■ on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor ■ if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions ■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply: * after 80 minutes of swimming or sweating * immediately after towel drying * at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: * limit time in the sun, especially from 10 a.m.-2 p.m. * wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients: Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadosis Leaf Juice.

Other Information ■ protect the product in this container from excessive heat and direct sun

Questions or Comments?
Call 1-800-SafeSun, Mon-Fri

www.bananaboat.com
Distributed by:
EDGEWELL PERSONAL CARE
BRANDS, LLC
Shelton, CT 06484
© 2024 Edgewell

PLAST BOTTLE PLAST LABEL

93044529

BANANA BOAT

New &

Improved

SPORT

SUNSCREEN LOTION

BROAD SPECTRUM SPF 50

50

PROTECTS

FROM UP TO 98%

OF BURNING RAYS

Oxybenzone Free

Sweat | Water Resistant

(80 Minutes)

1 gal (128 FL. OZ.)



Fast rub-in. Blends in clear across skin tones.

Drug Facts	
Active Ingredients	Purpose
Azobenzene 2.7%, Homosalate 7.5%, Octisalate 4.5%, Octocrylene 5.0% Sunscreen	
Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early aging caused by the sun.	
Warnings For external use only. Do not use ■ on damaged or broken skin. When using this product ■ keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.	
Directions ■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor	
Inactive Ingredients: Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadosis Leaf Juice.	
Other Information ■ protect the product in this container from excessive heat and direct sun	
Questions or Comments? Call 1-800-SafeSun, Mon-Fri	

BANANA BOAT

New &

Improved

SPORT

SUNSCREEN LOTION

BROAD SPECTRUM SPF 50

50

PROTECTS

FROM UP TO 98%

OF BURNING RAYS

Oxybenzone Free

Sweat | Water Resistant

(80 Minutes)

8 FL. OZ. (236 mL)



SUNSCREEN LOTION
BROAD SPECTRUM SPF 50



PROTECTS
FROM UP TO 98%
OF BURNING RAYS

Oxybenzone Free
Sweat | Water Resistant
(80 Minutes)

8 FL. OZ. (236 mL)

SUN SAFETY DIRECTIONS

Apply 1 oz. LiberaIly Wait 15 min. Reapply 2 HR. Cover Up!

Fast rub-in. Blends in clear across skin tones.

Drug Facts

Active Ingredients	Purpose
Avo benzene 2.7%, Homosalate 7.5%, Octisalate 4.5%, Octocrylene 5.0%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early aging caused by the sun.

Warnings
For external use only.
Do not use ■ on damaged or broken skin.
When using this product ■ keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions ■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m.-2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients: Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

Other Information ■ protect the product in this container from excessive heat and direct sun

Questions or Comments?
Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
Shelton, CT 06484
www.bananeboat.com
© 2024 Edgewell



09179656

83044528



Edgewell



50%

MORE

FAMILY SIZE!

12OZ

VS

8OZ

BANANA BOAT

New &

Improved

SPORT

SUNSCREEN LOTION

BROAD SPECTRUM SPF 50

50

PROTECTS

FROM UP TO 98%

OF BURNING RAYS

12 FL OZ. (354 mL)

**50%
MORE
FAMILY SIZE!**

**12 OZ
VS
8 OZ**



**New &
Improved**

SPORT

SUNSCREEN LOTION
BROAD SPECTRUM SPF 50



**PROTECTS
FROM ^{UP} _{TO} 98%
OF BURNING RAYS**

12 FL. OZ. (354 mL)

93044530

SUN SAFETY DIRECTIONS



Apply 1oz liberally



Wait 15 min.



Reapply



Cover Up!

Fast rub-in. Blends in clear across skin tones.

Drug Facts

Active Ingredients

Avobenzone 2.7%, Homosalate 7.5%, Octisalate 4.5%, Octocrylene 5.0%.....Sunscreen

Purpose

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

Warnings

For external use only.

Do not use ■ on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

■ Shake well ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients: Water, Glycerin, Silica, Dimethicone, Phenoxyethanol, Caprylyl Glycol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Cetearyl Alcohol, Sodium Polyacrylate, Chlorphenesin, PEG-100 Stearate, Glyceryl Stearate, Xanthan Gum, Fragrance, Disodium EDTA, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

Other information ■ protect the product in this container from excessive heat and direct sun

Questions or comments?

Call 1-800 SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484 www.bananaboat.com © 2024 Edgewell.



BANANA BOAT

New &

Improved

2 PACK

IMPROVED FORMULA

INSTANTLY
RUBS IN
ACROSS ALL SKIN TONES
SUPERIOR
PERFORMANCE
VS. SWEAT & WATER
WON'T RUN
INTO EYES
BANANA BOAT
New &
Improved
SPORT
SUNSCREEN LOTION
BROAD SPECTRUM SPF 50
50
PROTECTS
FROM UP TO 98%
OF BURNING RAYS
Oxybenzone Free
Sweat | Water Resistant
(80 Minutes)
2-10 FL.OZ (295 mL)



BANANA BOAT

avobenzene,homosalate,octisalate,octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-141
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	7.5 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.7 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05115JN12J)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-100 STEARATE (UNII: YD01N1999R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-141-18	354 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	02/01/2025	
2	NDC:63354-141-56	236 g in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2025	
3	NDC:63354-141-57	295 g in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2025	
4	NDC:63354-141-10	3785 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	02/01/2025	
5	NDC:63354-141-50	295 g in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2025	

Labeler - Edgewell Personal Care Brands LLC (151179769)

Revised: 10/2024

Edgewell Personal Care Brands LLC