API E.M. ERYTHROMYCIN- erythromycin powder MARS FISHCARE NORTH AMERICA, INC.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Label

Active Ingredients: 200 mg Erythromycin per packet.

Directions for Use:

For best results, remove activated carbon or filter cartridge from filter and continue operation.

For each 10 gallons (38 L) of water, empty one packet directly into aquarium.

Repeat does after 24 hours.

Wait another 24 hours then change 25% of the aguarium water.

Repeat this treatment for a second time, for a total of 4 doses.

Then make a final 25% water change and add fresh activated carbon or replace filter cartridge.

Treatment may be repeated, if necessary.

This package treats up to 100 gallons.

Four doses required for full course of treatment.

Diagnostic Chart

Fin and Tail Rot:

Fins appear ragged and split. In severe cases, fins and tails are almost completely eroded. Secondary fungal infections, observed as white, "cottony" growth, commonly occur.

Open Red Sores:

A bacterial infection that causes open red sores on body. Infection can range from very small ulcers to deep skin lesions. Coloring can range from reddish or gray ulcers to very dark areas associated with necrotic (dying) tissue.

Mouth Fungus:

Common bacterial infection that affects the mouth and other soft tissue. Fungus-like in appearance with red periphery. If left untreated severe erosion and lesions will develop

Hemorrhagic Septicemia:

A bacterial infection of the bloodstream. Fish may show blood streaks on the body and fins, bleeding (red patches) and localized swelling.

Bacterial Gill Disease:

Fish may breathe heavily and show bright red gills. Fish may sit at bottom of aquarium or near the water's surface. However, visual diagnosis is often difficult.

KEEP OUT OF REACH OF CHILDREN.

For aquarium use only.

Not for human consumption or for the treatment of fish intended for human consumption.

Avoid contact with skin and eyes.

May cause irritation.

! WARNING:

This product can expose you to chemicals including Silica, crystalline, which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

Diagnostic Chart

On Back

10

Powder

Packets

Use In Fresh and Saltwater Aquariums

API

E.M. ERYTHROMYCIN

TREATS BACTERIAL FISH DISEASE

Broad spectrum control of bacterial

fish infections

Open Red Sores

Fin and Tail Rot

Mouth Fungus

Hemorrhagic Septicemia

Gill Disease

GUIDE

Fish Problem

Solving





Directions for Use: For best results, remove activated carbon or filter cartridge from filter and continue aeration. For each 10 gallons (38 L) of water, empty one packet directly into aquarium. Repeat dose after 24 hours. Wait another 24 hours then change 25% of the aquarium water. Repeat this treatment for a second time, for a total of 4 doses. Then make a final 25% water change and add fresh activated carbon or replace filter cartridge. Treatment may be repeated, if necessary.

This package treats up to 100 gallons. Four doses required for full course of treatment.



Diagnostic Chart

Fin & Tail Rot: Fins appear ragged and split. In severe cases, fins and tail are almost completely eroded. Secondary fungal infections, observed as white, "cottony" growth, commonly occur.



Open Red Sores: A bacterial infection that causes open red sores on body. Infection can range from very small ulcers to deep skin lesions. Coloring can range from reddish or gray ulcers to very dark areas associated with necrotic (dying) tissue.



Mouth Fungus: Common bacterial infection that affects the mouth and other soft tissue. Fungus-like in appearance with red periphery. If left untreated severe erosion and lesions will develop.



Hemorrhagic Septicemia: A bacterial infection of the bloodstream. Fish may show blood streaks on the body and fins, bleeding (red patches) and localized swelling.



Bacterial Gill Disease: Fish may breathe heavily and show bright red gills. Fish may sit at bottom of aquarium or near the water's surface. However, visual diagnosis is often difficult.

Active Ingredients: 200 mg Brythromycin per packet. KEEP OUT OF THE REACH OF CHILDREN. For aquarium use only. Not for human consumption or for the treatment of fish intended for human consumption. Avoid contact with skin and eyes. May cause initation. MARNING: This product can expose you to chemicals including Silica, crystalline, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Product #55P

API E.M. ERYTHROMYCIN

erythromycin powder

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:17163-055
--------------	-----------------	--------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ERYTHROMYCIN (UNII: 63937KV33D) (ERYTHROMYCIN - UNII:63937KV33D)	ERYTHROMYCIN	200 mg in 2 g

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1 NDC:17163-055-16	10 in 1 BOX		
1	2 g in 1 PACKET		
Maylastina Ind	f		
Marketing Information			
Marketing	Application Number or Monogr	-	Marketing End
Category	Citation	Date	Date
unapproved drug other		03/01/2011	

Labeler - MARS FISHCARE NORTH AMERICA, INC. (049630700)

Establishment				
Name	Address	ID/FEI	Business Operations	
MARS FISHCARE NORTH AMERICA, INC.		049630700	manufacture, relabel, repack	

Revised: 12/2021 MARS FISHCARE NORTH AMERICA, INC.