

NITROGEN- nitrogen gas
GIBBS WELDING SUPPLY, INC.

nitrogen

NITROGEN, Refrigerated Liquid NF

UN1977

GIBBS WELDING SUPPLY, INC.

875 VISCO DRIVE, NASHVILLE, TN 37210 (615) 254-1457

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING:

Rx only. Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency, and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. DO NOT change or force fit connections. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

CAS: 7727-37-9

GIBBS WELDING SUPPLY, INC.

875 VISCO DRIVE, NASHVILLE, TN 37210

(615) 254-1457

CONTENTS: LTRS: CU.FT

**Nitrogen,
Refrigerated
Liquid
NF**
UN 1977

GIBBS WELDING SUPPLY, INC.
7 VISCO DRIVE, NASHVILLE, TN 37210

(615) 254-1457



† ALWAYS KEEP CONTAINER IN UPRIGHT POSITION †
WARNING:

RX only. Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency, and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Do not handle until all safety precautions have been read and understood. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. DO NOT change or force fit connections. Read and follow the Safety Data Sheet (SDS) before use.



FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.
DO NOT REMOVE THIS PRODUCT LABEL.
CAS: 7727-37-9

NITROGEN, COMPRESSED NF

UN1066

Rx Only. **WARNING:** Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency, and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. **WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.** Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 7727-37-9 **DO NOT REMOVE THIS PRODUCT LABEL.**

GIBBS WELDING SUPPLY, INC.

875 VISCO DRIVE, NASHVILLE, TN 37210

(615) 254-1457

CONTENTS:

LTRS:

CU.FT

**NITROGEN,
COMPRESSED
NF
UN1066**



Rx Only. **WARNING:** Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency, and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. **WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.** Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. CAS: 7727-37-9 **DO NOT REMOVE THIS PRODUCT LABEL.**

CONTENTS:
LITRE: CU. FT.

GIBBS WELDING SUPPLY, INC.
875 VISCO DRIVE, NASHVILLE, TN 37210
(615) 254-1457

NITROGEN
nitrogen gas

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:58632-002
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	990 mL in 1 L

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58632-002-01	650 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2005	
2	NDC:58632-002-02	5658 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2005	
3	NDC:58632-002-03	8603 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2005	
4	NDC:58632-002-04	2264 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2005	
5	NDC:58632-002-05	1132 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2005	
6	NDC:58632-002-06	1528 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2005	

7	NDC:58632-002-07	4428 L in 1 DEWAR; Type 0: Not a Combination Product	07/01/2005	
8	NDC:58632-002-08	5658 L in 1 DEWAR; Type 0: Not a Combination Product	07/01/2005	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205713	07/01/2005	

Labeler - GIBBS WELDING SUPPLY, INC. (621442615)

Establishment

Name	Address	ID/FEI	Business Operations
GIBBS WELDING SUPPLY, INC.		621442615	manufacture(58632-002)

Revised: 10/2025

GIBBS WELDING SUPPLY, INC.