

**FARMASI CC COLOR CONTROL CREAM SPF 25- 05 TAN- titanium
dioxide cream
Farmasi US LLC**

Farmasi CC Color Control Cream SPF 25- 05 Tan

Drug Facts:

Active Ingredient:

Titanium Dioxide 4.0%

Purpose

Sunscreen

Use:

Helps prevent sunburn.

Warnings:

For external use only.

Do not use

- on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. Shake well before use.

Directions:

· Apply 15 minutes before sun exposure. · Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including · Limit time in the sun, especially from 10 a.m. - 2 p.m.· Wear long-sleeved shirts, pants, hats, and sunglasses. **For Sunscreen UseSun Protection Measures:**

Other Information:

protect the product in this container from excessive heat and direct sun

Inactive Ingredients:

Water/Aqua, Cyclopentasiloxane, Phenyl Trimethicone, Peg-10 Dimethicone, Butylene Glycol, Butylene Glycol Dicaprylate/Dicaprate, Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Niacinamide, Distearidimonium Hectorite, Trimethylsiloxysilicate, Glycerin, Phenoxyethanol, Pancreaticum Maritimum Extract, Sodium Chloride, Aluminum Starch Octenylsuccinate, Silica, Jojoba Esters, Mica, Dimethicone Crosspolymer, Tocopheryl Acetate, Triethoxycaprylsilane, Ethylhexylglycerin, Tocopherol, Fragrance. [+/- May Contain: Titanium Dioxide/CI 77891, Iron Oxides/CI 77491, CI 77492, CI77499.]

Questions or Comments?

info@farmasius.com (833)432-7627 Monday - Friday (9 a.m. -) p.m. EST)

Package Labeling:

Drug Facts:

Active Ingredient: Titanium Dioxide 4.0%**Purpose:** Sunscreen

Use: Helps prevent sunburn.

Warnings:

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Shake well before use.

Directions:

For Sunscreen Use · Apply 15 minutes before sun exposure. · Reapply at least every 2 hours · Use a water-resistant sunscreen if swimming or sweating. · **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including · Limit time in the sun, especially from 10 a.m. - 2 p.m. · Wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information:

protect the product in this container from excessive heat and direct sun

Inactive Ingredients:

Water/Aqua, Cyclopentasiloxane, Phenyl Trimethicone, Peg-10 Dimethicone, Butylene Glycol, Butylene Glycol Dicaprylate/Dicaprate, Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Niacinamide, Distearidimonium Hectorite, Trimethylsiloxysilicate, Glycerin, Phenoxyethanol, Pancreatium Maritimum Extract, Sodium Chloride, Aluminum Starch Octenylsuccinate, Silica, Jojoba Esters, Mica, Dimethicone Crosspolymer, Tocopheryl Acetate, Triethoxycaprylylsilane, Ethylhexylglycerin, Tocopherol, Fragrance. [+/- May Contain: Titanium Dioxide/CI 77891, Iron Oxides/CI 77491, CI 77492, CI 77499.]

Questions or Comments?

info@farmasius.com (833)432-7627
Monday – Friday (9 a.m. -) p.m. EST)



**COLOR CONTROL
CREAM
SPF 25**

**05
TAN**

FARMASI

30 ml e 1 fl.oz.

Información del producto

Ingredientes Activos Propósito
Dióxido de titanio 4.0%Protector solar/ Protege contra UVB y UVA

Uso: Ayuda a prevenir las quemaduras causadas por la exposición al sol.

Advertencias

Solo para uso externo. No usar sobre sobre la piel dañada o rasgada. Durante el uso del producto evitar el contacto con los ojos. Enjuagar con agua para eliminar. Suspender su uso y consultar con un médico en caso de reacción. Mantenga fuera del alcance de los niños. En caso de ingerir buscar atención medica o contactar con un centro de control de intoxicaciones de inmediato. Agitar bien antes de usar.

Instrucciones:

Para protección solar: Aplicar 15 minutos antes de exponerse al sol · Volver a aplicar al menos cada 2 horas · Usar un protector solar resistente al agua si está nadando o sudando · **Medidas de protección solar:** Pasar tiempo bajo el sol aumenta el riesgo de cancer de piel y el envejecimiento prematuro. Para disminuir este riesgo, usar regularmente un protector solar con valor de FPS de amplio espectro de 15 o más y otras medidas de protección solar incluidas · Limitar el tiempo de exposición al sol especialmente de 10 am a 2 pm · Usar camisas de manga larga, pantalones, sombreros y gafas de sol.

Otra Información:

Proteger este producto del calor excesivo y de la luz solar directa.

Ingredientes Inactivos

Agua/Aqua, Cidopentasiloxano, Feniltrimeticona, PEG-10 Dimeticona, Butilenglicol, Dicaprilato/Dicaprato de Butilenglicol, Dimeticona, Cetil PEG/PPG-10/1 Dimeticona, Niacinamida, Hectorita de Distearidimonio, Trimetilsiloxisilicato, Glicerina, Fenoxietanol, Extracto de Pancreatium Maritimum, Cloruro de sodio, Octenilsuccinato de almidón de aluminio, Sílice, Esteres de jojoba, Mica, Crosspolímero de Dimeticona, Acetato de Tocoferilo, Trietoxicaprilisilano, Etilhexilglicerina, Tocoferol, Fragancia. [+/- Puede contener: Dióxido de titanio/CI 77891, Óxidos de hierro/CI 77491, CI 77492, CI 77499].

Preguntas o comentarios?

info@farmasius.com (833)432-7627
Lunes – Viernes (9 a.m. -) p.m. EST)

Manufactured by / Manufacturado por: Tan-Alize Kozmetik ve Temizlik Ürünleri San. ve Tic. A.Ş. Ömerli Mah. Uran Cad. No: 32 / 34797 Çekmeköy / İSTANBUL. **Made in TÜRKİYE / Hecho en Turquía. EU Responsible Person / Responsable de la UE:** Farmasi

Central Europe s.r.o., Poštová 1, 811 06 Bratislava 1, Slovenská Republika.

Distributed by / Distribuido por /: Farmasi US LLC 2315 NW 107 TH AVE, STE 1B 12, DORAL, FL 33172 - FARMASI

COSMETICS RO S.R.L. București Sectorul 1, Calea FLOREASCA, Nr. 246c, Etaj 18. Romania. - FARMASI, S. DE R.L. DE C.V. Calle sin nombre, Manzana 20 lote 2, 4-A Colonia Residencial Lago Esmeralda, Ciudad López Mateos Atizapán de Zaragoza, México. CP 52989. - FARMASI COSMETICS CANADA INC. GOWLING WLG (CANADA) LLP Suite 2300, Bentall 5, 550 Burrard Street Vancouver, British Columbia, V6C 2B5. - Farmasi

Cosmetics GmbH, Unterföhring-Mediapark, Feringastrasse 6, 85774 München. - FARMASI BE WELL DOMINICAN REPUBLIC, S.R.L., Avenida. Winston Churchill, Torre Citibank, Acropolis, Piso 14 Ens Piantini, Santo Domingo. - FARMASI SPAIN, SOCIEDAD LIMITADA, en Calle Muntaner 379. Entlo. 1º, 8021.

Barcelona. **Importado por:** FAR COSMETICS MEXICO, S. DE R.L. DE C.V. Calle sin nombre, Manzana 20 lote 2, 4-A Colonia Residencial Lago Esmeralda, Ciudad López Mateos Atizapán de Zaragoza, México. CP 52989. Y/O FARMASI, S. DE R.L. DE C.V. Calle sin nombre, Manzana 20 lote 2, 4-A Colonia Residencial Lago Esmeralda, Ciudad López Mateos Atizapán de Zaragoza, México. CP 52989.

farmasi.com



2002395

8690131783112

↑ Batch No | Man. Date ↑

Drug Facts:
Active Ingredient: Titanium Dioxide 4.0% **Purpose:** Sunscreen

Use: Helps prevent sunburn.

Warnings:

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Shake well before use.

Directions:

For Sunscreen Use: Apply 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information:

protect the product in this container from excessive heat and direct sun

Inactive Ingredients:

Water/Aqua, Cyclopentasiloxane, Phenyl Trimethicone, Peg-10 Dimethicone, Butylene Glycol, Butylene Glycol Dicaprylate/Dicaprate, Dimethicone, Cetyl PEG PPG-10/1 Dimethicone, Niacinamide, Disteardimonium Hectorite, Trimethylsiloxysilicate, Glycerin, Phenoxyethanol, Pancreatium Maritimum Extract, Sodium Chloride, Aluminum Starch Octenylsuccinate, Silica, Jojoba Esters, Mica, Dimethicone Crosspolymer, Tocopheryl Acetate, Triethoxycaprylylsilane, Ethylhexylglycerin, Tocopherol, Fragrance. [+/- May Contain: Titanium Dioxide/CI 77891, Iron Oxides/CI 77491, CI 77492, CI 77499.]

Questions or Comments?

info@farmasius.com (833)432-7627
Monday - Friday (9 a.m. -) p.m. EST)

Manufactured by: Tah-Alize Kozmetik ve Temizlik Ürünleri San. ve Tic. A.Ş. Ömerli Mah. Uran Cad. No: 32 / 34797 Çekmeköy / İSTANBUL Made in TÜRKİYE

05 TAN

F A R M A S I farmasi.com

30 ml e 1 fl.oz.



400 | 524

F A R M A S I



COLOR CONTROL
CREAM

SPF 25

30 ml e 1 fl.oz.

FARMASI CC COLOR CONTROL CREAM SPF 25- 05 TAN

titanium dioxide cream

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:74690-050

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	40 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
NIACINAMIDE (UNII: 25X51I8RD4)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLYCERIN (UNII: PDC6A3C0OX)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MICA (UNII: V8A1AW0880)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
TOCOPHEROL (UNII: R0ZB2556P8)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74690-050-00	1 in 1 CARTON	07/01/2023	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2023	

Labeler - Farmasi US LLC (113303351)