
## **APPTI BODY SUNSCREEN- body sunscreen lotion** LYW BIOTECH CO LIMITED GUANGZHOU



#### (Drug Facts)

## Active ingredients

Purpose Titanium Dioxide 6% Zinc Oxide 10% Sunscreen Avobenzone 3%

### (Uses)

- Helps during sun exposure. Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

### (Warnings)

- For external use only.
- · Do not use on damaged or broken skin.
- · When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a physician if rash
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### (Directions)

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and follow these measures:

## (Drug Facts(continued)

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a physician.

#### Other information

Protect this product from excessive heat and direct sunlight.

#### (Inactive ingredients)

Water, Glycerin, Butylene Glycol, Dimethicone, Phenoxyethanol, Polyhydroxystearic Acid, Silica, Sodium Hyaluronate, Ceramide 1, Ceramide 3, Ceramide 6-II, Tocopheryl Acetate, Ascorbic Acid, Bisabolol, Panthenol, Ethylhexylglycerin, Hydrolyzed Sodium Hyaluronate

LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND











## (Drug Facts)

## Active ingredients

Titanium Dioxide 6% Zinc Oxide 10% Avobenzone 3%

## Purpose

Sunscreen

## (Uses)

- Helps during sun exposure,
  Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

## (Warnings)

- · For external use only.
- · Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a physician if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### (Directions)

- Apply liberally 15 minutes before sun exposure.
- · Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and follow these measures:

#### (Drug Facts(continued))

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- –Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a physician.

#### (Other information)

 Protect this product from excessive heat and direct sunlight.

#### (Inactive ingredients)

Water, Glycerin, Butylene Glycol, Dimethicone, Phenoxyethanol, Polyhydroxystearic Acid, Silica, Sodium Hyaluronate, Ceramide 1, Ceramide 3, Ceramide 6-II, Tocopheryl Acetate, Ascorbic Acid, Bisabolol, Panthenol, Ethylhexylglycerin, Hydrolyzed Sodium Hyaluronate

> LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND









## (Drug Facts)

## Active ingredients

Titanium Dioxide 6% Zinc Oxide 10% Avobenzone 3%

## Purpose

Sunscreen

## (Uses)

- Helps during sun exposure,
  Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

## (Warnings)

- · For external use only.
- · Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a physician if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### (Directions)

- Apply liberally 15 minutes before sun exposure.
- · Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and follow these measures:

#### (Drug Facts(continued))

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- –Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a physician.

#### (Other information)

 Protect this product from excessive heat and direct sunlight.

#### (Inactive ingredients)

Water, Glycerin, Butylene Glycol, Dimethicone, Phenoxyethanol, Polyhydroxystearic Acid, Silica, Sodium Hyaluronate, Ceramide 1, Ceramide 3, Ceramide 6-II, Tocopheryl Acetate, Ascorbic Acid, Bisabolol, Panthenol, Ethylhexylglycerin, Hydrolyzed Sodium Hyaluronate

> LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND









## (Drug Facts)

## Active ingredients

Titanium Dioxide 6% Zinc Oxide 10% Avobenzone 3%

## Purpose

Sunscreen

## (Uses)

- Helps during sun exposure,
  Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

## (Warnings)

- · For external use only.
- · Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a physician if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### (Directions)

- Apply liberally 15 minutes before sun exposure.
- · Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and follow these measures:

#### (Drug Facts(continued))

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- –Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a physician.

#### (Other information)

 Protect this product from excessive heat and direct sunlight.

#### (Inactive ingredients)

Water, Glycerin, Butylene Glycol, Dimethicone, Phenoxyethanol, Polyhydroxystearic Acid, Silica, Sodium Hyaluronate, Ceramide 1, Ceramide 3, Ceramide 6-II, Tocopheryl Acetate, Ascorbic Acid, Bisabolol, Panthenol, Ethylhexylglycerin, Hydrolyzed Sodium Hyaluronate

> LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND









## (Drug Facts)

## Active ingredients

Titanium Dioxide 6% Zinc Oxide 10% Avobenzone 3%

## Purpose

Sunscreen

## (Uses)

- Helps during sun exposure,
  Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

## (Warnings)

- · For external use only.
- · Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a physician if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### (Directions)

- Apply liberally 15 minutes before sun exposure.
- · Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and follow these measures:

#### (Drug Facts(continued))

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- –Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a physician.

#### (Other information)

 Protect this product from excessive heat and direct sunlight.

#### (Inactive ingredients)

Water, Glycerin, Butylene Glycol, Dimethicone, Phenoxyethanol, Polyhydroxystearic Acid, Silica, Sodium Hyaluronate, Ceramide 1, Ceramide 3, Ceramide 6-II, Tocopheryl Acetate, Ascorbic Acid, Bisabolol, Panthenol, Ethylhexylglycerin, Hydrolyzed Sodium Hyaluronate

> LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND









## (Drug Facts)

## Active ingredients

Titanium Dioxide 6% Zinc Oxide 10% Avobenzone 3%

## Purpose

Sunscreen

## (Uses)

- Helps during sun exposure,
  Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

## (Warnings)

- · For external use only.
- · Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a physician if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### (Directions)

- Apply liberally 15 minutes before sun exposure.
- · Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and follow these measures:

#### (Drug Facts(continued))

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- –Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a physician.

#### (Other information)

 Protect this product from excessive heat and direct sunlight.

#### (Inactive ingredients)

Water, Glycerin, Butylene Glycol, Dimethicone, Phenoxyethanol, Polyhydroxystearic Acid, Silica, Sodium Hyaluronate, Ceramide 1, Ceramide 3, Ceramide 6-II, Tocopheryl Acetate, Ascorbic Acid, Bisabolol, Panthenol, Ethylhexylglycerin, Hydrolyzed Sodium Hyaluronate

> LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND









## (Drug Facts)

## Active ingredients

Titanium Dioxide 6% Zinc Oxide 10% Avobenzone 3%

## Purpose

Sunscreen

## (Uses)

- Helps during sun exposure,
  Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

## (Warnings)

- · For external use only.
- · Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a physician if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### (Directions)

- Apply liberally 15 minutes before sun exposure.
- · Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and follow these measures:

#### (Drug Facts(continued))

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- –Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a physician.

#### (Other information)

 Protect this product from excessive heat and direct sunlight.

#### (Inactive ingredients)

Water, Glycerin, Butylene Glycol, Dimethicone, Phenoxyethanol, Polyhydroxystearic Acid, Silica, Sodium Hyaluronate, Ceramide 1, Ceramide 3, Ceramide 6-II, Tocopheryl Acetate, Ascorbic Acid, Bisabolol, Panthenol, Ethylhexylglycerin, Hydrolyzed Sodium Hyaluronate

> LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND









## (Drug Facts)

## Active ingredients

Titanium Dioxide 6% Zinc Oxide 10% Avobenzone 3%

## Purpose

Sunscreen

## (Uses)

- Helps during sun exposure,
  Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

## (Warnings)

- · For external use only.
- · Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a physician if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### (Directions)

- Apply liberally 15 minutes before sun exposure.
- · Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and follow these measures:

#### (Drug Facts(continued))

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- –Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a physician.

#### (Other information)

 Protect this product from excessive heat and direct sunlight.

#### (Inactive ingredients)

Water, Glycerin, Butylene Glycol, Dimethicone, Phenoxyethanol, Polyhydroxystearic Acid, Silica, Sodium Hyaluronate, Ceramide 1, Ceramide 3, Ceramide 6-II, Tocopheryl Acetate, Ascorbic Acid, Bisabolol, Panthenol, Ethylhexylglycerin, Hydrolyzed Sodium Hyaluronate

> LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND









## (Drug Facts)

## Active ingredients

Titanium Dioxide 6% Zinc Oxide 10% Avobenzone 3%

## Purpose

Sunscreen

## (Uses)

- Helps during sun exposure,
  Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

## (Warnings)

- · For external use only.
- · Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a physician if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### (Directions)

- Apply liberally 15 minutes before sun exposure.
- · Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and follow these measures:

#### (Drug Facts(continued))

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- –Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a physician.

#### (Other information)

 Protect this product from excessive heat and direct sunlight.

#### (Inactive ingredients)

Water, Glycerin, Butylene Glycol, Dimethicone, Phenoxyethanol, Polyhydroxystearic Acid, Silica, Sodium Hyaluronate, Ceramide 1, Ceramide 3, Ceramide 6-II, Tocopheryl Acetate, Ascorbic Acid, Bisabolol, Panthenol, Ethylhexylglycerin, Hydrolyzed Sodium Hyaluronate

> LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND









## (Drug Facts)

## Active ingredients

Titanium Dioxide 6% Zinc Oxide 10% Avobenzone 3%

## Purpose

Sunscreen

## (Uses)

- Helps during sun exposure,
  Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

## (Warnings)

- · For external use only.
- · Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a physician if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### (Directions)

- Apply liberally 15 minutes before sun exposure.
- · Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and follow these measures:

#### (Drug Facts(continued))

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- –Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a physician.

#### (Other information)

 Protect this product from excessive heat and direct sunlight.

#### (Inactive ingredients)

Water, Glycerin, Butylene Glycol, Dimethicone, Phenoxyethanol, Polyhydroxystearic Acid, Silica, Sodium Hyaluronate, Ceramide 1, Ceramide 3, Ceramide 6-II, Tocopheryl Acetate, Ascorbic Acid, Bisabolol, Panthenol, Ethylhexylglycerin, Hydrolyzed Sodium Hyaluronate

> LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND









## (Drug Facts)

## Active ingredients

Titanium Dioxide 6% Zinc Oxide 10% Avobenzone 3%

## Purpose

Sunscreen

## (Uses)

- Helps during sun exposure,
  Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

## (Warnings)

- · For external use only.
- · Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a physician if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### (Directions)

- Apply liberally 15 minutes before sun exposure.
- · Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and follow these measures:

#### (Drug Facts(continued))

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- –Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a physician.

#### (Other information)

 Protect this product from excessive heat and direct sunlight.

#### (Inactive ingredients)

Water, Glycerin, Butylene Glycol, Dimethicone, Phenoxyethanol, Polyhydroxystearic Acid, Silica, Sodium Hyaluronate, Ceramide 1, Ceramide 3, Ceramide 6-II, Tocopheryl Acetate, Ascorbic Acid, Bisabolol, Panthenol, Ethylhexylglycerin, Hydrolyzed Sodium Hyaluronate

> LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND









## (Drug Facts)

## Active ingredients

Titanium Dioxide 6% Zinc Oxide 10% Avobenzone 3%

## Purpose

Sunscreen

## (Uses)

- Helps during sun exposure,
  Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

## (Warnings)

- · For external use only.
- · Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a physician if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### (Directions)

- Apply liberally 15 minutes before sun exposure.
- · Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and follow these measures:

#### (Drug Facts(continued))

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- –Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a physician.

#### (Other information)

 Protect this product from excessive heat and direct sunlight.

#### (Inactive ingredients)

Water, Glycerin, Butylene Glycol, Dimethicone, Phenoxyethanol, Polyhydroxystearic Acid, Silica, Sodium Hyaluronate, Ceramide 1, Ceramide 3, Ceramide 6-II, Tocopheryl Acetate, Ascorbic Acid, Bisabolol, Panthenol, Ethylhexylglycerin, Hydrolyzed Sodium Hyaluronate

> LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND









## (Drug Facts)

## Active ingredients

Titanium Dioxide 6% Zinc Oxide 10% Avobenzone 3%

## Purpose

Sunscreen

## (Uses)

- Helps during sun exposure,
  Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

## (Warnings)

- · For external use only.
- · Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a physician if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### (Directions)

- Apply liberally 15 minutes before sun exposure.
- · Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and follow these measures:

#### (Drug Facts(continued))

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- –Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a physician.

#### (Other information)

 Protect this product from excessive heat and direct sunlight.


#### (Inactive ingredients)

Water, Glycerin, Butylene Glycol, Dimethicone, Phenoxyethanol, Polyhydroxystearic Acid, Silica, Sodium Hyaluronate, Ceramide 1, Ceramide 3, Ceramide 6-II, Tocopheryl Acetate, Ascorbic Acid, Bisabolol, Panthenol, Ethylhexylglycerin, Hydrolyzed Sodium Hyaluronate

> LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND







### (Drug Facts)

## Active ingredients

Titanium Dioxide 6% Zinc Oxide Avobenzone

# Purpose

## Sunscreen

## (Uses)

- Helps during sun exposure. Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

## (Warnings)

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a physician if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### (Directions)

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and follow these measures:

#### (Drug Facts(continued))

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a physician.

## (Other information)

Protect this product from excessive heat and direct sunlight.

#### (Inactive ingredients)

Water, Glycerin, Butylene Glycol, Dimethicone, Phenoxyethanol, Polyhydroxystearic Acid, Silica, Sodium Hyaluronate, Ceramide 1, Ceramide 3, Ceramide 6-II, Tocopheryl Acetate, Ascorbic Acid, Bisabolol, Panthenol, Ethylhexylglycerin, Hydrolyzed Sodium Hyaluronate

> LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND

> > Made in China



## **APPTI BODY SUNSCREEN**

body sunscreen lotion

## **Product Information**

**Product Type HUMAN OTC DRUG Item Code (Source)** NDC:81309-008

**Route of Administration TOPICAL** 

## **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	10 g in 100 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	6 g in 100 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL

Inactive Ingredients			
Ingredient Name	Strength		
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)			

HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
PANTHENOL (UNII: WV9CM0O67Z)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LEVOMENOL (UNII: 24WE03BX2T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CERAMIDE 3 (UNII: 4370DF050B)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CERAMIDE 6 II, L- (UNII: 717F57PF9J)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CERAMIDE 1 (UNII: 5THT33P7X7)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:81309-008- 01	120 mL in 1 TUBE; Type 0: Not a Combination Product	09/18/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/18/2024	

# **Labeler -** LYW BIOTECH CO LIMITED GUANGZHOU (554530905)

Establishment				
Na me	Address	ID/FEI	<b>Business Operations</b>	
LYW BIOTECH CO LIMITED GUANGZHOU		554530905	manufacture(81309-008)	

Revised: 9/2024 LYW BIOTECH CO LIMITED GUANGZHOU