APPTI FACE SUNSCREEN- titanium dioxide, zinc oxide, octocrylene lotion LYW BIOTECH CO LIMITED GUANGZHOU





Maximum Protection

Minimum Weight



2.5 fl oz - 74 ml

(Drug Facts)

Active ingredients Purpose Titanium Dioxide Sunscreen

Zinc Oxide 5% Octocrylene 4%

(Uses)

- Helps during sun exposure.
- · Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

(Warnings)

- · For external use only.
- Do not use on damaged or broken skin.
- · When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

(Directions)

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming, or perspiring.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts(continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age: Ask a doctor.

(Other information)

· Protect the product in this container excessive heat and direct sunlight.

(Inactive ingredients)

WATER, GLYCERIN, BUTYLENE GLYCOL, ASCORBIC ACID, TOCOPHEROL, SODIUM HYALURONATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II. POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE. 1,2-HEXANEDIOL, HYDROXYACETOPHENONE. ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, PANTHENOL, BISABOLOL, CENTELLA ASIATICA ASIATICA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, POLYGONUM CUSPIDATUM ROOT EXTRACT

> LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND



Deep Hydration
Locks in moisture for
a plump,refreshed look.

Ceramides

| Skin Fortification

Boosts skin's

resilience against

environmental factors.

Vitamin C and E

Antioxidant Defense

Neutralizes free radicals,

helping to maintain

youthful skin.

Oil Free

Para Free

Oxybenzone Free

For all skin types

Gentle formula suitable

for sensitive skin.

APPTI FACE SUNSCREEN

Dry Touch

Ultra Sheer

No White Cast

Water Resistant(80 minutes)

Maximum Protection Minimum Weight



2.5 fl oz - 74 ml

(Drug Facts)

Active ingredients Purpose Titanium Dioxide 6%

Zinc Oxide 5% Sunscreen
Octocrylene 4%

Uses

- Helps during sun exposure.
- Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

(Warnings)

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

(Directions)

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming, or perspiring.
- Sun Protection Measures:
 Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts(continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age:
 Ask a doctor.

(Other information)

 Protect the product in this container excessive heat and direct sunlight.

(Inactive ingredients)

WATER, GLYCERIN, BUTYLENE GLYCOL, ASCORBIC ACID, TOCOPHEROL, SODIUM HYALURONATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, PANTHENOL, BISABOLOL, CENTELLA ASIATICA ASIATICA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, POLYGONUM CUSPIDATUM ROOT EXTRACT

LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND



Deep Hydration
Locks in moisture for
a plump,refreshed look.

Ceramides

| Skin Fortification

Boosts skin's

resilience against

environmental factors.

Vitamin C and E

Antioxidant Defense

Neutralizes free radicals,

helping to maintain

youthful skin.

Oil Free

Para Free

Oxybenzone Free

For all skin types

Gentle formula suitable

for sensitive skin.

APPTI FACE SUNSCREEN

Dry Touch

Ultra Sheer

No White Cast

Water Resistant(80 minutes)

Maximum Protection Minimum Weight



2.5 fl oz - 74 ml

(Drug Facts)

Active ingredients Purpose Titanium Dioxide 6%

Zinc Oxide 5% Sunscreen
Octocrylene 4%

Uses

- Helps during sun exposure.
- Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

(Warnings)

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

(Directions)

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming, or perspiring.
- Sun Protection Measures:
 Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts(continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age:
 Ask a doctor.

(Other information)

 Protect the product in this container excessive heat and direct sunlight.

(Inactive ingredients)

WATER, GLYCERIN, BUTYLENE GLYCOL, ASCORBIC ACID, TOCOPHEROL, SODIUM HYALURONATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, PANTHENOL, BISABOLOL, CENTELLA ASIATICA ASIATICA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, POLYGONUM CUSPIDATUM ROOT EXTRACT

LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND



Deep Hydration
Locks in moisture for
a plump,refreshed look.

Ceramides

| Skin Fortification

Boosts skin's

resilience against

environmental factors.

Vitamin C and E

Antioxidant Defense

Neutralizes free radicals,

helping to maintain

youthful skin.

Oil Free

Para Free

Oxybenzone Free

For all skin types

Gentle formula suitable

for sensitive skin.

APPTI FACE SUNSCREEN

Dry Touch

Ultra Sheer

No White Cast

Water Resistant(80 minutes)

Maximum Protection Minimum Weight



2.5 fl oz - 74 ml

(Drug Facts)

Active ingredients Purpose Titanium Dioxide 6%

Zinc Oxide 5% Sunscreen
Octocrylene 4%

Uses

- Helps during sun exposure.
- Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

(Warnings)

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

(Directions)

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming, or perspiring.
- Sun Protection Measures:
 Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts(continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age:
 Ask a doctor.

(Other information)

 Protect the product in this container excessive heat and direct sunlight.

(Inactive ingredients)

WATER, GLYCERIN, BUTYLENE GLYCOL, ASCORBIC ACID, TOCOPHEROL, SODIUM HYALURONATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, PANTHENOL, BISABOLOL, CENTELLA ASIATICA ASIATICA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, POLYGONUM CUSPIDATUM ROOT EXTRACT

LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND



Deep Hydration
Locks in moisture for
a plump,refreshed look.

Ceramides

| Skin Fortification

Boosts skin's

resilience against

environmental factors.

Vitamin C and E

Antioxidant Defense

Neutralizes free radicals,

helping to maintain

youthful skin.

Oil Free

Para Free

Oxybenzone Free

For all skin types

Gentle formula suitable

for sensitive skin.

APPTI FACE SUNSCREEN

Dry Touch

Ultra Sheer

No White Cast

Water Resistant(80 minutes)

Maximum Protection Minimum Weight



2.5 fl oz - 74 ml

(Drug Facts)

Active ingredients Purpose Titanium Dioxide 6%

Zinc Oxide 5% Sunscreen
Octocrylene 4%

Uses

- Helps during sun exposure.
- Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

(Warnings)

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

(Directions)

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming, or perspiring.
- Sun Protection Measures:
 Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts(continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age:
 Ask a doctor.

(Other information)

 Protect the product in this container excessive heat and direct sunlight.

(Inactive ingredients)

WATER, GLYCERIN, BUTYLENE GLYCOL, ASCORBIC ACID, TOCOPHEROL, SODIUM HYALURONATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, PANTHENOL, BISABOLOL, CENTELLA ASIATICA ASIATICA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, POLYGONUM CUSPIDATUM ROOT EXTRACT

LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND



Deep Hydration
Locks in moisture for
a plump,refreshed look.

Ceramides

| Skin Fortification

Boosts skin's

resilience against

environmental factors.

Vitamin C and E

Antioxidant Defense

Neutralizes free radicals,

helping to maintain

youthful skin.

Oil Free

Para Free

Oxybenzone Free

For all skin types

Gentle formula suitable

for sensitive skin.

APPTI FACE SUNSCREEN

Dry Touch

Ultra Sheer

No White Cast

Water Resistant(80 minutes)

Maximum Protection Minimum Weight



2.5 fl oz - 74 ml

(Drug Facts)

Active ingredients Purpose Titanium Dioxide 6%

Zinc Oxide 5% Sunscreen
Octocrylene 4%

Uses

- Helps during sun exposure.
- Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

(Warnings)

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

(Directions)

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming, or perspiring.
- Sun Protection Measures:
 Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts(continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age:
 Ask a doctor.

(Other information)

 Protect the product in this container excessive heat and direct sunlight.

(Inactive ingredients)

WATER, GLYCERIN, BUTYLENE GLYCOL, ASCORBIC ACID, TOCOPHEROL, SODIUM HYALURONATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, PANTHENOL, BISABOLOL, CENTELLA ASIATICA ASIATICA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, POLYGONUM CUSPIDATUM ROOT EXTRACT

LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND



Deep Hydration
Locks in moisture for
a plump,refreshed look.

Ceramides

| Skin Fortification

Boosts skin's

resilience against

environmental factors.

Vitamin C and E

Antioxidant Defense

Neutralizes free radicals,

helping to maintain

youthful skin.

Oil Free

Para Free

Oxybenzone Free

For all skin types

Gentle formula suitable

for sensitive skin.

APPTI FACE SUNSCREEN

Dry Touch

Ultra Sheer

No White Cast

Water Resistant(80 minutes)

Maximum Protection Minimum Weight



2.5 fl oz - 74 ml

(Drug Facts)

Active ingredients Purpose Titanium Dioxide 6%

Zinc Oxide 5% Sunscreen
Octocrylene 4%

Uses

- Helps during sun exposure.
- Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

(Warnings)

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

(Directions)

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming, or perspiring.
- Sun Protection Measures:
 Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts(continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age:
 Ask a doctor.

(Other information)

 Protect the product in this container excessive heat and direct sunlight.

(Inactive ingredients)

WATER, GLYCERIN, BUTYLENE GLYCOL, ASCORBIC ACID, TOCOPHEROL, SODIUM HYALURONATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, PANTHENOL, BISABOLOL, CENTELLA ASIATICA ASIATICA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, POLYGONUM CUSPIDATUM ROOT EXTRACT

LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND



Deep Hydration
Locks in moisture for
a plump,refreshed look.

Ceramides

| Skin Fortification

Boosts skin's

resilience against

environmental factors.

Vitamin C and E

Antioxidant Defense

Neutralizes free radicals,

helping to maintain

youthful skin.

Oil Free

Para Free

Oxybenzone Free

For all skin types

Gentle formula suitable

for sensitive skin.

APPTI FACE SUNSCREEN

Dry Touch

Ultra Sheer

No White Cast

Water Resistant(80 minutes)

Maximum Protection Minimum Weight



2.5 fl oz - 74 ml

(Drug Facts)

Active ingredients Purpose Titanium Dioxide 6%

Zinc Oxide 5% Sunscreen
Octocrylene 4%

Uses

- Helps during sun exposure.
- Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

(Warnings)

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

(Directions)

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming, or perspiring.
- Sun Protection Measures:
 Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts(continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age:
 Ask a doctor.

(Other information)

 Protect the product in this container excessive heat and direct sunlight.

(Inactive ingredients)

WATER, GLYCERIN, BUTYLENE GLYCOL, ASCORBIC ACID, TOCOPHEROL, SODIUM HYALURONATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, PANTHENOL, BISABOLOL, CENTELLA ASIATICA ASIATICA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, POLYGONUM CUSPIDATUM ROOT EXTRACT

LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND



Deep Hydration
Locks in moisture for
a plump,refreshed look.

Ceramides

| Skin Fortification

Boosts skin's

resilience against

environmental factors.

Vitamin C and E

Antioxidant Defense

Neutralizes free radicals,

helping to maintain

youthful skin.

Oil Free

Para Free

Oxybenzone Free

For all skin types

Gentle formula suitable

for sensitive skin.

APPTI FACE SUNSCREEN

Dry Touch

Ultra Sheer

No White Cast

Water Resistant(80 minutes)

Maximum Protection Minimum Weight



2.5 fl oz - 74 ml

(Drug Facts)

Active ingredients Purpose Titanium Dioxide 6%

Zinc Oxide 5% Sunscreen
Octocrylene 4%

Uses

- Helps during sun exposure.
- Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

(Warnings)

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

(Directions)

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming, or perspiring.
- Sun Protection Measures:
 Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts(continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age:
 Ask a doctor.

(Other information)

 Protect the product in this container excessive heat and direct sunlight.

(Inactive ingredients)

WATER, GLYCERIN, BUTYLENE GLYCOL, ASCORBIC ACID, TOCOPHEROL, SODIUM HYALURONATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, PANTHENOL, BISABOLOL, CENTELLA ASIATICA ASIATICA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, POLYGONUM CUSPIDATUM ROOT EXTRACT

LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND



Deep Hydration
Locks in moisture for
a plump,refreshed look.

Ceramides

| Skin Fortification

Boosts skin's

resilience against

environmental factors.

Vitamin C and E

Antioxidant Defense

Neutralizes free radicals,

helping to maintain

youthful skin.

Oil Free

Para Free

Oxybenzone Free

For all skin types

Gentle formula suitable

for sensitive skin.

APPTI FACE SUNSCREEN

Dry Touch

Ultra Sheer

No White Cast

Water Resistant(80 minutes)

Maximum Protection Minimum Weight



2.5 fl oz - 74 ml

(Drug Facts)

Active ingredients Purpose Titanium Dioxide 6%

Zinc Oxide 5% Sunscreen
Octocrylene 4%

Uses

- Helps during sun exposure.
- Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

(Warnings)

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

(Directions)

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming, or perspiring.
- Sun Protection Measures:
 Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts(continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age:
 Ask a doctor.

(Other information)

 Protect the product in this container excessive heat and direct sunlight.

(Inactive ingredients)

WATER, GLYCERIN, BUTYLENE GLYCOL, ASCORBIC ACID, TOCOPHEROL, SODIUM HYALURONATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, PANTHENOL, BISABOLOL, CENTELLA ASIATICA ASIATICA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, POLYGONUM CUSPIDATUM ROOT EXTRACT

LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND



Deep Hydration
Locks in moisture for
a plump,refreshed look.

Ceramides

| Skin Fortification

Boosts skin's

resilience against

environmental factors.

Vitamin C and E

Antioxidant Defense

Neutralizes free radicals,

helping to maintain

youthful skin.

Oil Free

Para Free

Oxybenzone Free

For all skin types

Gentle formula suitable

for sensitive skin.

APPTI FACE SUNSCREEN

Dry Touch

Ultra Sheer

No White Cast

Water Resistant(80 minutes)

Maximum Protection Minimum Weight



2.5 fl oz - 74 ml

(Drug Facts)

Active ingredients Purpose Titanium Dioxide 6%

Zinc Oxide 5% Sunscreen
Octocrylene 4%

Uses

- Helps during sun exposure.
- Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

(Warnings)

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

(Directions)

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming, or perspiring.
- Sun Protection Measures:
 Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts(continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age:
 Ask a doctor.

(Other information)

 Protect the product in this container excessive heat and direct sunlight.

(Inactive ingredients)

WATER, GLYCERIN, BUTYLENE GLYCOL, ASCORBIC ACID, TOCOPHEROL, SODIUM HYALURONATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, PANTHENOL, BISABOLOL, CENTELLA ASIATICA ASIATICA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, POLYGONUM CUSPIDATUM ROOT EXTRACT

LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND



Deep Hydration
Locks in moisture for
a plump,refreshed look.

Ceramides

| Skin Fortification

Boosts skin's

resilience against

environmental factors.

Vitamin C and E

Antioxidant Defense

Neutralizes free radicals,

helping to maintain

youthful skin.

Oil Free

Para Free

Oxybenzone Free

For all skin types

Gentle formula suitable

for sensitive skin.

APPTI FACE SUNSCREEN

Dry Touch

Ultra Sheer

No White Cast

Water Resistant(80 minutes)

Maximum Protection Minimum Weight



2.5 fl oz - 74 ml

(Drug Facts)

Active ingredients Purpose Titanium Dioxide 6%

Zinc Oxide 5% Sunscreen
Octocrylene 4%

Uses

- Helps during sun exposure.
- Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

(Warnings)

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

(Directions)

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming, or perspiring.
- Sun Protection Measures:
 Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts(continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age:
 Ask a doctor.

(Other information)

 Protect the product in this container excessive heat and direct sunlight.

(Inactive ingredients)

WATER, GLYCERIN, BUTYLENE GLYCOL, ASCORBIC ACID, TOCOPHEROL, SODIUM HYALURONATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, PANTHENOL, BISABOLOL, CENTELLA ASIATICA ASIATICA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, POLYGONUM CUSPIDATUM ROOT EXTRACT

LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND



Deep Hydration
Locks in moisture for
a plump,refreshed look.

Ceramides

| Skin Fortification

Boosts skin's

resilience against

environmental factors.

Vitamin C and E

Antioxidant Defense

Neutralizes free radicals,

helping to maintain

youthful skin.

Oil Free

Para Free

| Oxybenzone Free

| For all skin types

Gentle formula suitable

for sensitive skin.

APPTI FACE SUNSCREEN

Dry Touch

Ultra Sheer

No White Cast

Water Resistant(80 minutes)

Maximum Protection Minimum Weight



2.5 fl oz - 74 ml

(Drug Facts)

Active ingredients Purpose

Titanium Dioxide 6%
Zinc Oxide 5%
Octocrylene 4%
Sunscreen

Uses

- Helps during sun exposure.
- Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

(Warnings)

- For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

(Directions)

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming, or perspiring.
- Sun Protection Measures:

 Spending time in the sun increases
 your risk of skin cancer and early
 skin aging.

Drug Facts(continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age:
 Ask a doctor.

(Other information)

 Protect the product in this container excessive heat and direct sunlight.

(Inactive ingredients)

WATER, GLYCERIN, BUTYLENE GLYCOL, ASCORBIC ACID, TOCOPHEROL, SODIUM HYALURONATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, PANTHENOL, BISABOLOL, CENTELLA ASIATICA ASIATICA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, POLYGONUM CUSPIDATUM ROOT EXTRACT

LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND







2.5 fl oz - 74 ml

(Drug Facts)

Active ingredients Purpose Titanium Dioxide 6%

Zinc Oxide 5% Sunscreen
Octocrylene 4%

(Uses)

- Helps during sun exposure.
- Higher SPF offers broader coverage in the sun.
- When used as directed with other sun protection measures (see Directions), it decreases the risk of skin cancer and early skin aging caused by the sun.

(Warnings)

- · For external use only.
- Do not use on damaged or broken skin.
- When using this product, avoid contact with eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

(Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Reapply frequently after towel drying, swimming, or perspiring.
- Sun Protection Measures:
 Spending time in the sun increases your risk of skin cancer and early skin aging.

Drug Facts(continued)

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially
- from 10 a.m. to 2 p.m.

 Wear long-sleeved shirts, pants,
 hats, and sunglasses.
- Children under 6 months of age:
 Ask a doctor.

(Other information)

 Protect the product in this container excessive heat and direct sunlight.

(Inactive ingredients)

WATER, GLYCERIN, BUTYLENE GLYCOL, ASCORBIC ACID, TOCOPHEROL, SODIUM HYALURONATE, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, PANTHENOL, BISABOLOL, CENTELLA ASIATICA ASIATICA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, POLYGONUM CUSPIDATUM ROOT EXTRACT

LYW GROUP LIMITED. 22 TAROKA CLOSE PINEHILL AUCKLAND 0632 NEW ZEALAND

Made in China



APPTI FACE SUNSCREEN

titanium dioxide, zinc oxide, octocrylene lotion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:81309-009

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5 g in 100 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	6 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4 g in 100 mL

Inactive Ingredients		
Ingredient Name	Strength	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)		
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)		

HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
WATER (UNII: 059QF0KO0R)	
PANTHENOL (UNII: WV9CM0O67Z)	
TOCOPHEROL (UNII: R0ZB2556P8)	
LEVOMENOL (UNII: 24WE03BX2T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CERAMIDE 3 (UNII: 4370DF050B)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CERAMIDE 6 II, L- (UNII: 717F57PF9J)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
CERAMIDE 1 (UNII: 5THT33P7X7)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
CENTELLA ASIATICA TRITERPENOIDS (UNII: 4YS74Q4G4J)	
REYNOUTRIA JAPONICA ROOT (UNII: 7TRV45YZF7)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:81309-009- 01	74 mL in 1 TUBE; Type 0: Not a Combination Product	09/18/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/18/2024	

Labeler - LYW BIOTECH CO LIMITED GUANGZHOU (554530905)

Establishment				
Na me	Address	ID/FEI	Business Operations	
LYW BIOTECH CO LIMITED GUANGZHOU		554530905	manufacture(81309-009)	

Revised: 9/2024 LYW BIOTECH CO LIMITED GUANGZHOU