

CLEAR COUGH- potassium iodide and ammonium chloride solution
Medivet Pty Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Directions For Use

This product should not be used on pregnant or hyperthyroid animals.

SHAKE WELL BEFORE USE

Horses: 50mL /day for 20 days or as directed by your veterinary surgeon.

CLEAR COUGH may be administered by oral syringe or added to molasses and mixed well into nightly feed. For Severe or Chronic case: Ask your veterinarian to scope horses for confirmation of clearance of symptoms. Horses should be kept warm during treatment (double rugged) and left idle.

Active Ingredients

Potassium Iodide 20 g/L

Ammonium Chloride 20 g/L

Uses

Clear Cough is a dietary supplement for horses.

Warnings

For Animal Use only.

Inactive Ingredients

Water and Glycerin.

Keep Out of reach of Children

Keep Out of reach of Children

Package Label Principal Display Panel

FOR ANIMAL TREATMENT ONLY

clearcough

DIETARY SUPPLEMENT FOR HORSES

Active Constituents: Potassium Iodide 20g/L,
Ammonium Chloride 20g/L

**MEAT WITHHOLDING PERIOD
(HORSES): Zero**

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre in your local area.

Disposal: Triple or (preferably) pressure rinse into medicated drench. Do not dispose of undiluted chemicals on site. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

Store below 25°C
(Air conditioning).
Protect from light.
DO NOT refrigerate or freeze.



20L

DIRECTIONS FOR USE:

This product should not be used on pregnant or hyperthyroid animals.
SHAKE WELL BEFORE USE

Horses: 50mL /day for 20 days or as directed by your veterinary surgeon. CLEAR COUGH may be administered by oral syringe or added to molasses and mixed well into nightly feed. For Severe or Chronic case: Ask your veterinarian to scope horses for confirmation of clearance of symptoms. Horses should be kept warm during treatment (double rugged) and left idle.

Active ingredients
Potassium Iodide 20g/L
Ammonium Chloride 20g/L

Uses: Clear Cough is a dietary supplement for horses.

Warnings: For Animal Use Only.
Keep out of reach of children

Inactive Ingredients
Water, Glycerin

Batch No:
Expiry:



**AN ALL NATURAL AID FOR RELIEVING
COUGH AND OTHER RESPIRATORY
SYMPTOMS IN HORSES.**

MEDI VET

Manufactured by
Stable Care
Lot 2 3B East Road
Pearcedale VIC 3912 Australia
For Medivet Veterinary Supplies
Unit A4 101 Rookwood Rd
Yagoona NSW 2199 Australia
Tel: 02 9708 0040 Fax: 02 9569 1772
www.medivet.net.au

Manufactured By :

Stable Care

Lot 2 3B East Road

Pearcedale VIC 3912 Australia

Manufactured For:

Medivet Veterinary Supplies

U4A 101 Rookwood Rd,

Yagoona, NSW 2199, Australia

Meat Withholding Period (Horses): Zero

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre in your local area.

Disposal: Triple or (preferably) pressure rinse into medicated drench. Do not dispose of undiluted chemicals on site. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

Store below 25°C
(Air conditioning).
Protect from light.
DO NOT refrigerate or freeze

CLEAR COUGH

potassium iodide and ammonium chloride solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:51083-102
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	POTASSIUM IODIDE	20 g in 1 L
AMMONIUM CHLORIDE (UNII: 01Q9PC255D) (AMMONIUM CATION - UNII:54S68520I4)	AMMONIUM CHLORIDE	20 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51083-102-01	1 L in 1 BOTTLE, PLASTIC		
2	NDC:51083-102-02	2.5 L in 1 BOTTLE, PLASTIC		
3	NDC:51083-102-03	20 L in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/15/2012	

Labeler - Medivet Pty Ltd (757292763)

Establishment

Name	Address	ID/FEI	Business Operations
Stable Care Pty Ltd		753177401	analysis, manufacture, pack, api manufacture

Revised: 11/2012

Medivet Pty Ltd