

**CLINIQUE SMART BROAD SPECTRUM SPF 15 CUSTOM-REPAIR MOISTURIZER
DRY COMBINATION- avobenzone and octisalate cream
CLINIQUE LABORATORIES LLC**

**CLINIQUE SMART BROAD SPECTRUM SPF 15 CUSTOM-REPAIR MOISTURIZER
DRY COMBINATION**

Drug Facts

Active ingredients

Avobenzone 3.0%

Octisalate 5.0%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.–2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

water\aquaeau • glycerin • butyloctyl salicylate • polyester-8 • octyldodecyl neopentanoate • behenyl alcohol • butylene glycol • myristyl myristate • cetyl esters • ammonium acryloyldimethyltaurate/vp copolymer • plankton extract • centaurium erythraea (centaury) extract • sigesbeckia orientalis (st. paul's wort) extract • glyceryl stearate • algae extract • caffeine • whey protein\lactis protein\protéine du petit-lait • nylon-12 • acetyl hexapeptide-8 • sucrose • biotin • ergothioneine • myristyl laurate • lauryl peg-9 polydimethylsiloxylethyl dimethicone • polyethylene • aminopropyl ascorbyl phosphate • glycine soja (soybean) protein • peg-100 stearate • steareth-21 • saccharomyces/xylinum/black tea ferment • dimethicone • acetyl glucosamine • astrocaryum murumuru seed butter • trisiloxane • caprylyl glycol • tocopheryl acetate • myristyl alcohol • sodium hyaluronate • hexylene glycol • calcium chloride • hydroxyethylcellulose • sodium benzoate • citric acid • sodium citrate • lecithin • disodium edta • potassium sorbate • phenoxyethanol • yellow 5 (ci 19140) • red 4 (ci 14700) [iln49049]

Other information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 75 ml Jar Carton

de-aging

CLINIQUE

clinique smart

broad spectrum SPF 15

custom-repair moisturizer

DRY COMBINATION

POIDS NET WT. 2.5 OZ./75 ml e

de-aging



clinique smart
broad spectrum SPF 15
custom-repair moisturizer

DRY COMBINATION

POIDS NET WT. 2.5 OZ./75 ml e

UPC/FPO

FSC/FPO

clinique.com



© CLINIQUE LABORATORIES, DIST. NEW YORK, NY 10022
WLB LTD, 6US2 300, UK • WLB SNY, OVEVL B5 2260
NEW YORK • LONDON • PARIS • MADE IN U.S.A. VOA K

Allergy Tested. 100% Fragrance Free. Our smart daytime moisturizer helps visibly repair lines and wrinkles, brightens, firms and imparts radiance—as needed, where needed. Smart hydration technology helps skin attract and retain moisture. UVA/UVB protection helps shield against environmental damage. Oil-free. With continued use, skin looks fresh, firm, alive with youth.

Drug Facts

Active ingredients

Avobenzone 3.0%
Octisalate 5.0%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating

2
SKIN TYPE
DRY COMBINATION



Drug Facts (continued)

• Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.–2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses

• children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • glycerin • butyloctyl salicylate • polyester-8 • octyldodecyl neopentanoate • behenyl alcohol • butylene glycol • myristyl myristate • cetyl esters • ammonium acryloyldimethyltaurate/vp copolymer • plankton extract • centaurium erythraea (centaury) extract • sigesbeckia orientalis (st. paul's wort) extract • glyceryl stearate • algae extract • caffeine • whey protein/vactis protein/prot  ine du petit-lait • nylon-12 • acetyl hexapeptide-8 • sucrose • biotin • ergothioneine • myristyl laurate • lauryl peg-9 polydimethylsiloxylethyl dimethicone • polyethylene • aminopropyl ascorbyl phosphate • glycine soja (soybean) protein • peg-100 stearate • steareth-21 • saccharomyces/xylinum/black tea ferment • dimethicone • acetyl glucosamine • astrocaryum murumuru seed butter • trisiloxane • caprylyl glycol • tocopheryl acetate • myristyl alcohol • sodium hyaluronate • hexylene glycol • calcium chloride • hydroxyethylcellulose • sodium benzoate • citric acid • sodium citrate • lecithin • disodium edta • potassium sorbate • phenoxyethanol • yellow 5 (ci 19140) • red 4 (ci 14700) [jin49049]

Other information

protect the product in this container from excessive heat and direct sun

VOAK-01-1111

**CLINIQUE SMART BROAD SPECTRUM SPF 15 CUSTOM-REPAIR
MOISTURIZER DRY COMBINATION**

avobenzone and octisalate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49527-051
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED) (UNII: T9296U138P)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
CETYL ESTERS WAX (UNII: D072FFP9GU)	
AMMONIUM ACRYLOYLDIMETHYLTaurate/VP COPOLYMER (UNII: W59H9296ZG)	
BLUEFISH (UNII: 79U8P8X3Q5)	
CENTAURIUM ERYTHRAEA (UNII: 57X4TSH585)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CAFFEINE (UNII: 3G6A5W338E)	
NYLON-12 (UNII: 446U8J075B)	
ACETYL HEXAPEPTIDE-8 (UNII: L4EL31FWL)	
SUCROSE (UNII: C151H8M554)	
BIOTIN (UNII: 6SO6U10H04)	
ERGOTHIONEINE (UNII: BDZ3DQM98W)	
MYRISTYL LAURATE (UNII: 58U0NZN2BT)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
AMINOPROPYL ASCORBYL PHOSPHATE (UNII: 290O2PQ83R)	
SOYBEAN (UNII: L7HT8F1ZOD)	
PEG-100 STEARATE (UNII: YD01N1999R)	
STEARETH-21 (UNII: 53J3F32P58)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
N-ACETYLGLUCOSAMINE (UNII: V956696549)	
ASTROCARYUM MURUMURU SEED BUTTER (UNII: 12V64UPU6R)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MYRISTYL ALCOHOL (UNII: V42034O9PU)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C RED NO. 4 (UNII: X3W0AM1JLX)	
DOCOSANOL (UNII: 9G1OE216XY)	
SIGESBECKIA ORIENTALIS WHOLE (UNII: ZM9Q0FEI4Z)	
AGAR, UNSPECIFIED (UNII: 89T13OHQ2B)	
WHEY PROTEIN HYDROLYSATE (UNII: 237DZG2JLA)	
SACCHAROMYCES CEREVISIAE (UNII: 978D8U419H)	
CALCIUM CHLORIDE (UNII: M4I0D6VV5M)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49527-051-01	1 in 1 CARTON	10/01/2015	
1		50 mL in 1 JAR; Type 0: Not a Combination Product		
2	NDC:49527-051-02	1 in 1 CARTON	07/12/2022	
2		75 mL in 1 JAR; Type 0: Not a Combination Product		
3	NDC:49527-051-03	1 in 1 CARTON	07/12/2022	
3		15 mL in 1 JAR; Type 0: Not a Combination Product		
4	NDC:49527-051-04	7 mL in 1 PACKET; Type 0: Not a Combination Product	07/12/2022	10/05/2023
5	NDC:49527-051-05	1 in 1 CARTON	10/01/2015	
5		7 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2015	

Labeler - CLINIQUE LABORATORIES LLC (044475127)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment			
Name	Address	ID/FEI	Business Operations
PALC		078364654	pack(49527-051) , label(49527-051)

Establishment			
Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd.		202952982	manufacture(49527-051)

Establishment			
Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd.		204132062	pack(49527-051) , label(49527-051)

Establishment			
Name	Address	ID/FEI	Business Operations
The Estee Lauder Inc		802599436	manufacture(49527-051) , pack(49527-051) , label(49527-051)

Establishment			
Name	Address	ID/FEI	Business Operations
Northtec LLC		943871157	pack(49527-051) , label(49527-051)

Revised: 12/2024

CLINIQUE LABORATORIES LLC