

ROUND LAB BIRCH JUICE MOISTURIZING UVLOCK SUNSCREEN SPF50 BROAD SPECTRUM- avobenzone, homosalate, octisalate cream
SEORIN COMPANY Co., Ltd.

Round Lab
Birch Juice
Moisturizing UVLOCK
Sunscreen
SPF50 Broad Spectrum

Actives Ingredients

Avobenzone 2.7%

Homosalate 13.5%

Octisalate 4.5%

Purpose

Sunscreen

Uses

helps prevent sunburn

if used as directed with other sun protection measures (see ***Directions***) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally and evenly 15 minutes before sun exposure.
- **Sun protection measures.**

Spending time in the sun increases your risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. -

2 p.m., wear long-sleeved shirts, pants, hats, and sunglasses

- children under 6 months of age: Ask a doctor
- reapply at least every 2 hours.
- use a water-resistant sunscreen if swimming or sweating

Other Information

protect the product from excessive heat and direct sun

Inactive ingredients

Water, Butyloctyl Salicylate, Propanediol, Acrylates Copolymer, Butylene Glycol, Caprylyl Methicone, Polyglyceryl-3 Distearate, Benzotriazolyl Dodecyl P-Cresol, Niacinamide, Diethylhexyl 2,6-Naphthalate, Polymethylsisesquioxane, Glycerin, Calcium Aluminum Borosilicate, 1,2-Hexanediol, Poly C10-30 Alkyl Acrylate, Pentylene Glycol, Cetearyl Alcohol, Tromethamine, Methy propanediol, Glyceryl Stearate Citrate, Betula Platyphylla Japonica Juice, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Carbomer, Ethylhexylglycerin, Artemisia Annuua Extract, Anthemis Nobilis Flower Oil, Sodium Stearoyl Glutamate, Glyceryl Polymethacrylate, Triethoxycaprylylsilane, Pinus Sylvestris Leaf Oil, Sparassis Crispa Extract, Polyether-1, Allantoin, Di-propylene Glycol, Glyceryl Glucoside, Biosaccharide Gum-1, Tocopherol, Portulaca Oleracea Extract, Sodium Hyaluronate, Hyaluronic Acid, Ascorbic Acid

Questions or comments?

www.roundlab.com

10mL

BIRCH JUICE

MOISTURIZING UVLOCK

SUNSCREEN

SPF50

Broad Spectrum

10mL 0.34 fl.oz.

ROUND LAB



10ml 0.34 fl. oz.

Manufactured by | KOLMAR Korea Co., Ltd.
22-17, Sandan-gil, Jeonui-Myeon, Sejong-si, 30003, Korea, South
Distributed by | SEORIN COMPANY Co., Ltd.,
36-1, Chuncheonsunhwan-ro, Dongmyeong, Chuncheon-si, Gangwon-do, 24315 Republic of Korea
Mfd. Date and No. Marked separately

www.roundlab.com
MADE IN KOREA

**BIRCH JUICE
MOISTURIZING
UVLOCK**



ROUND LAB



This package is made
from soy ink and FSC®
certified paper.



50mL

Round Lab

Birch Juice

Moisturizing UVLOCK

Sunscreen

SPF50 Broad Spectrum

50 mL 1.69 fl. oz.

Drug Facts

Active ingredients	Purpose
Avobenzone 2.7%	Sunscreen
Homosalate 13.5%	
Octisalate 4.5%	

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ apply liberally 15 minutes before sun exposure.

Sun protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

■ children under 6 months of age: Ask a doctor

■ reapply at least every 2 hours

■ use a water-resistant sunscreen if swimming or sweating.

This package is made from soy ink and FSC® certified paper.

www.roundlab.com
MADE IN KOREA



Drug Facts (continued)

Other information

■ protect the product from excessive heat and direct sun.

Inactive ingredients

Water, Butyloctyl Salicylate, Propanediol, Acrylates Copolymer, Butylene Glycol, Caprylyl Methicone, Polyglyceryl-3 Distearate, Benzotriazolyl Dodecyl P-Cresol, Niacinamide, Diethylhexyl 2,6-Naphthalate, Polymethylsilsesquioxane, Glycerin, Calcium Aluminum Borosilicate, 1,2-Hexanediol, Poly C10-30 Alkyl Acrylate, Pentylene Glycol, Cetearyl Alcohol, Tromethamine, Methylpropanediol, Glycerol Stearate Citrate, Betula Platyphylla Japonica Juice, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Carbomer, Ethylhexylglycerin, Artemisia Annua Extract, Anthemis Nobilis Flower Oil, Sodium Stearoyl Glutamate, Glyceryl Polymethacrylate, Triethoxycaprylylsilane, Pinus Sylvestris Leaf Oil, Sparassis Crispa Extract, Polyether-1, Allantoin, Dipropylene Glycol, Glycerol Glucoside, Biosaccharide Gum-1, Tocopherol, Portulaca Oleracea Extract, Sodium Hyaluronate, Hyaluronic Acid, Ascorbic Acid

Questions or comments?

www.roundlab.com

Manufactured by |
KOLMAR Korea Co., Ltd.
22-17, Sandan-Gil, Jeonui-Myeon,
Sejong-Si, 30003, Korea, South

Distributed by |
SEORIN COMPANY Co., Ltd.,
361, Chuncheon-sunhwan-ro, Dong-
myeon, Chuncheon-si, Gangwon-do,
24315 Republic of Korea

Mfd. Date and No. Marked separately

BIRCH JUICE
MOISTURIZING UVLOCK

자작나무
수분선크림

SUNSCREEN

#수부지선크림 #푸른자차
SPF50 Broad spectrum

차오르는 수분이 필요할 때,
지친 피부를 충전하는 수분 라인.



ROUND LAB
50ml 1.69 fl. oz.

BETTER SKIN, BETTER ROUND



8 809962 541192

60mL x 2

BIRCH JUICE

MOISTURIZING UVLOCK DUO SET

SUNSCREEN

SPF50 Broad Spectrum

Round Lab

60ml 2.03fl. oz. X2

Drug Facts

Active ingredients	Purpose
Avobenzone 2.7% Homosalate 13.5% Octisalate 4.5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.

Do not use on damaged or broken skin.

When using this product
Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure.
- Sun protection Measures.**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.
- children under 6 months of age: Ask a doctor
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating.

Other information

- protect the product from excessive heat and direct sun.

This package is made from soy ink and FSC® certified paper.

www.roundlab.com
MADE IN KOREA

Drug Facts (continued)

Inactive ingredients

Water, Butyloctyl Salicylate, Propanediol, Acrylates Copolymer, Butylene Glycol, Caprylyl Methicone, Polyglyceryl-3 Distearate, Benzotriazolyl Dodecyl P-Cresol, Niacinamide, Diethylhexyl 2,6-Naphthalate, Polymethylsilsesquioxane, Glycerin, Calcium Aluminum Borosilicate, 1,2-Hexanediol, Poly C10-30 Alkyl Acrylate, Pentylene Glycol, Cetearyl Alcohol, Tromethamine, Methylpropanediol, Glyceryl Stearate Citrate, Betula Platyphylla Japonica Juice, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Carbomer, Ethylhexylglycerin, Artemisia Annua Extract, Anthemis Nobilis Flower Oil, Sodium Stearoyl Glutamate, Glyceryl Polymethacrylate, Triethoxycaprylylsilane, Pinus Sylvestris Leaf Oil, Sparassis Crispa Extract, Polyether-1, Allantoin, Di-propylene Glycol, Glyceryl Glucoside, Biosaccharide Gum-1, Tocopherol, Portulaca Oleracea Extract, Sodium Hyaluronate, Hyaluronic Acid, Ascorbic Acid

Questions or comments?
cs@roundlab.com

Manufactured by I
KOLMAR Korea Co, Ltd.
22-17, Sandan-Gil, Jeonui-Myeon,
Sejong-Si, 30003, Korea, South

Distributed by I
SEORIN COMPANY Co., Ltd.,
361, Chuncheonsunhwan-ro, Dong-
myeon, Chuncheon-si, Gangwon-do,
24315 Republic of Korea

Mfd. Date and No. Marked separately

BIRCH JUICE
MOISTURIZING UVLOCK DUO SET

자작나무
수분선크림

SUNSCREEN

#수부지선크림 #푸른자차

SPF50 Broad spectrum

차오르는 수분이 필요할 때
치친 피부를 충전하는 수분 라인.

BETTER SKIN, BETTER ROUND

Item Number: 1913103

8 809962 542007

ROUND LAB
60ml 2.03 fl. oz. X2

ROUND LAB BIRCH JUICE MOISTURIZING UVLOCK SUNSCREEN SPF50 BROAD SPECTRUM

avobenzone, homosalate, octisalate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84616-007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	13.5 g in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.7 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
BIOSACCHARIDE GUM-1 (UNII: BB4PU4V09H)	
TROMETHAMINE (UNII: 023C2WHX2V)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
GLYCERYL STEARATE CITRATE (UNII: WH8T92A065)	
CHAMAEMELUM NOBILE FLOWER OIL (UNII: UB27587839)	
GLYCERYL POLYMETHACRYLATE (300000 MPA.S) (UNII: 2B25A5KAD6)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
HYALURONIC ACID (UNII: S270N0TRQY)	
SPARASSIS CRISPA FRUITING BODY (UNII: BOO3RTP9PX)	
PURSLANE (UNII: M6S840WVG5)	
WATER (UNII: 059QF0KO0R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PROPANEDIOL (UNII: 5965N8W85T)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
BEHENYL ACRYLATE POLYMER (UNII: D64PM5UT4U)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
BETULA PLATYPHYLLA VAR. JAPONICA RESIN (UNII: 1B33PG6N4K)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ARTEMISIA ANNUA LEAF (UNII: E4M09UY5BL)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
ALLANTOIN (UNII: 344S277G0Z)	
GLYCERYL GLUCOSIDE (UNII: 3297VXM8Z6)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
POLYETHER-1 (2800 MPA.S) (UNII: 6QR7NJP3G8)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:84616-007-01	50 mL in 1 TUBE; Type 0: Not a Combination Product	09/18/2024	
2	NDC:84616-007-02	10 mL in 1 TUBE; Type 0: Not a Combination Product	12/18/2024	
3	NDC:84616-007-03	2 in 1 BOX	12/20/2024	
3	NDC:84616-007-04	60 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/18/2024	

Labeler - SEORIN COMPANY Co., Ltd. (694988081)

Registrant - SEORIN COMPANY Co., Ltd. (694988081)

Establishment

Name	Address	ID/FEI	Business Operations
Kolmar Korea Co., Ltd		963271745	manufacture(84616-007)

Revised: 8/2025

SEORIN COMPANY Co., Ltd.