

OXYGEN- oxygen gas
Ascension Via Christi Home Medical Wichita, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen, USP

Principal for Oxygen Product

**OXYGEN
COMPRESSED
USP
UN 1072**
Via Christi Home Medical Wichita, LLC
555 S. Washington
Wichita, KS 67211
1-800-452-5260



PRODUCED BY AIR LIQUEFACTION
WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT.
WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. **Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.
CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.
DO NOT REMOVE THIS PRODUCT LABEL.

<input type="checkbox"/>	SIZE	CONTENTS	<input type="checkbox"/>	SIZE	CONTENTS
<input type="checkbox"/>	"E"	682 Liters	<input type="checkbox"/>	"M-B"	165 Liters
<input type="checkbox"/>	"D"	415 Liters	<input type="checkbox"/>	"K"	6900 Liters
<input type="checkbox"/>	"C"	248 Liters	<input type="checkbox"/>	Other	_____ Liters

HMS-242 10267-4454 (0114)

OXYGEN
COMPRESSED
USP
UN 1072

Via Christi Home Medical Wichita, LLC
555 S. Washington
Wichita, KS 67211
1-800-452-5260

PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Caution: Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of

arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.

DO NOT REMOVE THIS PRODUCT LABEL.

SIZE CONTENTS SIZE CONTENTS

__ "E" 682 Liters __ "M-6" 165 Liters

__ "D" 415 Liters __ "K" 6900 Liters

__ "C" 248 Liters __ Other _____Liters

**OXYGEN,
REFRIGERATED
LIQUID USP**

UN 1073



CONTENTS: _____ **LITERS**

CAS NO: 7782-44-7

DANGER:

REFRIGERATED LIQUEFIED OXIDIZING GAS. ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not get in eyes, on skin, or on clothing. Keep reduction valves free from grease and oil, in case of fire, stop leak if safe to do so. Avoid spills. Do not walk or roll equipment over spills. Store and use in a well ventilated place. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Wear cold insulating gloves/face shield/eye protection. Protect from sunlight when ambient temperature exceeds 52 °C/125 °F. Container temperature should not exceed 52 °C/125 °F. Close valve after each use and when empty. Use a back flow preventative device in the piping. Do not handle until all safety precautions have been read and understood. Use only with equipment cleaned for oxygen service. Keep/store away from combustible materials. Do not drop. Use suitable hand truck for container movement.

FIRST AID:

IN CASE OF FROSTBITE: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↓

Via Christi Home Medical **Wichita, LLC**
555 S. Washington
Wichita, KS 67211
1-800-452-5260

**OXYGEN,
REFRIGERATED
LIQUID USP
UN 1073**

CONTENTS _____ LITERS

CAS NO: 7782-44-7

DANGER:

REFRIGERATED LIQUEFIED OXIDIZING GAS. ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER, CONTAINS REFRIGERATED GAS: MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not get in eyes, on skin, or on clothing.Keep reduction valves free from grease and oil. In case of fire, stop leak if safe to do so. Avoid spills. Do not walk or roll equipment over spills. Store and use in a well ventilated place.Use only with equipment of compatible materials of construction and rated for cylinder pressure.Wear cold insulating gloves/face shield/eye protection.Protect from sunlight when ambient temperature exceeds 52 °C/125 °F.Container temperature should not exceed 52 °C/125 °F. Close valve after each use and when empty. Use a back flow preventative device in the piping. Do not handle until all safety precautions have been read and understood. Use only with equipment cleaned for oxygen service. Keep/store away from combustible materials. Do not drop. Use suitable hand truck for container movement.

FIRST AID:

IN CASE OF FROSTBITE:Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:59190-416
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59190-416-00	248 L in 1 CYLINDER; Type 0: Not a Combination Product	05/15/2003	
2	NDC:59190-416-02	682 L in 1 CYLINDER; Type 0: Not a Combination Product	05/15/2003	
3	NDC:59190-416-07	39 L in 1 DEWAR; Type 0: Not a Combination Product	05/15/2003	
4	NDC:59190-416-08	450 L in 1 DEWAR; Type 0: Not a Combination Product	05/15/2003	
5	NDC:59190-416-05	19.49 L in 1 DEWAR; Type 0: Not a Combination Product	05/15/2003	
6	NDC:59190-416-06	29 L in 1 DEWAR; Type 0: Not a Combination Product	05/15/2003	
7	NDC:59190-416-12	10.34 L in 1 DEWAR; Type 0: Not a Combination Product	05/15/2003	
8	NDC:59190-416-11	623 L in 1 CYLINDER; Type 0: Not a Combination Product	05/15/2003	
9	NDC:59190-416-13	20.68 L in 1 DEWAR; Type 0: Not a Combination Product	05/15/2003	
10	NDC:59190-416-09	1699 L in 1 CYLINDER; Type 0: Not a Combination Product	05/15/2003	
11	NDC:59190-416-01	415 L in 1 CYLINDER; Type 0: Not a Combination Product	05/15/2003	
12	NDC:59190-416-03	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	05/15/2003	
13	NDC:59190-416-04	165 L in 1 CYLINDER; Type 0: Not a Combination Product	05/15/2003	
14	NDC:59190-416-10	113 L in 1 CYLINDER; Type 0: Not a Combination Product	05/15/2003	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		05/15/2003	

Labeler - Ascension Via Christi Home Medical Wichita, LLC (181074626)

Establishment

Name	Address	ID/FEI	Business Operations
Ascension Via Christi Home Medical Wichita, LLC		075169461	manufacture(59190-416)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Ascension Via Christi Home Medical Wichita, LLC		079479993	manufacture(59190-416)
---	--	-----------	------------------------

Establishment

Name	Address	ID/FEI	Business Operations
Ascension Via Christi Home Medical Wichita, LLC		152867326	manufacture(59190-416)

Establishment

Name	Address	ID/FEI	Business Operations
Ascension Via Christi Home Medical Wichita, LLC		181074626	manufacture(59190-416)

Establishment

Name	Address	ID/FEI	Business Operations
Salina Regional Home Medical Services, LLC		832000827	manufacture(59190-416)

Revised: 11/2019

Ascension Via Christi Home Medical Wichita, LLC