

**DABUR FIRST AID- bacitracin zinc neomycin sulfate polymyxin b sulfate ointment**  
**Dabur India Limited**

-----  
**Triple Antibiotic**

***Active ingredients***  
***(in each gram)***

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg (Equivalent to 3.5 mg Neomycin)

Polymyxin B sulfate 5000 units

***Purpose***

First Aid Antibiotic First Aid Antibiotic First Aid Antibiotic

***Uses***

■ first aid to help prevent infection in ■ minor cuts ■ scrapes ■ burns

***Warnings***

**For external use only**

**Do not use**

■ in the eyes ■ if you are allergic to any of the ingredients ■ over large areas of the body ■ longer than 1 week unless directed by a doctor

**Ask a physician before use in case of**

■ deep or puncture wounds ■ animal bites ■ serious burns

**Stop use and consult a doctor if**

■ the condition persists or gets worse ■ a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered

with a sterile bandage


## Other Information


■ store at room temperature 15-30C (59-86F) ■ avoid excessive heat and humidity

## Inactive ingredients

white petrolatum

## Package Label





## DABUR FIRST AID

bacitracin zinc neomycin sulfate polymyxin b sulfate ointment

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:68747-3025 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength            |
|---|-------------------|---------------------|
| <b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)      | BACITRACIN        | 400 [USP'U] in 1 g  |
| <b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)       | NEOMYCIN          | 3.5 mg in 1 g       |
| <b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K) | POLYMYXIN B       | 5000 [USP'U] in 1 g |

### Inactive Ingredients

| Ingredient Name                      | Strength |
|--------------------------------------|----------|
| <b>PETROLATUM</b> (UNII: 4T6H12BN9U) |          |

### Packaging

| # | Item Code  | Package Description                          | Marketing Start Date | Marketing End Date |
|---|------------|--|----------------------|--------------------|
| 1 | NDC:68747- | 0.5 g in 1 PACKET; Type 0: Not a Combination | 05/17/2013           |                    |

|   |                  |  |            |  |
|---|------------------|--|------------|--|
| 1 | 3025-2           | Product  | 05/17/2013 |  |
| 2 | NDC:68747-3025-3 | 0.9 g in 1 PACKET; Type 0: Not a Combination Product | 05/17/2013 |  |
| 3 | NDC:68747-3025-4 | 14 g in 1 TUBE; Type 0: Not a Combination Product    | 05/17/2013 |  |
| 4 | NDC:68747-3025-5 | 28.3 g in 1 TUBE; Type 0: Not a Combination Product  | 05/17/2013 |  |
| 5 | NDC:68747-3025-6 | 56 g in 1 TUBE; Type 0: Not a Combination Product    | 11/01/2025 |  |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M004                                     | 05/17/2013           |                    |

**Labeler** - Dabur India Limited (650319218)

Revised: 11/2025

Dabur India Limited