EPIPHANIQ- zincum iodatum solution EpiphaniQ LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

EpiphaniQ Oral Solution (79813-204)

ACTIVE INGREDIENT

ZINCUM IODATUM 2X HPUS

PURPOSE

TO TREAT RESPIRATORY DIFFICULTIES, COUGH AND PERTUSSIS

USES

Relieves respiratory difficulties and bronchial irritations (cough).

WARNINGS

- If pregnant or breast-feeding ask a healthcare professional before use
- Children under 12: consult a doctor before use
- Do not exceed recommended dosage
- The use of this container by more than one person may spread infection
- For your safety do not use if seal is broken
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control center right away

DIRECTIONS

Oral Liquid:

Shake well before use.

Mix liquid as detailed below into a glass of water or juice.

- Adults and children 13 years and older (up to 120lbs): 5ml, three times daily
- For heavier body weight or very severe cases dose 10ml, three times daily

Sachet:

Pour contents of sachets into a glass of water or juice as detailed below


- Adults and children 13 years and older (up to 120lbs): 1 sachet, three times daily
- For heavier body weight or very severe cases dose 2 sachets, three times daily

INACTIVE INGREDIENTS

DMSO, WATER

QUESTIONS

CALL TOLL FREE 1-800-XXX-XXXX IN THE U.S., 24 HRS, 7 DAY/WEEK



Drug Facts

Active Ingredients

Purpose

Zincum Iodatum 2X HPUS...

.To treat respiratory dificulties, cough and pertussis

Uses

Relieves respiratory difficulties and bronchial irritations (cough).

Warnings

When using this product

- -If pregnant or breast-feeding, ask a healthcare professional before use
- -Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away
- -Children 12 and under: consult a doctor before use
- -Do not exceed recommended dosage.
- -The use of this container by more than one person may spread infection.
- -For your safety do not use if seal is broken.

Directions

Shake well before use

Mix liquid as detailed below into a glass of water or juice.

- -Adults and children 13 years and older (up to 120lbs): 5ml, three times daily
 -For heavier body weight or very severe cases dose 10ml, three times daily
- This statement has not been evaluated by The Food and Drug Administration (FDA) This product is not intended to diagnose, treat, cure or prevent any disease.

Drug Facts (continued)

Other Informartion


Store at room temperature away from direct light. Does not require refrigeration.

Inactive Ingredients

DMSO, water

Questions?

Call 1-888-xx-xxxx toll-free in U.S., 24 hrs, 7 days/week



EPIPHANIQ

zincum iodatum solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79813-204
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ZINC IODIDE (UNII: 762R7A0O0B) (ZINC IODIDE - UNII:762R7A0O0B)	ZINC IODIDE	2 [hp_X] in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
WATER (UNII: 059QF0KO0R)	

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79813-204- 51	1 in 1 CARTON	07/23/2020	
1	NDC:79813-204- 11	100 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:79813-204- 52	50 in 1 CARTON	07/23/2020	
2	NDC:79813-204- 21	5 mL in 1 POUCH; Type 0: Not a Combination Product		

	Marketing Information		
Marketing End Date	Marketing Start Date	Application Number or Monograph Citation	Marketing Category
	07/23/2020		unapproved homeopathic
	Date		Category unapproved

Labeler - EpiphaniQ LLC (117591249)

Revised: 12/2021 EpiphaniQ LLC