

**BEAUTYTURESS TINTED SUNSCREEN- beautyturess tinted
sunscreen emulsion
Guangdong Bisutang Biotechnology Co., Ltd.**

Active Ingredient

Titanium dioxide 9%

Zinc oxide 10%

Helps prevent sunburn

If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Ask Doctor

Children under 6 months of age:

Directions

Apply liberally/generously (and evenly) 15 minutes before sun exposure

For use on children less than 6 months of age, consult a health care practitioner

Reapply

At least every 2 hours

After 80 minutes of swimming or sweating

Immediately after towel drying

after eating or drinking

Mode d'emploi

Appliquer généreusement (et uniformément) 15 minutes avant l'exposition au soleil

Pour les enfants âgés de moins de 6 mois, consulter un praticien de soins de santé

Appliquer denouveau:

au moins toutes les 2 heures

après 80 minutes de baignade ou après avoir mangé ou bu.

If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Risk Information For external use only

Mention de risques Pour usage externe seulement

Do not use on damaged or broken skin.

Ne pas utiliser sur la peau endommagée ou avec des lésions

If rash occurs, discontinue use and consult a health care practitioner.

En présence d'une éruption cutanée, cesser l'utilisation et consulter un praticien de soins de santé

When using this product keep out of eyes. Rinse with water to remove.

Eviter tout contact avec les yeux. Rincer a l'eau le cas échéant

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Tenir hors de portée des enfants

En cas d'ingestion, consulter un médecin ou appeler un centre antipoison

immédiatement.

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including

Limit time in the sun, especially from 10 a.m.-2 p.m.

Wear long-sleeved shirts, pants, hats, and sun glasses.

Mesures de protection contre le soleil Passer du temps au soleil augmente le risque de cancer de la peau et de vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser réégulièrement un écran solaire avec un F.P.S. a large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil, telles que

limiter le temps passé au soleil notamment entre 10 et 14 heures

porter des chemises a manches longues, des pantalons, un chapeau et des lunettes de soleil.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Tenir hors de portée des enfants

En cas d'ingestion, consulter un médecin ou appeler un centre antipoison immédiatement.

Aloe Barbadensis Leaf Juice, C12-15 Alky Benzoate, Caprylic/Capric Triglyceride, Glyceryl Stearate, Helianthus Annuus(Sunflower) Seed Oil, Ricinus Communis (Castor) Seed Oil, Beeswax, Oryza Sativa (Rice) Bran Wax, Sorbitan Sesquioleate glycerin, Cetyi Alcohol, Stearyl Alcohol, Magnesium Aluminum silicate, Butyrospermum Parki (Shea) Butter, Camellia Sinensis flower extract, Ilex Paraguariensis Leaf Extract, Rosa Canina Fruitoil, Tocopheryi Acetate, Carthamus Tinctorius (Safflower) Seed, Oilrubus Idaeus (Raspberry) Fruit Extract, Squalane, Xanthan Gum, Propanediol, Ethylhexy glycerin, Potassium Sorbate, Fragrance



BEAUTYTURESS TINTED SUNSCREEN

beautytress tinted sunscreen emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84753-001
Route of Administration	CUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	50 mg in 50 mg
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	50 mg in 50 mg

Inactive Ingredients

Ingredient Name	Strength

SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)
CASTOR OIL (UNII: D5340Y2I9G)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
GLYCERIN (UNII: PDC6A3C0OX)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)
SHEA BUTTER (UNII: K49155WL9Y)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
XANTHAN GUM (UNII: TTV12P4NEE)
SUNFLOWER OIL (UNII: 3W1JG795YI)
YELLOW WAX (UNII: 2ZA36H0S2V)
RICE BRAN (UNII: R60QEP13IC)
SAFFLOWER SEED (UNII: 8FCL6A31TX)
ALOE VERA LEAF (UNII: ZY81Z83H0X)
ROSA CANINA FRUIT OIL (UNII: CR7307M3QZ)
CETYL ALCOHOL (UNII: 936JST6JCN)
ILEX PARAGUARIENSIS LEAF (UNII: 1Q953B4O4F)
BRASSICA NAPUS SUBSP. NAPUS SEED (UNII: UA8V5JBH7U)
SQUALANE (UNII: GW89575KF9)
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
CAMELLIA SINENSIS FLOWER (UNII: 9I2BJY2J17)
.GAMMA.-TOCOPHEROL, DL- (UNII: ECY0XG64DO)
PROPANEDIOL (UNII: 5965N8W85T)
MYRISTICA FRAGRANS WHOLE (UNII: MF7T8BM40A)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84753-001-01	50 mg in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/23/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/23/2024	

Labeler - Guangdong Bisutang Biotechnology Co., Ltd. (447075429)

Registrant - Guangdong Bisutang Biotechnology Co., Ltd. (447075429)

Establishment

Name	Address	ID/FEI	Business Operations
Guangdong Bisutang Biotechnology Co., Ltd.		447075429	manufacture(84753-001)

Revised: 9/2024

Guangdong Bisutang Biotechnology Co., Ltd.