

OXYGEN SIZE 400- oxygen gas
OXYGEN SIZE B- oxygen gas
OXYGEN SIZE D- oxygen gas
OXYGEN SIZE C- oxygen gas
OXYGEN SIZE E- oxygen gas
OXYGEN SIZE M- oxygen gas
OXYGEN SIZE F- oxygen gas
OXYGEN SIZE H- oxygen gas
OXYGEN SIZE T- oxygen gas
Anesthesia Service, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

OXYGEN,
C.A.S. NO. 7782-44-7
COMPRESSED
USP
UN 1072



OXYGEN
2

Distributed by:





Anesthesia Services, Inc.
 1821 N. Classen Blvd, Suite 100
 Oklahoma City, OK 73106
 405-525-3588 • OK 800-522-3743 • Fax 405-525-3390

PRODUCED BY AIR LIQUEFACTION
WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. _____	Cylinder Size _____
Contents _____	Liters _____

FORM 426 (Rev. 3-02) MADE IN U.S.A.

OXYGEN,
C.A.S. NO. 7782-44-7
COMPRESSED
USP
UN 1072



Distributed by:



Anesthesia Services, Inc.
1821 N. Classen Blvd, Suite 100
Oklahoma City, OK 73106
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. _____ Cylinder Size _____

Contents _____ Liters _____

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

OXYGEN,
C.A.S. NO. 7782-44-7
COMPRESSED
USP
UN 1072



Distributed by:



Anesthesia Services, Inc.
1821 N. Classen Blvd, Suite 100
Oklahoma City, OK 73106
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. _____ Cylinder Size _____

Contents _____ Liters _____

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

OXYGEN,
C.A.S. NO. 7782-44-7
COMPRESSED
USP
UN 1072



Distributed by:



Anesthesia Services, Inc.
1821 N. Classen Blvd, Suite 100
Oklahoma City, OK 73106
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. _____ Cylinder Size _____

Contents _____ Liters _____

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

OXYGEN,
C.A.S. NO. 7782-44-7
COMPRESSED
USP
UN 1072



Distributed by:



Anesthesia Services, Inc.
1821 N. Classen Blvd, Suite 100
Oklahoma City, OK 73106
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. _____ Cylinder Size _____

Contents _____ Liters _____

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

OXYGEN,
C.A.S. NO. 7782-44-7
COMPRESSED
USP
UN 1072



Distributed by:



Anesthesia Services, Inc.
1821 N. Classen Blvd, Suite 100
Oklahoma City, OK 73106
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. _____ Cylinder Size _____

Contents _____ Liters _____

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

OXYGEN,
C.A.S. NO. 7782-44-7
COMPRESSED
USP
UN 1072



Distributed by:



Anesthesia Services, Inc.
1821 N. Classen Blvd, Suite 100
Oklahoma City, OK 73106
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. _____ Cylinder Size _____

Contents _____ Liters _____

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

OXYGEN,
C.A.S. NO. 7782-44-7
COMPRESSED
USP
UN 1072



Distributed by:



Anesthesia Services, Inc.
1821 N. Classen Blvd, Suite 100
Oklahoma City, OK 73106
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. _____ Cylinder Size _____

Contents _____ Liters _____

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

OXYGEN,
C.A.S. NO. 7782-44-7
COMPRESSED
USP
UN 1072



Distributed by:



Anesthesia Services, Inc.
1821 N. Classen Blvd, Suite 100
Oklahoma City, OK 73106
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390

PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. _____ Cylinder Size _____

Contents _____ Liters _____

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

OXYGEN SIZE 400

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:19218-0009
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	11321 L in 11321 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:19218-0009-9	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	
----------	------------------	--	------------	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

OXYGEN SIZE B

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:19218-0001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	196 L in 196 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:19218-0001-1	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

OXYGEN SIZE D

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:19218-0003
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	396 L in 396 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:19218-0003-3	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

OXYGEN SIZE C

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:19218-0002
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	240 L in 240 L

Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			


Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:19218-0002-2	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

OXYGEN,
C.A.S. NO. 7782-44-7
COMPRESSED
USP
UN 1072



Distributed by:



Anesthesia Services, Inc.
1821 N. Classen Blvd, Suite 100
Oklahoma City, OK 73106
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. _____ Cylinder Size _____

Contents _____ Liters _____

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

OXYGEN SIZE E

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:19218-0004
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	659 L in 659 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:19218-0004-4	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

OXYGEN SIZE M

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:19218-0005
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	3453 L in 3453 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:19218-0005-5	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

OXYGEN SIZE F

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:19218-0006
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	1567 L in 1567 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:19218-0006-6	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

OXYGEN SIZE H

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:19218-0007
--------------	-------------------------	--------------------	----------------

Route of Administration RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	6931 L in 6931 L

Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			


Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:19218-0007-7	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

OXYGEN,
C.A.S. NO. 7782-44-7
COMPRESSED
USP
UN 1072



Distributed by:



Anesthesia Services, Inc.
1821 N. Classen Blvd, Suite 100
Oklahoma City, OK 73106
405-525-3588 • OK 800-522-3743 • Fax 405-525-3390



PRODUCED BY AIR LIQUEFACTION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY. Caution: Federal law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

CAUTION: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.
DO NOT REMOVE THIS PRODUCT LABEL.

Lot No. _____

Cylinder Size _____

Contents _____

Liters _____

FORM 426 (Rev. 3-02)

MADE IN U.S.A.

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

OXYGEN SIZE T

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:19218-0008
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	8688 L in 8688 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:19218-0008-8	1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1956	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1956	

Labeler - Anesthesia Service, Inc. (033008186)

Registrant - Anesthesia Service, Inc. (033008186)

Establishment

Name	Address	ID/FEI	Business Operations
AIRGAS USA LLC		037989415	manufacture(19218-0001, 19218-0002, 19218-0003, 19218-0004, 19218-0005, 19218-0006, 19218-0007, 19218-0008, 19218-0009)