

**NASAL DECONGESTANT- pseudoephedrine hcl tablet, film coated  
H E B**

-----  
**HEB 44-112**

***Active ingredient (in each tablet)***

Pseudoephedrine HCl 30 mg

***Purpose***

Nasal decongestant

***Uses***

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

***Warnings***

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- diabetes
- heart disease
- high blood pressure
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

adults and children 12 years and over	take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours
children ages 6 to 11 years	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years	do not use

### **Other information**

- **each tablet contains:** calcium 15 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### **Inactive ingredients**

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, triacetin

### **Questions or comments?**

**1-800-426-9391**

### **Principal display panel**

**Compare to Sudafed® Sinus Congestion** active ingredient\*

NDC 37808-112-22

**H - E - B ®**

**Maximum Strength  
Nasal Decongestant**

Pseudoephedrine HCl 30 mg /  
Nasal Decongestant

**Sinus Pressure & Congestion**

Non-Drowsy

**Relief of:**

- **Nasal & Sinus Congestion**
- **Sinus Pressure**

actual size

**48** TABLETS, 30 mg EACH

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed® Sinus Congestion.  
50844 REV0619B11222

**100%**  
**GUARANTEE**  
*promise*

**If you aren't completely pleased  
with this product, we'll be happy to  
replace it or refund your money.  
You have our word on it.**

**MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204**



15314-2209

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed® Sinus Congestion. 50844 REV0619B11222

MADE WITH PRIDE AND CARE FOR H-E-B® SAN ANTONIO, TX 78204

**HE-B**  
If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.  
**100% GUARANTEE**  
Pseudoephedrine

**Drug Facts** (continued)

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

**Active ingredient (in each tablet)**  
Pseudoephedrine HCl 30 mg . . . . . Nasal decongestant

**Purpose**  
temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Do not use if you have** heart disease, diabetes, high blood pressure, thyroid disease, difficulty in urination due to enlargement of the prostate gland.

**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if**  
■ nervousness, dizziness, or sleeplessness occur  
■ symptoms do not improve within 7 days or occur with fever

**If pregnant or breast-feeding, ask a health professional before use.**

**Other information**  
■ each tablet contains: calcium 15 mg  
■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see end flap for expiration date and lot number

**Inactive ingredients**  
calcium phosphate dihydrate, FD&C red #40 aluminum lake, calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, triacetin

**Questions or comments?** 1-800-426-9391

**Directions**

adults and children 12 years and over	take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours
children ages 6 to 11 years	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years	do not use

**Drug Facts** (continued)  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No Print/No Varnish Area  
Lot & Exp Date



# Nasal Decongestant

Pseudoephedrine HCl 30 mg / Nasal Decongestant

**Sinus Pressure & Congestion**

Maximum Strength  
Non-Drowsy

Compare to Sudafed® Sinus Congestion active ingredient\*



# Maximum Strength Nasal Decongestant

Pseudoephedrine HCl 30 mg /  
Nasal Decongestant

**Sinus Pressure & Congestion**

Non-Drowsy

Relief of:

- Nasal & Sinus Congestion
- Sinus Pressure



actual size

**48 TABLETS, 30 mg EACH**

NDC 37808-112-22

B-0712-112-222-R  
REV0619B11222

HEB 44-112

**NASAL DECONGESTANT**  
pseudoephedrine hcl tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37808-112
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C RED NO. 40 ALUMINUM LAKE</b> (UNII: 6T47AS764T)	
<b>FD&amp;C YELLOW NO. 6 ALUMINUM LAKE</b> (UNII: GYP6Z2JR6Q)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	44;112
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-112-22	2 in 1 CARTON	08/25/1981	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/25/1981	

**Labeler - H E B (007924756)****Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		038154464	pack(37808-112)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867837	manufacture(37808-112) , pack(37808-112)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867894	manufacture(37808-112)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		868734088	manufacture(37808-112)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		967626305	pack(37808-112)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		117025878	manufacture(37808-112)