# AZELASTINE HYDROCHLORIDE- azelastine hydrochloride spray, metered CVS PHARMACY, INC

-----

#### **Drug Facts**

#### Active ingredient (in each spray)

Azelastine hydrochloride 205.5 mcg (equivalent to 187.6 mcg azelastine)

### Purpose

**Antihistamine** 

#### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- nasal congestion
- sneezing
- runny nose
- itchy nose

## Warnings

Only for use in the nose. Do not spray in eyes or mouth.

#### Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

# Ask a doctor before use if you

- have had recent nose ulcers or nose surgery
- have had nose injury that has not healed

# When using this product

- drowsiness may occur
  - avoid alcoholic drinks
  - o alcohol, sedatives, and tranquilizers may increase drowsiness
  - be careful when driving a motor vehicle or operating machinery
- you may get a bitter taste in your mouth. To help avoid this, tilt your head downward while spraying.
- nasal discomfort or sneezing may occur right after use
- do not share this bottle with anyone else as this may spread germs

# Stop use and ask a doctor if

- an allergic reaction, such as a skin rash, to this product occurs
- you have severe or frequent nosebleeds

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

- Read the User Guide for how to:
  - prime the bottle before first use
  - use the spray
  - prime bottle again if not used for 3 or more days
  - clean the spray nozzle if it gets clogged

adults and children 12 years and older	<ul> <li>This product may be used either once or twice a day:</li> <li>once daily: use 2 sprays in each nostril; OR</li> <li>twice daily: use 1 or 2 sprays in each nostril every 12 hours</li> <li>do not use more than 4 sprays in each nostril in a 24 hour period</li> </ul>
children 6 years to 11 years	<ul> <li>an adult should supervise use</li> <li>1 spray in each nostril every 12 hours</li> <li>do not use more than 2 sprays in each nostril in a 24 hour period</li> </ul>
children under 6 years	do not use

#### Other information

- store between 20°C to 25°C (68°F to 77°F). Protect from freezing.
- keep this carton and the enclosed User Guide for important information
- do not use if sealed package is torn or opened

# Inactive ingredients

benzalkonium chloride, edetate disodium dihydrate, hypromellose, purified water, sodium citrate (dihydrate), sorbitol, sucralose

#### Questions or comments?

call

# Principal display panel

\*Compare to the active ingredient in Astepro® Allergy Spray

Full prescription Strength

Allergy Nasal Spray

Azelastine Hydrochloride

205.5 mcg per spray

Antihistamine

Up to 24-hour relief of

- Nasal congestion
- Runny nose
- Sneezing
- Itchy nose

Steroid-free

Alcohol-free


120 metered sprays

floz (mL)

\*This product is not manufactured or distributed by Bayer Healthcare LLC, distributor of Astepro® Allargy Spray.


Distributed by:

# Package label











0.78 fl oz (23 mL)

#### **AZELASTINE HYDROCHLORIDE**

azelastine hydrochloride spray, metered

# Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:51316-840 Route of Administration NASAL

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
AZELASTINE HYDROCHLORIDE (UNII: 0L591QR10I) (Azelastine - UNII: ZQI909440X)	AZ ELASTINE HYDROCHLORIDE	205.5 ug			

Inactive Ingredients		
Ingredient Name	Strength	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)		
EDETATE DISODIUM (UNII: 7FLD91C86K)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
WATER (UNII: 059QF0KO0R)		

SORBITOL (UNII: 506T60A25R)
SUCRALOSE (UNII: 96K6UQ3ZD4)

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:51316- 840-02	120 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	08/01/2025		
2	NDC:51316- 840-01	1 in 1 CARTON	08/01/2025		
2	NDC:51316- 840-02	120 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)			
3	NDC:51316- 840-04	60 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	08/01/2025		
4	NDC:51316- 840-03	1 in 1 CARTON	08/01/2025		
4		60 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)			
5	NDC:51316- 840-05	2 in 1 CARTON	08/01/2025		
5		120 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)			

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
ANDA	ANDA216421	08/01/2025				

# Labeler - CVS PHARMACY, INC (062312574)

Revised: 6/2025 CVS PHARMACY, INC