SINSIN MULPAS- camphor, menthol, methyl salicylate liquid Sinsin Pharmaceutical Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SINSIN MULPAS

Active ingredients

DL-Camphor 4.5%

L-Menthol 4.2%

Methyl Salicylate 6.9%

Purpose

Topical Analgesic

Uses

for temporary relief of minor aches and pains of muscles and joints associated with:

- arthritis
- simple backache
- strains
- bruises
- sprains

Warnings

For external use only.

Flammable

keep away from fire, sparks and heated surfaces

Do not use

• on wounds or damaged skin

When using this product

- do not bandage tightly
- avoid contact with the eyes mucous membranes

Stop use and ask a doctor if

condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and over:

- adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily.
- children under 2 years of age: consult a doctor

Children under 12 years of age:

Consult a doctor.

Inactive ingredients

Concentrated Glycerin, Chlorpheniramine Maleate, Ethanol (synthetic), Purified Water, Thymol

Manufactured by:

SINSIN PHARM. CO., LTD.

90, Beomjigi-ro 141 beon-gil, Danwon-Gu, Ansan-si, Gyeonggi-do, Korea http://www.sinsin.com tel: 82-31-776-1140~3

Principal Display Panel





- Muscle pain
- Arthritis
- Strains

4,2 FL, OZ 120mL

Drug Facts

Active Ingredients

Purpose

DL-Camphor 4.5%----- Topical Analgesic L-Menthol 4.2%----- Topical Analgesic Methyl salicylate 6.9%---- Topical Analgesic

Uses

for temporary relief of minor aches and pains associated with:

- · arthrtis · simple bachache · sprains
- strains bruises

Warnings

For external uses only

Flammable

keep away from fire, sparks and heated surfaces

Do not use

on wounds or damaged skin

When using this product

- · do not bandage tightly
- · avoid contact with eyes mucous membranes

Stop use and ask a doctor if

condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily
- · children under 2 years of age: consult a doctor

Inactive Ingredients

"Concentrated Glycerin, Chlorpheniramine Maleate, Ethanol (synthetic), Purified Water, Thymol"

Manufactured by:

◆ SINSIN PHARM.CO.LTD

90, Beomjigi-ro 141beon-gil, Danwon-gu, Ansan-si, Gyeonggi-do, Korea.



http://www.sinsin.com



82-31-776-1140~3

SINSIN MULPAS

camphor, menthol, methyl salicylate liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55264-007
Route of Administration	TOPICAL, CUTANEOUS, TRANSDERMAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	4.5 mg in 1 mL		
LEVOMENTHOL (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7)	LEVOMENTHOL	4.2 mg in 1 mL		
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:0414PZ4LPZ)	METHYL SALICYLATE	6.9 mg in 1 mL		

Inactive Ingredients	
Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
CHLORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z)	
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
THYMOL (UNII: 3J50XA376E)	

Product Characteristics			
Color	Score		
Shape	Size		
Flavor	Imprint Code		
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55264-007- 02	1 in 1 CARTON	11/09/2018	
1	NDC:55264-007- 01	120 mL in 1 BOTTLE; Type 0: Not a Combination Product		





SINSINPAS®





Drug Facts

Active Ingredients Purpose Active Ingredients Purpose Chlophenitamine Maleate 0.1% Topical Analgesic DL- Camphor 4.5% Topical Analgesic Methyl Salicylate 6.9% Topical Analgesic Thymol 0.3% Topical Analgesic Thymol 0.3% Topical Analgesic

Uses

for temporary relief of minor aches and pains associated with:
- arthritis • simple backache • sprains • strains • bruises

Warnings For external uses only

Flammable keep away from fire, sparks and heater surfaces

Do not use on wounds or damaged skin When using this product

 do not bandage tightly
 avoid contact with eyes, mucous me Stop use and ask a doctor if

condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adults and children 2 years of age and

liquid.
Apply to the affected area no more tha 3 to 4 times daily.
Children under 2 years of age: consult a doctor.

Inactive Ingredients

ncentrated Glycerin, Ethanol, Purified ater, Vanillyl Nonylamide.

Distributed by: SINSIN PHARM AMERICA Brea, CA 92821 http://global.sinsin.com

Made in Korea

NDC No. 55264-007-01 SINSINPAS®







[CN140106]

Lot No: Exp. Date:

Marketing Information Marketing **Application Number or Monograph Marketing Start Marketing End** Date Category Citation Date OTC monograph not 01/10/2014 part348 final

Registrant - Sinsin Pharmaceutical Co., Ltd. (823149161)

Establishment				
Name	Address	ID/FEI	Business Operations	
Sinsin Pharmaceutical Co., Ltd.		687867143	manufacture(55264-007)	

Revised: 2/2023 Sinsin Pharmaceutical Co., Ltd.