

SINSIN MULPAS- camphor, menthol, methyl salicylate liquid
Sinsin Pharmaceutical Co., Ltd.

SINSIN MULPAS

Active ingredients

DL-Camphor 4.5%

L-Menthol 4.2%

Methyl Salicylate 6.9%

Purpose

Topical Analgesic

Uses

for temporary relief of minor aches and pains of muscles and joints associated with:

- arthritis
- simple backache
- strains
- bruises
- sprains

Warnings

For external use only.

Flammable

keep away from fire, sparks and heated surfaces

Do not use

- on wounds or damaged skin

When using this product

- do not bandage tightly
- avoid contact with the eyes mucous membranes

Stop use and ask a doctor if

condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions**Adults and children 12 years of age and over:**

- adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily.
- children under 2 years of age: consult a doctor

Children under 12 years of age:

- Consult a doctor.

Inactive ingredients

Concentrated Glycerin, Chlorpheniramine Maleate, Ethanol (synthetic), Purified Water, Thymol

Manufactured by:**SINSIN PHARM. CO., LTD.**

90, Beomjigi-ro 141 beon-gil, Danwon-Gu, Ansan-si, Gyeonggi-do, Korea

<http://www.sinsin.com> tel: 82-31-776-1140~3

Principal Display Panel

SINSIN MULPAS

Pain Relieving Liquid 



- Muscle pain
- Arthritis
- Strains

4.2 FL. OZ 120mL

Drug Facts

Active Ingredients	Purpose
DL-Camphor 4.5% -----	Topical Analgesic
L-Menthol 4.2% -----	Topical Analgesic
Methyl salicylate 6.9% -----	Topical Analgesic

Uses

for temporary relief of minor aches and pains associated with:

- arthritis • simple bachache • sprains
- strains • bruises

Warnings

For external uses only

Flammable

keep away from fire, sparks and heated surfaces

Do not use

on wounds or damaged skin

When using this product

- do not bandage tightly
- avoid contact with eyes mucous membranes

Stop use and ask a doctor if

condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily
- children under 2 years of age: consult a doctor

Inactive Ingredients

"Concentrated Glycerin, Chlorpheniramine Maleate, Ethanol (synthetic), Purified Water, Thymol"

Manufactured by:

 SINSIN PHARM.CO.LTD

90, Beomjigi-ro 141beon-gil,
Danwon-gu, Ansan-si, Gyeonggi-do,
Korea.

 <http://www.sinsin.com>

 82-31-776-1140~3

SINSIN MULPAS

camphor, menthol, methyl salicylate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55264-007
Route of Administration	CUTANEOUS, TOPICAL, TRANSDERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	4.5 mg in 1 mL
LEVOMENTHOL (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7)	LEVOMENTHOL	4.2 mg in 1 mL
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	6.9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
CHLORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z)	
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0K00R)	
THYMOL (UNII: 3J50XA376E)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55264-007-02	1 in 1 CARTON	11/09/2018	
1	NDC:55264-007-01	120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

MULPAS
Pain Relieving Liquid 

SINSINPAS®

MULPAS
Pain Relieving Liquid 



- Muscle pain
- Arthritis
- Strains



EASY TO APPLY
TO BACK

4.2 FL. OZ 120mL

Drug Facts

Active Ingredients	Purpose
Chlorpheniramine	Topical Analgesic
Maleate 0.1%	
DL- Camphor 4.5%	Topical Analgesic
L-Menthol 4.2%	Topical Analgesic
Methyl Salicylate 6.9%	Topical Analgesic
Thymol 0.3%	Topical Analgesic

Uses

for temporary relief of minor aches and pains associated with:
• arthritis • simple backache • sprains
• strains • bruises

Warnings

For external uses only

Flammable

keep away from fire, sparks and heated surfaces

Do not use

on wounds or damaged skin

When using this product

• do not bandage tightly
• avoid contact with eyes, mucous membranes

Stop use and ask a doctor if

condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older:

- Remove cap. Pat, press or rub sponge tip applicator onto skin for slow release of liquid.
- Apply to the affected area no more than 3 to 4 times daily.
- **Children under 2 years of age:** consult a doctor.

Inactive Ingredients

Concentrated Glycerin, Ethanol, Purified Water, Vanillyl Nonylamide.

Distributed by: **SINSIN PHARM AMERICA**
Brea, CA 92821
<http://global.sinsin.com>

Made in Korea

[CN140106]

MULPAS
Pain Relieving Liquid 

NDC No. 55264-007-01
SINSINPAS®

MULPAS
Pain Relieving Liquid 



- Muscle pain
- Arthritis
- Strains



EASY TO APPLY
TO BACK

4.2 FL. OZ 120mL

Lot No :
Exp. Date :

MULPAS
Pain Relieving Liquid 

- Muscle pain
- Arthritis
- Strains



Made in Korea

8 806438 003352

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/10/2014	

Labeler - Sinsin Pharmaceutical Co., Ltd. (823149161)

Registrant - Sinsin Pharmaceutical Co., Ltd. (823149161)

Establishment

Name	Address	ID/FEI	Business Operations
Sinsin Pharmaceutical Co., Ltd.		687867143	manufacture(55264-007)

Revised: 1/2025

Sinsin Pharmaceutical Co., Ltd.