

**CHILDRENS CHEWABLE ACETAMINOPHEN- acetaminophen tablet, chewable  
GERI-CARE PHARMACEUTICAL CORP**

-----  
**hst148**

***Active ingredient (in each tablet)***

Acetaminophen 80 mg

***Purposes***

Pain Reliever/Fever Reducer

***Uses***

- temporarily relieves minor aches and pains
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if your child has**

liver disease.

**Ask a doctor or pharmacist before use if your child is**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

Chew tablets thoroughly before swallowing.

**This product does not contain directions or complete warnings for adults.**

Follow dosage on table or use as doctor directs. If possible use weight to dose; otherwise use age. Give every 4 hours as needed; do not give more than 5 doses in 24 hours.

Administer only under adult supervision.

**DO NOT EXCEED DOSE SHOWN****See Overdose Warning.**

Weight (lb)	Under 24	24-35	36-47	48-59	60-71	72-95
Age	Under 2	2-3	4-5	6-8	9-10	11
Tablets	Ask a doctor	2	3	4	5	6

**Other information**

- **TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.**
- store at 20°C-25°C (68°F-77°F); avoid high humidity
- Keep tightly closed
- Phenylketonurics: contains phenylalanine 5mg per tablet.


**Inactive ingredients**

Aspartame (contains phenylalanine), cellulose, D&C Red #27, Dextrose, FD&C Yellow #6, fruit flavor, magnesium stearate, Prosweet, stearic acid, sugar

**Questions or comments?**

**1-800-540-3765**


# Principal display panel



NDC 57896-148-03

**CHILDREN'S CHEWABLE ACETAMINOPHEN 80 mg**

PAIN RELIEVER/ FEVER REDUCER



FRUIT FLAVOR

**30 Chewable Tablets**  
80 mg each

**TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.**

**Drug Facts**  
*Active ingredient (in each tablet)* Pain Reliever / Fever Reducer  
Acetaminophen 80 mg.....

**Uses**

- temporarily relieves minor aches and pains
- temporarily reduces fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash
- if a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if your child has liver disease.**

**Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.**


**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

DIST. BY: GERI-CARE PHARMACEUTICALS CORP.  
1295 Towbin Avenue, Lakewood, NJ 08701

REV 1124Ad



3 57896 14803 4

**PEEL HERE FOR MORE DRUG FACTS**

---

**Drug Facts (continued)**

**Keep out of reach of children.**  
**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions:** Chew tablets thoroughly before swallowing.

**This product does not contain directions or complete warnings for adults.**  
Follow dosage on table or use as doctor directs. If possible use weight to dose; otherwise use age. Give every 4 hours as needed; do not give more than 5 doses in 24 hours.  
Administer only under adult supervision.  
**DO NOT EXCEED DOSE SHOWN.**  
See Overdose Warning.

Weight (lbs)	Under 24	24-35	36-47	48-59	60-71	72-95
Age	Under 2	2-3	4-5	6-8	9-10	11
Tablets	Ask a Doctor	2	3	4	5	6

**Other information**

- TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.**
- store at 20-25°C (68-77°F); avoid high humidity
- Keep tightly closed
- Phenylketonurics: contains phenylalanine 5mg per tablet.

**Inactive ingredients:** Aspartame (contains phenylalanine), cellulose, D&C Red #27, Dextrose, FD&C Yellow #6, fruit flavor, magnesium stearate, Prosoweet, stearic acid, sugar.

**Questions or comments? 1-800-540-3765**

**STOP PEELING**

**STOP PEELING**

## CHILDRENS CHEWABLE ACETAMINOPHEN

acetaminophen tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57896-148
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	80 mg

### Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
INVERT SUGAR (UNII: ED959S6ACY)	

<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>DEXTROSE</b> (UNII: IY9XDZ35W2)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	pink (light)	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>	FRUIT	<b>Imprint Code</b>	AP;051
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-148-03	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/01/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/01/2024	

**Labeler** - GERI-CARE PHARMACEUTICAL CORP (611196254)

**Registrant** - Geri-Care Pharmaceutical Corp (611196254)

Revised: 11/2024

GERI-CARE PHARMACEUTICAL CORP