

DE LA CRUZ CASTOR OIL- castor oil oil
DLC Laboratories, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CASTOR OIL

Drug Facts

Active ingredient

Castor oil, USP 100%

Purpose

Stimulant laxative

Uses

- for the temporary relief of occasional constipation
- bowel movement is generally produced in 6 to 12 hours

Warnings

Do not use

- laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.
- for periods longer than a week. Frequent or prolonged use may result in dependence on laxatives.

Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of two weeks.

Ask a doctor or pharmacist before use if you are taking any other drug.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use of a laxative. These symptoms may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions

Preferably taken on an empty stomach.

May be taken with juice to improve the taste.

| Age | Dose |
|---------------------------------------|--|
| Adults and children 12 years and over | 1 to 4 tablespoons in a single daily dose or as directed by a doctor |
| Children 2 to under 12 years | 1 to 3 teaspoons in a single daily dose or as directed by a doctor |
| Children under 2 years | Consult a doctor |

Other information

Storage

Keep tightly closed and away from excessive heat.

Questions

1-800-858-3889

www.dlclabs.com

Distributed by:

De La Cruz Products

A Division of DLC Laboratories, Inc.

Paramount, CA 90723 USA

none

Inactive ingredient

none

PRINCIPAL DISPLAY PANEL - 59 mL Bottle Label

De La Cruz ®

CASTOR

OIL

USP

Stimulant Laxative

2 FL OZ (59 mL)

Naturally moisturizes skin & hair.

SUGGESTED USE: Apply as needed to condition and moisturize scalp, hair, skin, eyebrows and nails, or use in your favorite DIY formula. Keep out of reach of children. Do not use if plastic seal around cap is missing or broken. See Drug Facts on opposite panel.

INGREDIENT: 100% Pure *Ricinus communis* (Castor) Oil.

3-24286-15580-4
3 24286 15460 9



Non-GMO



Vegan



No Preservatives



Bottled in the USA

P0703-GYY

Distributed by:

De La Cruz Products

A Division of DLC Laboratories, Inc.

Paramount, CA 90723 USA

Questions: 1-800-858-3889

dlclabs.com

@delacruzproducts

@DLClaboratories

© 2022 DLC Laboratories, Inc.

Also comes in a 2 fl. oz. amber glass bottle



Drug Facts

| Active ingredient | Purpose |
|----------------------|--------------------|
| Castor oil, USP 100% | Stimulant laxative |

Uses ■ for the temporary relief of occasional constipation

■ bowel movement is generally produced in 6 to 12 hours

Warnings Do not use ■ laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor. ■ for periods longer than a week. Frequent or prolonged use may result in dependence on laxatives.

Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of two weeks.

Ask a doctor or pharmacist before use if you are taking any other drug.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use of a laxative. These symptoms may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use. KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions Preferably taken on an empty stomach. May be taken with juice to improve the taste.

| Age | Dose |
|---------------------------------------|--|
| Adults and children 12 years and over | 1 to 4 tablespoons in a single daily dose or as directed by a doctor |
| Children 2 to under 12 years | 1 to 3 teaspoons in a single daily dose or as directed by a doctor |
| Children under 2 years | Consult a doctor |

Other information Storage: Keep tightly closed and away from excessive heat.

P0701-DYX
 Distributed by / Distribuido por:
 De La Cruz Products
 A Division of DLC Laboratories, Inc.
 Paramount, CA 90723 USA
 Questions / Preguntas:
 1-800-858-3889

dlclabs.com

@delacruzproducts

@DLClaboratories

© 2023 DLC Laboratories, Inc.

3-24286-15589-7
 3 24286 15460 9

Naturally moisturizes skin & hair.

SUGGESTED USE: Apply as needed to condition and moisturize scalp, hair, skin, eyebrows and nails, or use in your favorite DIY formula. Keep out of reach of children. Do not use if plastic seal around cap is missing or broken. Lift top layer of label to see Drug Facts.



Non-GMO Sin OGM



Bottled in the USA Embotellado en los EE.UU.

INGREDIENT: 100% Pure *Ricinus communis* (Castor) Oil.

Humecta la piel y el cabello de forma natural.

USO SUGERIDO: Aplique como sea necesario para acondicionar e hidratar el cuero cabelludo, el cabello, la piel, las cejas y las uñas, o utilícelo en su fórmula casera favorita. Manténgase fuera del alcance de los niños. No lo use si el sello de plástico alrededor de la tapa falta o está roto. Levante la capa superior de la etiqueta para ver los Datos Medicinales.

INGREDIENTE: 100% Puro Aceite de *Ricinus communis* (Ricino).

Read the Full Leaflet
 Levanta la Capa Superior
 Drug Facts | Datos Medicinales

P0701-DYX

| | |
|---|--|
| Drug Facts | |
| Active ingredient Castor oil, USP 100%..... | Purpose Stimulant laxative |
| Uses ■ for the temporary relief of occasional constipation ■ bowel movement is generally produced in 6 to 12 hours | |
| Warnings Do not use ■ laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor. ■ for periods longer than a week. Frequent or prolonged use may result in dependence on laxatives. Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of two weeks. Ask a doctor or pharmacist before use if you are taking any other drug. Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use of a laxative. These symptoms may indicate a serious condition. If pregnant or breast-feeding, ask a health professional before use. KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center immediately. | |
| Directions Preferably taken on an empty stomach. May be taken with juice to improve the taste. | |
| Age | Dose |
| Adults and children 12 years and over | 1 to 4 tablespoons in a single daily dose or as directed by a doctor |
| Children 2 to under 12 years | 1 to 3 teaspoons in a single daily dose or as directed by a doctor |
| Children under 2 years | Consult a doctor |
| Other information Storage: Keep tightly closed and away from excessive heat. | |

| | |
|--|--|
| Datos Medicinales | |
| Ingrediente activo Aceite de ricino, USP 100%..... | Propósito Laxante estimulante |
| Usos ■ para el alivio temporal del estreñimiento ocasional ■ produce movimiento intestinal generalmente entre 6 y 12 horas | |
| Advertencias No usar ■ productos laxantes si tiene dolor abdominal, náuseas o vómitos, a menos que sea recomendado por un médico. ■ por períodos mayores de una semana. El uso frecuente o prolongado puede causar una dependencia a los laxantes. Consultar a un médico antes de usar un laxante si ha notado un cambio repentino en los hábitos intestinales que persiste por más de dos semanas. Consultar a un médico o farmacéutico antes de usar si está tomando otro medicamento. Suspender su uso y consultar a un médico si presenta sangrado rectal o no puede evacuar después de usar un laxante. Estos síntomas pueden indicar una afección grave. Si está embarazada o lactando, busque asesoramiento médico antes de usar este producto. MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS. En caso de sobredosis, busque ayuda médica o póngase en contacto con un Centro de Control de Envenenamientos inmediatamente. | |
| Instrucciones Tómese preferiblemente con el estómago vacío. Puede ser mezclado con jugo para mejorar el sabor. | |
| Edad | Dosis |
| Adultos y niños mayores de 12 años | 1 a 4 cucharadas en una única dosis diaria o según lo indicado por un médico |
| Niños de 2 hasta menores de 12 años | 1 a 3 cucharaditas en una única dosis diaria o según lo indicado por un médico |
| Niños menores de 2 años | Consulte a un médico |
| Otra información Almacenamiento: Manténgase bien cerrado y alejado de calor excesivo. | |

P0701-DYX

| | |
|--|--|
| <p>Drug Facts</p> <p>Active ingredient Castor oil, USP 100%.....Stimulant laxative</p> <p>Purpose ■ for the temporary relief of occasional constipation</p> <p>Uses ■ bowel movement is generally produced in 6 to 12 hours</p> <p>Warnings</p> <p>Do not use ■ laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.</p> <p>■ for periods longer than a week. Frequent or prolonged use may result in dependence on laxatives.</p> <p>Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of two weeks.</p> <p>Ask a doctor or pharmacist before use if you are taking any other drug.</p> <p>Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use of a laxative. These symptoms may indicate a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use. KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center immediately.</p> | |
| <p>Age</p> <p>Adults and children 12 years and over</p> <p>Children 2 to under 12 years</p> <p>Children under 2 years</p> | <p>Dose</p> <p>1 to 4 tablespoons in a single daily dose or as directed by a doctor</p> <p>1 to 3 teaspoons in a single daily dose or as directed by a doctor</p> <p>Consult a doctor</p> |
| <p>Directions</p> <p>Preferably taken on an empty stomach. May be taken with juice to improve the taste.</p> <p>Other information Storage: Keep tightly closed and away from excessive heat.</p> | |

P0700-HYZ

| | |
|--|---|
| <p>Datos Medicinales</p> <p>Ingrediente activo Aceite de ricino, USP 100%.....Laxante estimulante</p> <p>Propósito ■ para el alivio temporal del estreñimiento ocasional</p> <p>■ produce movimiento intestinal generalmente entre 6 y 12 horas</p> <p>Advertencias</p> <p>No usar</p> <p>■ productos laxantes si tiene dolor abdominal, náuseas o vómitos, a menos que sea recomendado por un médico.</p> <p>■ por períodos mayores de una semana. El uso frecuente o prolongado puede causar una dependencia a los laxantes.</p> <p>Consultar a un médico antes de usar un laxante si ha notado un cambio repentino en los hábitos intestinales que persista por más de dos semanas.</p> <p>Consultar a un médico o farmacéutico antes de usar si está tomando otro medicamento.</p> <p>Suspender su uso y consultar a un médico si presenta sangrado rectal o no puede evacuar después de usar un laxante. Estos síntomas pueden indicar una afección grave.</p> <p>Si está embarazada o lactando, busque asesoramiento médico antes de usar este producto. MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS. En caso de sobredosis, busque ayuda médica o póngase en contacto con un Centro de Control de Envenenamientos inmediatamente.</p> | |
| <p>Edad</p> <p>Adultos y niños mayores de 12 años</p> <p>Niños de 2 hasta menores de 12 años</p> <p>Niños menores de 2 años</p> | <p>Dosis</p> <p>1 a 4 cucharadas en una única dosis diaria o según lo indicado por un médico</p> <p>1 a 3 cucharaditas en una única dosis diaria o según lo indicado por un médico</p> <p>Consulte a un médico</p> |
| <p>Instrucciones</p> <p>Tómese preferiblemente con el estómago vacío. Puede ser mezclado con jugo para mejorar el sabor.</p> <p>Almacenamiento: Manténgase bien cerrado y alejado de calor excesivo.</p> | |

P0700-HYZ



CASTOR OIL

USP

Aceite de Ricino

USP

Stimulant Laxative
Laxante Estimulante

2 FL OZ (59 mL)

Distributed by / Distribuido por:
De La Cruz Products
A Division of DLC Laboratories, Inc.
Paramount, CA 90723 USA
Questions / Preguntas: 1-800-958-3889
www.dlclabs.com

© 2021 DLC Laboratories, Inc.

3 24286 15502 6

Do not use if plastic seal around cap is missing or broken.

Ingredient: Castor Oil

No usar si el sello de plástico alrededor de la tapa falta o está roto.

Ingrediente: Aceite de Ricino

Drug Facts
Datos Medicinales

Peel Here
Leyente Aquí



castor oil oil

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:24286-1526 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|-----------------|
| CASTOR OIL (UNII: D5340Y2I9G) (CASTOR OIL - UNII:D5340Y2I9G) | CASTOR OIL | 1 g in 1 mL |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|--|-----------------------------|---------------------------|
| 1 | NDC:24286-1526-5 | 59 mL in 1 BOTTLE; Type 0: Not a Combination Product | 07/27/2012 | |
| 2 | NDC:24286-1526-8 | 236 mL in 1 BOTTLE; Type 0: Not a Combination Product | 08/03/2022 | |
| 3 | NDC:24286-1526-9 | 236 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/03/2022 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC monograph not final | part334 | 07/27/2012 | |

Labeler - DLC Laboratories, Inc. (093351930)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------|----------------|---------------|---|
| DLC Laboratories, Inc. | | 093351930 | manufacture(24286-1526) , label(24286-1526) |

Revised: 7/2023

DLC Laboratories, Inc.