CAREONE TUSSIN DM- dextromethorphan hydrobromide, guaifenesin solution
Retail Business Services, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Retail Business Services, LLC. Tussin DM Drug Facts

Active ingredients (in each 20 mL)

Dextromethorphan HBr, USP 20 mg

Guaifenesin, USP 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	20 mL every 4 hours
children under 12 years	do not use

Other information

- **each 20 mL contains:** sodium 14 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

CAREone®

Compare to the active ingredients in Robitussin® Cough + Chest Congestion DM

TUSSIN DM

COUGH + CHEST CONGESTION

Cough Suppressant-Dextromethorphan HBr

Expectorant-Guaifenesin

Relieves:

• Cough

- Mucus

Adult

For Ages 12 & Over

Non-Drowsy

Alcohol Free

Gluten Free

See New Dosing

OUR PHARMACISTS RECOMMEND

Raspberry Flavor

4 FL OZ (118mL)

NDC 72476-630-26

CAREONE®

Compare to the active ingredients in
Robitussin® Cough + Chest
Congestion DM *

TUSSIN DM
COUGH + CHEST CONGESTION

**Cough Suppressant-
Dextromethorphan HBr
Expectorant-Guaifenesin**

Relieves:
• Cough
• Mucus

Adult

For Ages 12 & Over

Non-Drowsy

Alcohol Free

Gluten Free

See New Dosing

OUR PHARMACISTS RECOMMEND Rx

Raspberry Flavor

4 FL OZ (118mL)

Drug Facts

Active ingredients **Purposes**
(in each 20 mL)
Dextromethorphan HBr,
USP 20 mg.........................Cough suppressant
Guaifenesin, USP 200 mg.............Expectorant

Uses
■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have
■ cough that occurs with too much phlegm (mucus)
■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
■ do not take more than 6 doses in any 24-hour period
■ measure only with dosing cup provided
■ keep dosing cup with product
■ mL = milliliter
■ this adult product is not intended for use in children under 12 years of age ▶

Drug Facts (continued)

age	dose
adults and children 12 years and over	20 mL every 4 hours
children under 12 years	do not use

Other information
■ each 20 mL contains: sodium 14 mg
■ store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions or comments?
1-800-719-9260

*This product is not manufactured or distributed by Pfizer, distributor of Robitussin® Cough + Chest Congestion DM.

DISTRIBUTED BY: ADUSA DISTRIBUTION, LLC
SALISBURY, NC 28147 • 1-833-992-3872
Quality guaranteed or your money back.

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

3 41520 31257 1

63K26 OF C1

CAREONE TUSSIN DM

dextromethorphan hydrobromide, guaifenesin solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72476-630
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	RED	**Score**		
Shape		**Size**		
Flavor	FRUIT	**Imprint Code**		
Contains				

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72476-630-26	1 in 1 CARTON	07/13/2022	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/13/2022	

Labeler - Retail Business Services, LLC (967989935)

Revised: 7/2022

Retail Business Services, LLC