

OXYGEN- oxygen gas
Brevard Medical Equipment

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen, USP

Principal for Oxygen Product

**OXYGEN,
COMPRESSED USP
UN 1072**



DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.
CONTAINS GAS UNDER PRESSURE;
MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Required**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. © Applied Home Healthcare Equipment 2025

CAS NO: 7782-44-7

Contents	Size
170 Liters	<input type="checkbox"/> M6
248 Liters	<input type="checkbox"/> C
415 Liters	<input type="checkbox"/> D
682 Liters	<input type="checkbox"/> E



**NO SMOKING
NO VAPING**

6910 Liters	<input type="checkbox"/> H
_____ Liters	<input type="checkbox"/> Other

**Brevard Medical Equipment Inc.
105 N. Banana River Dr.
Merritt Island, FL 32952
321-453-3370**

Federal Law Requires that this Container be Refilled with Oxygen U.S.P. Only by Establishments Registered as a Drug Producer in accordance with the Federal Food, Drug and Cosmetic Act. Warning — uninterrupted use of high concentrations of oxygen for more than five hours may be harmful. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Keep Out of Reach of Children. Contents under high pressure and can vigorously accelerate combustion. Keep free from oil and grease. Do not use or store near heat or open flame and use only with equipment conditioned for oxygen service.

OXYGEN

COMPRESSED

USP

UN 1072

DANGER:

**MAY CAUSE OR INTENSIFY FIRE;
OXIDIZER. CONTAINS GAS UNDER
PRESSURE; MAY EXPLODE IF HEATED.**

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °c (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

CAS NO: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: No smoking or vaping. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. ©Applied Home Healthcare Equipment 2025

**NO SMOKING
NO VAPING**

Federal Law Requires that this Container be Refilled with Oxygen U.S.P. Only by Establishments Registered as a Drug Producer in accordance with the Federal Food, Drug and Cosmetic Act. Warning — uninterrupted use of high concentrations of oxygen for more than five hours may be harmful. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Keep Out of Reach of Children. Contents under high pressure and can vigorously accelerate combustion. Keep free from oil and grease. Do not use or store near heat or open flame and use only with equipment conditioned for oxygen service.

LOT
EXPIRATION DATE

Representative Labeling
pursuant to 21 CFR 207.3 (10)

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:61330-123
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61330-123-01	682 L in 1 CYLINDER; Type 0: Not a Combination Product	10/27/2015	
2	NDC:61330-123-05	400 L in 1 CYLINDER; Type 0: Not a Combination Product	10/27/2015	
3	NDC:61330-123-06	164 L in 1 CYLINDER; Type 0: Not a Combination Product	10/27/2015	

4	NDC:61330-123-08	170 L in 1 CYLINDER; Type 0: Not a Combination Product	10/27/2015	
5	NDC:61330-123-09	255 L in 1 CYLINDER; Type 0: Not a Combination Product	10/27/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		10/27/2015	

Labeler - Brevard Medical Equipment (058250333)

Establishment

Name	Address	ID/FEI	Business Operations
Brevard Medical Equipment		058250333	manufacture(61330-123)

Revised: 10/2025

Brevard Medical Equipment