# STRIVECTIN-SH NIA-114 UVA UVB SHIELDS SPF 30- homosalate, octisalate, avobenzone, octocrylene, oxybenzone cream StriVectin Operating Company Inc.

-----

#### StriVectin-SH NIA-114 + UVA/UVB Shields SPF 30

PARABEN-FREE, NON-COMEDOGENIC

ARTIFICIAL COLOR AND DYE FREE

Drug Facts

Active Ingredients:

Homosalate 7.5%

Octisalate 5%

Avobenzone 3%

Octocrylene 2.6%

Oxybenzone 2%

Purpose

Sunscreen

Uses:

• For prevention of sunburn

Warnings:

For external use only. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops and lasts. For children 6 months of age or under, consult a doctor prior to use. UV exposure from the sun increases the risk of skin cancer, premature skin aging, and other skin damage. It is important to decrease UV exposure by limiting time in the sun, wearing protective clothing, and using a sunscreen.

#### Keep out of reach of children.

If swallowed, get medical help or contact a poison control center right away.

Directions:

- Apply a dime sized amount in the morning on cleansed face and neck or over a moisturizer.
- Reapply as needed or after towel drying, swimming or perspiring.

Inactive Ingredients:

Water (Aqua/Eau), Myristyl Nicotinate, Glycerin, Dimethicone, Nylon-12 Glycereth-26, Dicaprylyl Carbonate, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Panthenol, Mangifera Indica (Mango) Seed Butter, Lycium Chinense Fruit Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Arctostaphylos Uva Ursi Leaf Extract, Bisabolol, Butylene Glycol, Glycine Soja (Soybean) Seed Extract, Ceramide 2, Ceramide 3, Potassium Cetyl Phosphate, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, PEG-11 Methyl Ether Dimethicone, Sodium Acrylate/Sodium acryloydimethyl Taurate Copolymer, Hydroxyethylcellulose, Caprylyl Glycol, Chlorophenesin, Phenoxyethanol, Disodium EDTA, Potassoium Hydroxide, Hexamethhylinanapyran, Isopropyl Myristate, Methyldihydrojasmonate 2-Isobutyl-4-Methyltetrahydro-2h-Pyran-4-01, Cucumis Sativus (cucumber)fruit extract, Phenethyl Alcohol, Methyl-A-Ionone, Rosa Damascena Flower

Extract, S014

StriVectin Operating Company Inc.

New York, NY 10001

strivectin.com

2011 All Rights Reserved

For U.S. and Canadian consumer inquiries, call 1-877-722-7770.

For all other countries email: customercare@strivectin.com

Manufactured in the U.S.A.

Covered by U.S. Patent

6337065, 6552050, 6464992

Supercharged Age Protection

Sheer Enough For Every Day.

We started with a goal. Protect skin against the aging effects of the sun. So we created a powerful shield against burning UVB rays. Added the highest-rated PA protection (PA+++) against aging UVA rays. Powered up the formula with antioxidants and out propietary skin-strengthening NIA-114 technology. All in a formula so sheer you can layer it over your StriVectin-SD Intensive Concentrate for Stretch Marks and Wrinkles or moisturizer every day.

Protects Against Sun Damage

New SPF 30

StriVectin-SH

NIA-114 + UVA/UVB Shields Age Protect SPF 30

365 Daily Protection

Highest PA protection from aging UVA rays; SPF30 shields against burning UV rays Long Term Benefit

Born from skin cancer prevention research, NIA-114 strengthens skin barrier to further protect against the signs of aging sun damage.

Protects Against Sun Damage NEW SPF 30 StriVectin-SH<sup>®</sup> NIA-114 + UVA/UVB Shields™ EEP SKI Age Protect SPF 30 365 DAILY PROTECTION even on cloudy days can age your skin enough. UVA rays from sunburns isn't Protecting skin Highest PA protection from aging UVA rays; SPF 30 shields against burning UVB rays LONG-TERM BENEFIT prevention research, Born from skin cance ECOMMENDED defenses. your skin's natura NIA-114<sup>TM</sup> boosts Born from skin cancer prevention research, NIA-114<sup>™</sup> strengthens DAILY USE

skin barrier to further protect against aging

sun damage

m e 60mL/2.0 fl.oz

-

щ

### PARABEN-FREE, NON-COMEDOGENIC ARTIFICIAL COLOR AND DYE FREE

# **Drug Facts**

### Active Ingredients:

| , ion of high out of high                     |            |
|---|------------|
| Homosalate 7.5%                               | Sunscreen  |
| Ethylhexyl Salicylate (Octisalate) 5%         | .Sunscreen |
| Butyl Methoxydibenzoylmethane (Avobenzone) 3% |            |
| Octocrylene 2.6%                              | .Sunscreen |
| Benzophenone-3 2%                             |            |
|   |            |

Purpose

#### Uses:

For prevention of sunburn

#### Warnings:

For external use only. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops and lasts. For children 6 months of age or under, consult a doctor prior to use. Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away. UV exposure from the sun increases the risk of skin cancer, premature skin aging, and other skin damage. It is important to decrease UV exposure by limiting time in the sun, wearing protective clothing, and using a sunscreen.

## Directions:

- Apply a dime sized amount in the morning on cleansed face and neck or over a moisturizer.
- Reapply as needed or after towel drying, swimming or perspiring.

#### Inactive Ingredients:

Water (Aqua/Eau), Myristyl Nicotinate, Glycerin, Dimethicone, Nylon-12, Character Academic (C10, 20, Allart Mathematicate

Copolymer, Panthenol, Mangifera Indica (Mango) Seed Butter, Lycium Chinense Fruit Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Arctostaphylos Uva Ursi Leaf Extract, Bisabolol, Butylene Glycol, Glycine Soja (Soybean) Seed Extract, Ceramide 2, Ceramide 3, Tocopheryl Acetate, Dipotassium Glycyrrhizate, Hydrogenated Palm Glycerides, Potassium Cetyl Phosphate, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, PEG-11 Methyl Ether Dimethicone, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Cyclopentasiloxane, Dimethiconol, Polysorbate 80, Isohexadecane, Carbomer, Hydroxyethylcellulose, Capylyl Glycol, Chlorphenesin, Phenoxyethanol, Disodium EDTA, Potassium Hydroxide, Hexamethylindanopyran, Isopropyl Myristate, Methyldihydrojasmonate 2-Isobutyl-4-Methyltetrahydro-2h-Pyran-4-ol, Cucumis Sativus (Cucumber) Fruit Extract, Phenethyl Alcohol, Methyl-A-Ionone, Rosa Damascena Flower Extract. S014

## Supercharged Age Protection. Sheer Enough for Every Day.

We started with a goal. Protect skin against the aging effects of the sun. So we created a powerful shield against burning UVB rays. Added the highest-rated PA protection (PA+++) against aging UVA rays. Powered up the formula with antioxidants and our proprietary skin-strengthening NIA-114<sup>™</sup> technology. All in a formula so sheer you can layer it over your StriVectin-SD<sup>™</sup> Intensive Concentrate for Stretch Marks & Wrinkles or moisturizer every day. StriVectin Operating Company Inc. New York, NY 10001 **strivectin.com** ©2011 All Rights Reserved For U.S. & Canadian consumer inquiries, call 1-877-722-7770. For all other countries email: customercare@strivectin.com Manufactured in the U.S.A. Covered by U.S. Patent 6337065, 6552050, 6464992

| Product Information   |  |                    |                      |               |                          |
|---|--|--------------------|----------------------|---------------|--------------------------|
|   |  |                    |                      |               |                          |
| Product Type  | HUMAN OTC DRUG   | Item Code (Source) |                      | NDC:76147-123 |                          |
| Route of Administration   | TOPICAL  |                    |                      |               |                          |
| Active Ingredient/Active  | Moiety   |                    |                      |               |                          |
| Ingre   | dient Name   |                    | <b>Basis of Stre</b> | ngth          | Strength                 |
| HOMOSALATE (UNII: V06SV4M955  | 5) (HOMOSALATE - UNII:V065   | SV4M95S)           | HOMOSALATE           |               | 75 mg in 1 m             |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)                        |  |                    | OCTISALATE           |               | 50 mg in 1 m             |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)                        |  |                    | AVOBENZONE           |               | 30 mg in 1 m             |
|   | OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) OCTOCRYLENE |                    |                      |               | 26 mg in 1 m             |
| OCTOCRYLENE (UNII: 5A68WGF6)  | MM) (OCTOCRYLENE - UNII:54   | A68WGF6WM)         | OCTOCRTLENE          |               |                          |
| · ·   |  | · · · ·            | OXYBENZONE           |               | 20 mg in 1 m             |
| · .   |  | · · · ·            |                      |               | 20 mg in 1 m             |
| OXYBENZONE (UNII: 9500S7VE0   |  | · · · ·            |                      |               | 20 mg in 1 m             |
| OCTOCRYLENE (UNII: 5A68WGF6V<br>OXYBENZONE (UNII: 9500S7VE0<br>Inactive Ingredients |  | · · · ·            |                      |               | 20 mg in 1 m<br>Strength |

| MYRISTYL NICOTINATE (UNII: 8QWM6I035C)          |  |
|---|--|
| GLYCERIN (UNII: PDC6A3C00X)                     |  |
| DIMETHICONE (UNII: 92RU3N3Y1O)                  |  |
| GLYCERETH-26 (UNII: NNE56F2N14)                 |  |
| DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)         |  |
| PANTHENOL (UNII: WV9CM0067Z)                    |  |
| MANGIFERA INDICA SEED BUTTER (UNII: 40XD9M35X2) |  |
| LYCIUM CHINENSE FRUIT (UNII: TG711Q7A1Q)        |  |
| LOWBUSH BLUEBERRY (UNII: G90PX41VP0)            |  |
| ARCTOSTAPHYLOS UVA-URSI LEAF (UNII: 3M5V3D1X36) |  |
| LEVOMENOL (UNII: 24WE03BX2T)                    |  |
| BUTYLENE GLYCOL (UNII: 3XUS85KORA)              |  |
| SOYBEAN (UNII: L7HT8F1ZOD)                      |  |
| CERAMIDE 2 (UNII: C04977SRJ5)                   |  |
| CERAMIDE 2 (0NII: 4370DF050B)                   |  |
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)     |  |
| GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2YOFE3FX)  |  |
| HYDROGENATED PALM GLYCERIDES (UNII: YCZ8EM144Q) |  |
| DIMETHYL ETHER (UNII: AM13FS69BX)               |  |
| CYCLOMETHICONE 5 (UNII: 0THT5PCIOR)             |  |
| POLYSORBATE 80 (UNII: 60ZP39ZG8H)               |  |
| ISOHEXADECANE (UNII: 918X10UF1E)                |  |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U)              |  |
| PHENOXYETHANOL (UNII: HIE492ZZ3T)               |  |
| EDETATE DISODIUM (UNII: 7FLD91C86K)             |  |
| POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)          |  |
|   |  |
| HEXAMETHYLINDANOPYRAN (UNII: 14170060AT)        |  |
| ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)          |  |
|   |  |
| PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)          |  |
| ROSA DAMASCENA FLOWER (UNII: JWB78P295A)        |  |

#### Packaging

| # | ltem Code            | Package Description                                | Marketing Start<br>Date | Marketing End<br>Date |
|---|----------------------|--|-------------------------|-----------------------|
| 1 | NDC:76147-123-<br>01 | 7 mL in 1 TUBE; Type 0: Not a Combination Product  | 12/19/2017              |                       |
| 2 | NDC:76147-123-<br>02 | 39 mL in 1 TUBE; Type 0: Not a Combination Product | 12/19/2017              |                       |
| 3 | NDC:76147-123-<br>03 | 60 mL in 1 TUBE; Type 0: Not a Combination Product | 12/19/2017              |                       |

| Application Number or Monograph<br>Citation | Marketing Start<br>Date | Marketing End<br>Date |
|---|-------------------------|-----------------------|
| 020   | 04/06/2011              |                       |
|   | Citation                | Citation Date         |

| Establishment       |         |           |                            |  |
|---------------------|---------|-----------|----------------------------|--|
| Name                | Address | ID/FEI    | <b>Business Operations</b> |  |
| Englewood Lab, Inc. |         | 172198223 | manufacture(76147-123)     |  |

Revised: 1/2025

StriVectin Operating Company Inc.