VUINT TINTED SUNSCREEN- octocrkyene cream Hainan Shengtaizhuo International Information Development Co., LTD

OCTOCRYLENE 2%

For external use only.

Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Sunscreen

Helps prevent sunburn - If used as directed with other sun protection measures (see DIRECTIONS), decreases the risk of skin cancer and early skin aging caused by the sun.

Apply liberally 15 minutes before sun exposure • Reapply: • after 40 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: ask a doctor

WATER CYCLOPENTASILOXAN AMINOMETHYL PROPANEDIOL WATER CI 77891 ALUMINA LAUROYL LYSINE ETHYLHEXYL METHOXYCINNAMATE ETHYLHEXYL SALICYLATE ISONONYL ISONONANOATE LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE PHENYLBENZIMIDAZOLE SULFONIC ACID IETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE DIISOSTEARYL MALATE CETYL PEG/PPG-10/1 DIMETHICONE TRIMETHYLSILOXYSILICATE SODIUM CHLORIDE POLYETHYLENE TRIETHOXYCAPRYLYLSILANE QUATERNIUM-18 BENTONITE SODIUM HYDROXIDE PHENOXYETHANOL CI 77491 DIPOTASSIUM GLYCYRRHIZATE GLYCYRRHIZA GLABRA EXTRACT CI 77499 SODIUM HYALURONATE FRAGRANCE

Helps prevent sunburn. - If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

TINTED SUNSCREEN

VUINT



VUINT TINTED SUNSCREEN octocrkyene cream							
Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84556-929				
Route of Administration	TOPICAL						

	Ingre	dient Name			Basis of St	trength	Strengt
OCTOCRYLENE (UNI	•	M) (OCTOCRYLENE - U	NII:5A68WGI	-6WM)	OCTOCRYLENE	-	2 g in 50
nactive Ingred	lients						
Ingredient Name						Strengt	
AUROYL LYSINE (U	NII: 113171Q7	0B)					
DIETHYLAMINO HYD	DROXYBENZO	YL HEXYL BENZOAT	E (UNII: ANG	2870JD20)			
IETHYLPROPANED	IOL (UNII: N8F	53B3R4R)					
IISOSTEARYL MAL	ATE (UNII: QBS	S8A3XZGQ)					
RIETHOXYCAPRYL	YLSILANE (UN	II: LDC331P08E)					
HENOXYETHANOL	(UNII: HIE492Z	Z3T)					
SONONYL ISONON	ANOATE (UNII:	S4V5BS6GCX)					
AURYL PEG-9 POL	YDIMETHYLSI	LOXYETHYL DIMETH	HICONE (UN	II: 25G622K	2RA)		
ODIUM CHLORIDE	-	Q8X)					
NATER (UNII: 059QF	-						
SODIUM HYDROXID	E (UNII: 55X04	QC32I)					
Product Charac Color	cteristics	yellow	Score				
Shape		Size					
Flavor		Imprint Co					
Contains							
Packaging				Market	ing Chart	Marka	ting Fra
# Item Code	Pac	ckage Description			eting Start Marke Date I		ate
	NDC:84556-929- 50 g in 1 BOTTLE; Type 0: Not a Combination		10/01/2024	24			
NDC:84556-929-		, . , pe er net a een					
NDC:84556-929-							
NDC:84556-929- 5							
1 NDC:84556-929- 5 01	Product						
NDC:84556-929-	product nformati		onograph		eting Start Date		eting End Date

Labeler - Hainan Shengtaizhuo International Information Development Co., LTD (976885514)

Revised: 9/2024

L.

Hainan Shengtaizhuo International Information Development Co., LTD