

OHEAL TATTOO NUMBING CREAM- tattoo numbing cream cream
Shandong Yuyaotang Pharmaceutical Co., Ltd

84746-005 COMPLETED

Active Ingredient

Lidocaine 4%

Purpose

Local Anesthetic

Use

For temporary relief of local discomfort, itching, pain, soreness, or burning in the perianal area associated with anorectal disorders.

Warnings

For External Use Only

- Pregnant or breastfeeding, ask a health professional before use.
- In case of accidental overdose, contact a doctor or Poison Control Center immediately.
- Seal is broken or missing.

Do not use

- Pregnant or breastfeeding, ask a health professional before use.
- In case of accidental overdose, contact a doctor or Poison Control Center immediately.
- Seal is broken or missing.

When Using

- Do not exceed the recommended daily dosage unless directed by a doctor.
- Certain persons can develop allergic reactions to ingredients in this product.
- Do not put this product into the rectum by using fingers or any medical device or applicator.

Stop Use

The symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase.

Ask Doctor

The symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase.

Keep Out Of Reach Of Children

In case of accidental ingestion, seek medical attention immediately.

Directions

1. Before the cream's application, wash hands thoroughly and wear disposable tattoo gloves.
2. Clean the area of the body receiving the tattoo. Dry completely.
3. Apply a thick amount of numbing cream to the cleaned area and rub in thoroughly, Cover with plastic wrap.
4. Leave cream and wrap in place for 30-45 minutes. Wipe the cream away and clean the area thoroughly, ready for your pain free tattoo.

Other information

- Keep away from direct sunlight or heat
- Store in room temperature (59-86°F / 15-30°C)

Inactive ingredients

Glycerin, Butylene Glycol, Xanthan Gum, Sodium Hyaluronate, Butyrospermum Parkii (Shea Butter) Oil, Simmondsia Chinensis (Jojoba) Seed Oil, Squalane, Dimethicone, Glyceryl Stearate, Cetearyl Glucoside, Cetearyl Alcohol, Tocopherol, Menthol, Borneol

Questions

www.ohealpro.com

Info@ohealpro.com
669-588-4076

PRINCIPAL DISPLAY PANEL

BRAND: OHEAL

CATEGORY: HEALTH

SIZE: 56*56*42mm

56*56*42mm



长标164*22.7



OHEAL TATTOO NUMBING CREAM

tattoo numbing cream cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84746-005
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE	4 g in 100 mL
Inactive Ingredients			
Ingredient Name			Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
XANTHAN GUM (UNII: TTV12P4NEE)			
HYALURONATE SODIUM (UNII: YSE9PPT4TH)			
GLYCERYL 1-STEARATE (UNII: 258491E1RZ)			
BORNEOL (UNII: M89NIB437X)			
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)			

TOCOPHEROL (UNII: R0ZB2556P8)	
MENTHOL (UNII: L7T10EIP3A)	
BUTYROSPERMUM PARKII (SHEA) BUTTER UNSAPONIFIABLES (UNII: 0C9AC7D6XU)	
JOJOBA OIL (UNII: 724GKU717M)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
SQUALANE (UNII: GW89575KF9)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84746-005-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/30/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/30/2024	12/13/2024

Labeler - Shandong Yuyaotang Pharmaceutical Co., Ltd (974645696)

Establishment

Name	Address	ID/FEI	Business Operations
Shandong Yuyaotang Pharmaceutical Co., Ltd		974645696	manufacture(84746-005)

Revised: 12/2024

Shandong Yuyaotang Pharmaceutical Co., Ltd