

ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE, AND DIMETHICONE-
aluminum hydroxide, magnesium hydroxide, and dimethicone suspension
American Health Packaging

Magnesium Hydroxide, Aluminum Hydroxide, and Simethicone Suspension

Drug Facts

Active ingredients
(in each 30 mL cup)

Aluminum hydroxide (equiv. to dried gel, USP)	
2400 mg	Antacid
Magnesium hydroxide 2400 mg	Antacid
Simethicone 240 mg	Antigas

Purpose

Antacid/Antigas

Uses

for the relief of:

- acid indigestion
- heartburn
- sour stomach
- upset stomach due to these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Do not take more than 2 unit dose cups (60 mL) in a 24-hour period or use the maximum dosage for more than 2 weeks except under the advice and supervision of a physician.

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if

- symptoms last more than 2 weeks.

Keep out of reach of children.

Directions

- shake well before using
- do not take more than 2 unit dose cups (60 mL) in 24 hours or use the maximum dosage for more than 2 weeks

adults and children 12 years and older	Take 30 mL, one unit dose cup, one to two times daily, or as directed by a doctor.
children under 12 years	consult a physician

Other information

- **each 30 mL contains:** magnesium 1,002 mg, sodium 13.44 mg
- Store at 20° - 25°C (68° - 77°F) [see USP Controlled Room Temperature].
- protect from freezing
- White colored, cherry flavored liquid supplied in the following oral dosage form:
- 30 mL unit dose cups: 100 cups (10 x 10) NDC 60687-888-76

Inactive ingredients

butylparaben, hydroxypropyl methylcellulose, flavoring, propylene glycol, propylparaben, purified water, saccharin sodium, and sorbitol solution.

Questions or comments?

Call 1-800-845-8210

DO NOT USE IF SEAL IS BROKEN.

Distributed by:

American Health Packaging
Columbus, OH 43217

R01/25

Principal Display Panel - Tray Label

Case NDC 60687-888-76/Cup NDC 60687-888-45

**Magnesium Hydroxide,
Aluminum Hydroxide, and
Simethicone Suspension
Antacid/Antigas**

2400 mg/2400 mg/240 mg per 30 mL

Sugar Free

SHAKE WELL

USUAL DOSAGE: See attached Drug Facts

Store at 20° - 25°C (68° - 77°F)
[See USP Controlled Room Temperature].
Protect from freezing.

For Institutional Use Only

T1762C300125

R01/25

Case NDC 60687-888-76/Cup NDC 60687-888-45

**Magnesium Hydroxide,
Aluminum Hydroxide, and
Simethicone Suspension
Antacid/Antigas**

2400 mg/2400 mg/240 mg per 30 mL

Sugar Free

SHAKE WELL

USUAL DOSAGE: See attached Drug Facts

Store at 20° to 25°C (68° to 77°F)
[See USP Controlled Room Temperature].
Protect from freezing.

For Institutional Use Only

T1762C300125

R01/25

Principal Display Panel - Cup - 2400 mg/2400 mg/240 mg 30 mL



NDC 60687- **888**-45

**Magnesium Hydroxide,
Aluminum Hydroxide, and
Simethicone Suspension**

Antacid/Anti-Gas

2400 mg/2400 mg/240 mg per 30 mL

Sugar Free

Delivers 30 mL

SHAKE WELL/Protect from freezing

See package Drug Facts insert for full
prescribing information and storage.

For Institutional Use Only.

American Health Packaging
Columbus, OH 43217

F1762C300125

ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE, AND DIMETHICONE			
aluminum hydroxide, magnesium hydroxide, and dimethicone suspension			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60687-888
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)			ALUMINUM HYDROXIDE	400 mg in 5 mL
MAGNESIUM HYDROXIDE (UNII: NBZ 3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)			MAGNESIUM HYDROXIDE	400 mg in 5 mL
DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y1O) (DIMETHICONE, UNSPECIFIED - UNII:92RU3N3Y1O)			DIMETHICONE, UNSPECIFIED	40 mg in 5 mL
Inactive Ingredients				
Ingredient Name			Strength	
BUTYLPARABEN (UNII: 3QPI1U3FV8)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
HYPROMELLOSE 2910 (4000 MPA.S) (UNII: RN3152OP35)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SORBITOL (UNII: 506T60A25R)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
PEPPERMINT OIL (UNII: AV092KU4JH)				
CYCLOMETHICONE 4 (UNII: CZ227117JE)				
WATER (UNII: 059QF0KO0R)				
Product Characteristics				
Color	white	Score		
Shape		Size		
Flavor	CHERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60687-888-76	10 in 1 CASE	06/01/2025	
1	NDC:60687-888-51	10 in 1 TRAY		
1	NDC:60687-888-45	30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M002	06/01/2025	

Labeler - American Health Packaging (929561009)

