

**ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE, AND DIMETHICONE-**  
**aluminum hydroxide, magnesium hydroxide, and dimethicone suspension**  
**American Health Packaging**

-----  
**Magnesium Hydroxide, Aluminum Hydroxide, and Simethicone Suspension**

***Drug Facts***

***Active ingredients***  
***(in each 30 mL cup)***

Aluminum hydroxide (equiv. to dried gel, USP)	
2400 mg	Antacid
Magnesium hydroxide 2400 mg	Antacid
Simethicone 240 mg	Antigas

***Purpose***

Antacid/Antigas

***Uses***

for the relief of:

- acid indigestion
- heartburn
- sour stomach
- upset stomach due to these symptoms
- pressure and bloating commonly referred to as gas

***Warnings***

**Do not take** more than 2 unit dose cups (60 mL) in a 24-hour period or use the maximum dosage for more than 2 weeks except under the advice and supervision of a physician.

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are**

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- symptoms last more than 2 weeks.

**Keep out of reach of children.**

***Directions***

- shake well before using
- do not take more than 2 unit dose cups (60 mL) in 24 hours or use the maximum dosage for more than 2 weeks

adults and children 12 years and older	Take 30 mL, one unit dose cup, one to two times daily, or as directed by a doctor.
children under 12 years	consult a physician

***Other information***

- **each 30 mL contains:** magnesium 1,002 mg, sodium 13.44 mg
- Store at 20° - 25°C (68° - 77°F) [see USP Controlled Room Temperature].
- protect from freezing
- White colored, cherry flavored liquid supplied in the following oral dosage form:
- 30 mL unit dose cups: 100 cups (10 x 10) NDC 60687-888-76

***Inactive ingredients***

butylparaben, hydroxypropyl methylcellulose, flavoring, propylene glycol, propylparaben, purified water, saccharin sodium, and sorbitol solution.

***Questions or comments?***

**Call 1-800-845-8210**

**DO NOT USE IF SEAL IS BROKEN.**

**Distributed by:**

**American Health Packaging**  
Columbus, OH 43217

R01/25

**Principal Display Panel - Tray Label**

Case NDC 60687-888-76/Cup NDC 60687-888-45

**Magnesium Hydroxide,  
Aluminum Hydroxide, and  
Simethicone Suspension  
Antacid/Antigas**

**2400 mg/2400 mg/240 mg per 30 mL**

**Sugar Free**

**SHAKE WELL**

**USUAL DOSAGE:** See attached Drug Facts

Store at 20° - 25°C (68° - 77°F)  
[See USP Controlled Room Temperature].  
Protect from freezing.

For Institutional Use Only

T1762C300125

R01/25

Case NDC 60687-888-76/Cup NDC 60687-888-45

**Magnesium Hydroxide,  
Aluminum Hydroxide, and  
Simethicone Suspension  
Antacid/Antigas**

**2400 mg/2400 mg/240 mg per 30 mL**

**Sugar Free**

**SHAKE WELL**

**USUAL DOSAGE:** See attached Drug Facts

Store at 20° to 25°C (68° to 77°F)  
[See USP Controlled Room Temperature].  
Protect from freezing.

For Institutional Use Only

T1762C300125

R01/25

**Principal Display Panel - Cup - 2400 mg/2400 mg/240 mg 30 mL**



NDC 60687- **888**-45

**Magnesium Hydroxide,  
Aluminum Hydroxide, and  
Simethicone Suspension**

Antacid/Anti-Gas

**2400 mg/2400 mg/240 mg per 30 mL**

Sugar Free

**Delivers 30 mL**

**SHAKE WELL/Protect from freezing**

See package Drug Facts insert for full  
prescribing information and storage.

For Institutional Use Only.

American Health Packaging  
Columbus, OH 43217

F1762C300125

**ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE, AND  
DIMETHICONE**

aluminum hydroxide, magnesium hydroxide, and dimethicone suspension

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:60687-888
<b>Route of Administration</b>	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	400 mg in 5 mL
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	400 mg in 5 mL
<b>DIMETHICONE, UNSPECIFIED</b> (UNII: 92RU3N3Y1O) (DIMETHICONE, UNSPECIFIED - UNII:92RU3N3Y1O)	DIMETHICONE, UNSPECIFIED	40 mg in 5 mL

Inactive Ingredients	
Ingredient Name	Strength
<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>HYPROMELLOSE 2910 (4000 MPA.S)</b> (UNII: RN3152OP35)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>PEPPERMINT OIL</b> (UNII: AV092KU4JH)	
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>WATER</b> (UNII: 059QF0KO0R)	

Product Characteristics			
<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60687-888-76	10 in 1 CASE	07/15/2025	
1	NDC:60687-888-51	10 in 1 TRAY		
1	NDC:60687-888-45	30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M002	07/15/2025	

**Labeler** - American Health Packaging (929561009)

