HYDROCORTISONE- hydrocortisone ointment Discount Drug Mart, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Discount Drug Mart Hydrocortisone Ointment

Active Ingredient

Hydrocortisone 1%

Purpose

Anti-itch

Uses

temporarily relieves itching associated with minor skin irritation, inflammation and rashes due to:

- eczema
- insect bites
- psoriasis
- poison ivy, oak, sumac
- soaps
- detergents
- cosmetics
- jewelry
- seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product hould only be under the advice and supervision of a doctor

Warnings

For external use only

Do not use

if you are allergic to any of the ingredients

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Ask a doctor.

When using this product

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

for itching of skin irritation, inflammation, and rashes:

- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

for external anal and genital itching, adults:

- when practical, clean the affected area with mild soap and warm water, and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

Other information

store at room temperature

Inactive ingredient

aloe vera, beeswax, cetyl alcohol, dextrin, glycerin, light mineral oil, maltodextrin, methylparaben, myristoyl/palmitoyl oxosstearamide/archamide MEA, petrolatum, propylparaben, sodium ceteryl sulfate, sodium lauryl sulfate, water

Package label



Compare to the active ingredient in Cortizone •10° maximum strenght ointment*

FAST RELIEF

Itching Redness



MAXIMUM STRENGTH

1% Anti-Itch Ointment

HYUROGORTISODA

Relieves Itching and Redness Fast!

MAXIMUM STRENGTH

1% Anti-Itch Ointment

1/71/71/71/71/7/7/7/7/

Relieves Itching and Redness Fast!

NET 1 oz (28.3q)



SATISFACTION GUARANTEED

SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE
TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO
STORE, SEND REASON FOR DISSATISFACTION. NAME,
ADDRESS AND EMPTY PACKAGE TO:DISCOUNT DRUG
MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44258

Benoy ni abalvi

LOT & EXP

Exclusively distributed by: Discount Drug Mart Medina, OH 44256 www.discount-drugmart.com

This product is not manufactured or distributed by Chattern Inc., owner of the registered trademark Cortizone • 10.%

Inactive ingredients aloe vera, beeswax, ceteary! alobo, defended in mathodarin, defended of mathodarin, methylperaben, myratoyl byelminyl oxostearamide/arohamide welfen, angretoylparaben, sodum cetearyl sulfate, sodum lauryl sulfate, water

Other information a store at room temperature

- Directions

 acutic and children 2 years of age and older apply to affected
 area not more than 3 to 4 times daily
 area not more than 3 to 4 times daily
 area not more than 3 to 4 times daily
 area not more than 3 to 4 times daily
 are charma ana and genital timing, adults:

 for ademia ana and genital timing, adults:
 and times thoroughly
 cand mas provided area with mild sosp and water
 and times thoroughly
 before applying or bioting with tolet tissue or a soft cloth
 apply to affected area not more than 3 to 4 times daily
 applying a specied area and area of a soft cloth
 a polying a specied area of a times daily
 and a specied area of a soft cloth
 a polying a specied area of a soft and a soft cloth
 a polying a specied area of a soft and a soft cloth
 a polying a specied area of a soft cloth
 a polying a specied area of a soft cloth
 a polying a specied area of a soft cloth
 a polying a specied area of a soft cloth
 a polying a specied area of a soft cloth
 a polying a specied area of a soft cloth
 a polying a specied area and a soft cloth
 a polying a specied area of a soft cloth
 a polying a specied area of a soft and a soft cloth
 a polying a specied area of a soft and a soft cloth
 a polying a specied area of a soft cloth
 a polying a specied area of a soft and a soft cloth
 a polying a specied area of a soft a soft cloth
 a polying a soft and a soft a soft a soft cloth
 a polying a soft and a soft a soft

Keep out of reach of children. If swallowed, get medical help or contact a Polson Control Center right away.

Drug Facts(continued)

Symptoms persist for more flaan 7 days or clear up and occur again within a few days, and do not begin use of any other flydrocotifsone product unless you have asked a doctor a ceckal bleeding occurs Stop use and ask a doctor if a condition worsens.

rectum by using fingers or any mechanical device or applicator When using this product
■ svoid contact with eyes ■ do not use more than directed
unless told to do so by a doctor ■ do not put directly into the

qoctor: • for the treatment of diaper rash: Ask a doctor.

- in the genital area if you have a vaginal discharge. Consult a
 - if you are allergic to any of the ingredients

Warnings For external use only

external anal and genital itching **a** other uses of this product should only be under the advice and supervision of a doctor

- Loses iemporarily relievas lichning associated with minor slan sied seed seed to the manufacture of the case of

esodina

Active ingredient (in each gram)

Drug Facts



Relieves Itching and Redness Fasti

hydrocortisone ointment

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:53943-986

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPI) (HYDROCORTISONE - UNII:W4X0X7BPI)	HYDROCORTISONE	10 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MYRISTOYL/PALMITOYL OXOSTEARAMIDE/ARACHAMIDE MEA (UNII: 1211AIM8G7)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SODIUM CETYL SULFATE (UNII: 3V3Y3O7BIQ)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
WATER (UNII: 059QF0KO0R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:53943-986- 01	1 in 1 BOX	10/30/2015		
1		28 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing In	Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	01/30/2012		

Labeler - Discount Drug Mart, Inc. (047741335)

Revised: 2/2023 Discount Drug Mart, Inc.