TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b ointment Discount Drug Mart, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Discount Drug Mart Triple Antibiotic

Active ingredient

Bacitracin Zinc 400 units Neomycin Sulfate 3.5mg

Polymyxin B Sulfate 5,000 units

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Uses

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large area of body

Ask a doctor before use if you have

- serious burns
- deep or puncture wounds
- animal bites

Stop use and ask a doctor if

- you need to use more than 1 week
- condition persists or gets worse

- symptoms persist for more than 1 week or clear up and occur again within a few days.
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age or older:
- • clean the affected area
 - apply a small amount of this product (an amount equal tot the surface area of the tip of a finer) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

• store at 15° - 25° (59° to 77°F)

Inactive ingredients

Cetyl alcohol, Glycerin, Light mineral oil, Steareth-2, Squalane, Stearic acid, Tocopheryl acetate, White petrolatum

Package label panel

Triple Antibiotic Ointment

SOOTHING OINTMENT First Aid Prevent Infection Cuts & Scrapes & Burn Effective Germ Kill Formula	Compare to Original Neosporin® active ingredients*	
SOOTHING OINTMENT	Original	
TRIPLE ANTIBIC Polymyxin B Sulfate-Bacitracin Zinc-Neom FIRST AID ANTIBIOTIC OINTMENT	ycin Sulfate	
SOOTHING OINTMENT	Original	TO EN

-		Originai	Origin E MTIC Matech Matech CONTME
LOT & EXP.	TRIPLE AN Polymyxin B Sulfate-Bacitra FIRST AID ANTIB		Crigit TRIPLE ANTIBIOTIC Polynewissing
	SATISFACTION GUARANTEED IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAG TO STORE WHERE PURCHASED, IF UNABLE TO RETURN T STORE, SEND REASON FOR DISSATISFACTION. NAME, ADDRESS AND EMPTY PACKAGE TO:DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256	o" 93351 01987 6	
	This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company owner of the registered trademark Chighnel Neceporin. Exclusion of Add Dry, Chaccurri Drug Mart Medina, OH 34256 www.discount-drugmart.com Made in 2, Chi 34256 www.discount-drugmart.com	Stop use and sek a doctor If a you nead to use bringer han 1 week a couridon persist for more than 1 week, a symptome persist for more than 1 week, occur again within a few days a resh or other ellergic reaction develops	
	Inscrive ingredients coty eliochot, giycent, light mineral oli, staerrot-2, stearto acid, coty eliochot, giycent, light mineral oli, staerrot-2, stearto squalane, tocopheryl acetate, and white petrolatum	 If you are allergic to any of the ingredients. If you are allergic to any of the ingredients If you are are an body Ask a doctor before use if you have If you have If you are are are an or an	
	 Ahildrein under 2 years of age: aak a doctor Other information a tone af 15° to 25°C (59° to 77° F) 	For external use only For external use only	
	Dirrections adults and children 2 years of age and older: a popy a small amount of fills product (an amount aqual to the aurises area of the pot a filling product (an amount aqual to the aurise area of the pot a starfe bandage. may be covered with a starfe bandage.	Neomych Suffata 3.6 mgFirst eid antbiotic Polymynd B Suffata 5.600 unitsFirst eid antbiotic USGE First eid to help prevent imfection in minor: a cuts a screpes a burns	
	Keep out of reach of children. If swallowed, get medical help or contact a polson Control Center right away.	ezorury (msng riose ni) stineibergen evöt an Bacitrasin 200 units Bacitrasin 200 units Bacitr	
	ມມາຊິ Lacts (continued)	Stor Pung	
		TRUPLE ANTIBIOTIC	

TRIPLE ANTIBIOTIC	
-------------------	--

bacitracin zinc, neomycin sulfate, polymyxin b ointment

Product Information				
Product Type	HUMAN OTC DRUG	Item Code	(Source)	NDC:53943-987
Route of Administration	TOPICAL			
Active Ingredient/Active	Molety			
Ingred	ient Name		Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M23	4ES) (BACITRACIN - UNII:58	H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y6	26693) (NEOMYCIN - UNII:13	L6QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19. UNII: J2VZ 07J96K)	371312D4) (POLYMYXIN B -		POLYMYXIN B	5000 [USP'U] in 1 g

na	ctive Ingree	dients		
		Ingredient Name		Strength
STE	ARETH-2 (UNII:	V56DFE46J5)		
SQU	ALANE (UNII: G	W89575KF9)		
STE	ARIC ACID (UNII	: 4ELV7Z65AP)		
.ALP	HATOCOPHE	ROL ACETATE, D- (UNII: A7E6112E4N)		
PETF	ROLATUM (UNII	: 4T6H12BN9U)		
CET	YL ALCOHOL (U	JNII: 936JST6JCN)		
GLYC	CERIN (UNII: PD	C6A3C0OX)		
LIGH	IT MINERAL OII	L (UNII: N6K5787QVP)		
Pac	kaging			
	kaging Item Code	Package Description	Marketing Start Date	Marketing End Date
#	Item Code DC:53943-987-	Package Description 1 in 1 BOX		
#	Item Code DC:53943-987-		Date	
# NE	Item Code DC:53943-987-	1 in 1 BOX 14 g in 1 TUBE; Type 0: Not a Combination	Date	Marketing End Date
# NI 1 01 1	Item Code DC:53943-987-	1 in 1 BOX 14 g in 1 TUBE; Type 0: Not a Combination	Date	
# 1 1 01 1 Ma	Item Code DC:53943-987-	1 in 1 BOX 14 g in 1 TUBE; Type 0: Not a Combination Product	Date 10/30/2015	Date

Labeler - Discount Drug Mart, Inc. (047741335)

Revised: 2/2023

Discount Drug Mart, Inc.