MAGNESIA PHOSPHORICA- magnesium phosphate, dibasic trihydrate pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Magnesia phosphorica 8X

Magnesia phosphorica 8X

(**contains 0.443 mg of the active ingredient per pellet)

Spasmodic pain in the abdomen improved by heat*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue. *CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose



MAGNESIA PHOSPH								
magnesium phosphate, dibasic trihydrate pellet								
Product Information								
Product Type	HUMAN OTC DRUG		ltem Code	(Source)	NDC:022	0-3262	
Route of Administration	ORAL							
Active Ingradiant/Activ	Maiaty							
Active Ingredient/Active	-			Baci	a of Stra	nath	Strongth	
					Basis of Strength		Strength	
MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)			MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE		,	8 [hp_X]		
Inactive Ingredients								
Ingredient Name					Strength			
SUCROSE (UNII: C151H8M554)								
LACTOSE (UNII: J2B2A4N98G)								
Product Characteristics								
Color	white	Score	e					
Shape	ROUND	Size				4m	m	
Flavor		Impri	nt Code					

kaging				
ltem Code	Package Description	Marketing Start Date	Marketing End Date	
DC:0220-3262-	80 in 1 TUBE; Type 0: Not a Combination Product	03/03/1983		
rketing I	nformation			
Marketing Category	Application Number or Monograp Citation	h Marketing Start Date	Marketing Enc Date	
proved opathic		03/03/1983		
	tem Code C:0220-3262- rketing I Marketing Category proved	tem Code Package Description C:0220-3262- 80 in 1 TUBE; Type 0: Not a Combination Product rketing Information Marketing Category Application Number or Monograp Citation	tem Code Package Description Marketing Start Date C:0220-3262- 80 in 1 TUBE; Type 0: Not a Combination Product 03/03/1983 rketing Information Marketing Start Date 03/03/1983 Marketing Category Application Number or Monograph Citation Marketing Start Date oroved 03/03/1983 03/03/1983	

Labeler - Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment								
Name	Address	ID/FEI	Business Operations					
Boiron		282560473	manufacture(0220-3262)					

Revised: 11/2023

Boiron