CHILDRENS ALLERGY- cetirizine hcl liquid Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

• use only with enclosed dosing cup

adults and children 6 years and over	1 teaspoonful (5 mL) or 2 teaspoonfuls (10 mL) once daily depending upon severity of symptoms; do not take more than 2 teaspoonfuls (10 mL) in 24 hours.			
adults 65 years and over	1 teaspoonful (5 mL) once daily; do not take more than 1 teaspoonful (5 mL) in 24 hours			
children 2 to under 6 years of age	1/2 teaspoonful (2.5 mL) once dailly. If needed, dose can be increased to a maximum of 1 teaspoonful (5 mL) once daily or 1/2 teaspoonful (2.5 mL) every 12 hours. Do not give more than 1 teaspoonful (5 mL) in 24 hours.			
children under 2 years of age	ask a doctor			
consumers with liver or kidney disease	ask a doctor			

• store between 20°-25°C (68°-77°F)

Inactive ingredients

glacial acetic acid, glycerin, grape flavor, methylparaben, propylene glycol, propylparaben, purified water, sodium acetate, sucrose

Questions or comments?

Call **1-888-309-9030**

Principal Display Panel

Compare to the active ingredient of children's Zyrtec®**

For Ages 2 years & older

Children's Allergy

Cetirizine Oral Solution 1 mg/mL Anthistamine

- Dye-Free
- Gluten Free
- Indoor & Outdoor Allergies

Fast, effective, relief of children's allergy

Dosing cup should be washed and left to air dry after each use.

Grape Flavor

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE,

GOODLETTSVILLE, TN 37072

Package Label



DOLLAR GENERAL HEALTH Children's Allergy Grape Flavor

CHILDRENS ALLERG	Y								
Product Information									
Product Type	HUMAN OTC DRUG	ltem Code (Source)		NDC:55910-878					
Route of Administration	ORAL								
Active Ingredient/Active Moiety									
Ingredient Name			Basis of Strength		Strength				
CETIRIZINE HYDROCHLORIDE (UNII: 640047KTOA) (CETIRIZINE - UNII:Y07261ME24)			CETIRIZ INE HYDROCHLORIDE		5 mg in 5 mL				

		Strength					
ACETIC ACID (UN		Ingredient Name			Stiength		
GLYCERIN (UNII: I							
		ודג					
PROPYLENE GLY							
PROPYLPARABEN							
WATER (UNII: 059							
SODIUM ACETAT	· · ·	C9B)					
SUCROSE (UNII: C		,					
Product Cha	racteristics						
Color			Score				
Shape			Size				
Flavor		GRAPE	Imprint Code				
Contains							
contains							
Packaging							
# Item Code	Pa	Package Description		Marketing Start Date	Marketing End Date		
1 NDC:55910- 878-04	118 mL in 1 BOT Combination Pro	TLE, PLASTIC; Type 0: oduct	Not a	04/30/2018	01/31/2025		
Marketing	Informat	ion					
Marketing	Applicat	tion Number or Mo	nograph	Marketing Start Date	Marketing End Date		
Category		Citation		Date	Date		

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 10/2022

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)