

**TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment**  
**Vive Health LLC**

-----



## **DRUG FACTS**

### **Active Ingredients**

### **Purpose**

Bacitracin Zinc (400 units).....	first aid antibiotic
Neomycin Sulfate (3.5 mg).....	first aid antibiotic
Polymyxin B Sulfate (5,000 units).....	first aid antibiotic

## **USE**

First aid to help prevent infection in minor:

- Cuts
- Scrapes
- Burns

## **WARNINGS**

**For external use only.**

## **DO NOT USE**

- If you are allergic to any of the ingredients
- In the eyes
- Over large areas of the body
- Longer than 1 week unless directed by doctor

**ASK A DOCTOR BEFORE USE IF YOU HAVE**

- Deep or puncture wounds
- Animal bites
- Serious burns

**STOP USE AND ASK A DOCTOR IF**

- Condition persists or gets worse
- A rash or other allergic reaction develops

**KEEP OUT OF REACH OF CHILDREN.  
IF SWALLOWED, GET MEDICAL HELP  
OR CONTACT A POISON CONTROL CENTER  
RIGHT AWAY.**

**STORE AT ROOM TEMPERATURE**

**INACTIVE INGREDIENTS**

Mineral Oil, Petrolatum, Purified Water



## DRUG FACTS

### Active Ingredients

### Purpose

Bacitracin Zinc (400 units).....	first aid antibiotic
Neomycin Sulfate (3.5 mg).....	first aid antibiotic
Polymyxin B Sulfate (5,000 units).....	first aid antibiotic

## USE

First aid to help prevent infection in minor:

- Cuts
- Scrapes
- Burns

## WARNINGS

**For external use only.**

## DO NOT USE

- If you are allergic to any of the ingredients
- In the eyes
- Over large areas of the body
- Longer than 1 week unless directed by doctor

## ASK A DOCTOR BEFORE USE IF YOU HAVE

- Deep or puncture wounds
- Animal bites

- Allergic reactions
- Serious burns

**STOP USE AND ASK A DOCTOR IF**

- Condition persists or gets worse
- A rash or other allergic reaction develops

**KEEP OUT OF REACH OF CHILDREN.  
IF SWALLOWED, GET MEDICAL HELP  
OR CONTACT A POISON CONTROL CENTER  
RIGHT AWAY.**

**STORE AT ROOM TEMPERATURE**

**INACTIVE INGREDIENTS**

Mineral Oil, Petrolatum, Purified Water

**DRUG FACTS**

**Active Ingredients**

**Purpose**

Bacitracin Zinc (400 units).....	first aid antibiotic
Neomycin Sulfate (3.5 mg).....	first aid antibiotic
Polymyxin B Sulfate (5,000 units).....	first aid antibiotic

**USE**

First aid to help prevent infection in minor:

- Cuts
- Scrapes
- Burns

**WARNINGS**

**For external use only.**

**DO NOT USE**

- If you are allergic to any of the ingredients
- In the eyes
- Over large areas of the body
- Longer than 1 week unless directed by doctor

**ASK A DOCTOR BEFORE USE IF YOU HAVE**

- Deep or puncture wounds
- Animal bites
- Serious burns

**STOP USE AND ASK A DOCTOR IF**

- Condition persists or gets worse
- A rash or other allergic reaction develops

**KEEP OUT OF REACH OF CHILDREN.  
IF SWALLOWED, GET MEDICAL HELP  
OR CONTACT A POISON CONTROL CENTER  
RIGHT AWAY.**

**STORE AT ROOM TEMPERATURE**

**INACTIVE INGREDIENTS**

Mineral Oil, Petrolatum, Purified Water

**FIRST AID ANTIBIOTIC OINTMENT**

A crucial wound care ointment for any first aid kit.

## INFECTION PROTECTION

Helps prevent infection in minor cuts, scrapes, and burns.

## EFFECTIVE FORMULA

Formulated with bacitracin zinc, neomycin sulfate, and polymyxin B sulfate to provide comprehensive protection.


## PROMOTES HEALING

Aids in the healing process by nourishing the skin, helping to minimize the appearance of scars after healing.




Triple Antibiotic Ointment - 0.03oz ( 0.9 g)  
RHB3032P144CT

Distributed by




vivehealthusa

**vive**care®




1. Clean the affected area.



2. Apply a small amount of ointment (an amount equal to the surface area of the tip of a finger) on the area 1 to 3

times daily.



3. (Optional) Cover with a sterile bandage.

**REF** RHB3032P144CT

LOT NO.:

MFG DATE:

EXP DATE:

**vivecare**<sup>®</sup>

## **DRUG FACTS**

### **Active Ingredients**

### **Purpose**

Bacitracin Zinc (400 units).....	first aid antibiotic
Neomycin Sulfate (3.5 mg).....	first aid antibiotic
Polymyxin B Sulfate (5,000 units).....	first aid antibiotic

## **USE**

First aid to help prevent infection in minor:

- Cuts
- Scrapes
- Burns

## **WARNINGS**

**For external use only.**

## **DO NOT USE**

- If you are allergic to any of the ingredients
- In the eyes
- Over large areas of the body
- Longer than 1 week unless directed by doctor

## **ASK A DOCTOR BEFORE USE IF YOU HAVE**

- Deep or puncture wounds
- Animal bites
- Serious burns

## **STOP USE AND ASK A DOCTOR IF**

- Condition persists or gets worse
- A rash or other allergic reaction develops

**KEEP OUT OF REACH OF CHILDREN.**

**IF SWALLOWED, GET MEDICAL HELP  
OR CONTACT A POISON CONTROL CENTER  
RIGHT AWAY.**

**STORE AT ROOM TEMPERATURE**

**INACTIVE INGREDIENTS**

Mineral Oil, Petrolatum, Purified Water



**DRUG FACTS**

**Active Ingredients**

**Purpose**

Bacitracin Zinc (400 units).....first aid antibiotic

Neomycin Sulfate (3.5 mg).....first aid antibiotic  
Polymyxin B Sulfate (5,000 units).....first aid antibiotic

## **USE**

First aid to help prevent infection in minor:

- Cuts
- Scrapes
- Burns

## **WARNINGS**

**For external use only.**

## **DO NOT USE**

- If you are allergic to any of the ingredients
- In the eyes
- Over large areas of the body
- Longer than 1 week unless directed by doctor

## **ASK A DOCTOR BEFORE USE IF YOU HAVE**

- Deep or puncture wounds
- Animal bites
- Serious burns

## **STOP USE AND ASK A DOCTOR IF**

- Condition persists or gets worse
- A rash or other allergic reaction develops

**KEEP OUT OF REACH OF CHILDREN.  
IF SWALLOWED, GET MEDICAL HELP  
OR CONTACT A POISON CONTROL CENTER  
RIGHT AWAY.**

**STORE AT ROOM TEMPERATURE**

**INACTIVE INGREDIENTS**

Mineral Oil, Petrolatum, Purified Water



**DRUG FACTS**

**Active Ingredients**

**Purpose**

Bacitracin Zinc (400 units).....	first aid antibiotic
Neomycin Sulfate (3.5 mg).....	first aid antibiotic
Polymyxin B Sulfate (5,000 units).....	first aid antibiotic

**USE**

**USE**

First aid to help prevent infection in minor:

- Cuts
- Scrapes
- Burns

**WARNINGS**

**For external use only.**

**DO NOT USE**

- If you are allergic to any of the ingredients
- In the eyes
- Over large areas of the body
- Longer than 1 week unless directed by doctor

**ASK A DOCTOR BEFORE USE IF YOU HAVE**

- Deep or puncture wounds
- Animal bites
- Serious burns

**STOP USE AND ASK A DOCTOR IF**

- Condition persists or gets worse
- A rash or other allergic reaction develops


**KEEP OUT OF REACH OF CHILDREN.  
IF SWALLOWED, GET MEDICAL HELP  
OR CONTACT A POISON CONTROL CENTER  
RIGHT AWAY.**

**STORE AT ROOM TEMPERATURE**


**INACTIVE INGREDIENTS**

Mineral Oil, Petrolatum, Purified Water


**vivecare**<sup>®</sup>



1. Clean the affected area.



2. Apply a small amount of ointment (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.



3. (Optional) Cover with a sterile bandage.

REF RHB3032P144CT

LOT NO.:

MFG DATE:

EXP DATE:

vivecare®

OTC

# TRIPLE ANTIBIOTIC OINTMENT

**FIRST AID ANTIBIOTIC OINTMENT**

MINOR CUTS | SCRAPES | BURNS

BACITRACIN ZINC | NEOMYCIN SULFATE | POLYMYXIN B SULFATE





144 PACKETS  
NET WT. 0.03OZ ( 0.9 g)



## **FIRST AID ANTIBIOTIC OINTMENT**

A crucial wound care ointment for any first aid kit.

### **INFECTION PROTECTION**

Helps prevent infection in minor cuts, scrapes, and burns.

### **EFFECTIVE FORMULA**

Formulated with bacitracin zinc, neomycin sulfate, and polymyxin B sulfate to provide comprehensive protection.

### **PROMOTES HEALING**

Aids in the healing process by nourishing the skin, helping to minimize the appearance of scars

after healing.



Triple Antibiotic Ointment - 0.03oz ( 0.9 g)  
RHB3032P144CT

Distributed by



## TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84722-3032
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>POLYMYXIN B</b> (UNII: J2VZ07J96K) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U]
<b>BACITRACIN</b> (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U]
<b>NEOMYCIN</b> (UNII: I16QD7X297) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	

### Packaging

Marketing Start      Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84722-3032-0	144 in 1 PACKET; Type 0: Not a Combination Product	10/01/2024	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M004	10/01/2024		

**Labeler** - Vive Health LLC (047025993)

Revised: 10/2024

Vive Health LLC