

LIDOCAINE- lidocaine, menthol patch
Vive Health LLC

| Drug Facts | | | |
|---|----------------|--|--|
| Active ingredient | Purpose | Do not use <ul style="list-style-type: none"> • more than 1 patch at a time • on wounds or damaged skin • with a heating pad • if you are allergic to any ingredients of this product • if pouch is damaged or opened When using this product <ul style="list-style-type: none"> • Do not microwave • Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch. Use only as directed <ul style="list-style-type: none"> • Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use. | Stop use and consult a doctor if <ul style="list-style-type: none"> • Condition worsens • Redness is present • Irritation develops injury, such as pain, swelling or blistering where the product was applied. |
| Uses Use for the temporary relief of pain | | | If pregnant or breastfeeding, ask a health professional before use. |
| Warnings For external use only | | | Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away. |
| Directions Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. Children under 12 years of age: consult a physician. | | | Other Information Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture. |
| Inactive Ingredients Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80. | | | |

FAST-ACTING AND LONG-LASTING


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

TARGETED PAIN MANAGEMENT

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

EFFECTIVE PAIN RELIEF

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing



vive health
 8955 Fontana Del Sol Way
 Naples, FL 34109
 1-800-487-3808
 www.vivehealth.com
 Made in China



Lidocaine Patches
 RHB3041CT5



(01)00810113579115(241)RHB3041CT5

Drug Facts

| Active ingredient | Purpose |
|-------------------|---------|
|-------------------|---------|

| | |
|-------------------|--------------------|
| Lidocaine 4%..... | Topical anesthetic |
| Menthol 1% | Topical anesthetic |

Uses

Use for the temporary relief of pain

Warnings

For external use only

Directions

Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

Do not use

- more than 1 patch at a time
 - on wounds or damaged skin
 - with a heating pad
 - if you are allergic to any ingredients of this product
 - if pouch is damaged or opened
- When using this product
- Do not microwave
 - Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Use only as directed

- Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use.

Stop use and consult a doctor if

- Condition worsens
- Redness is present
- Irritation develops injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding,

ask a health professional before use.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.

Other Information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80.

FAST-ACTING AND LONG-LASTING


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

TARGETED PAIN MANAGEMENT

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

EFFECTIVE PAIN RELIEF

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing

vive
health

8955 Fontana Del Sol Way
Naples, FL 34109
1-800-487-3808
www.vivehealth.com
Made in China



Lidocaine Patches
RHB3041CT5



Drug Facts

| Active ingredient | Purpose |
|-------------------|--------------------|
| Lidocaine 4%..... | Topical anesthetic |
| Menthol 1% | Topical anesthetic |

Uses
Use for the temporary relief of pain

Warnings
For external use only

Directions
Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product
- if pouch is damaged or opened

When using this product

- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Use only as directed

- Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use.

Stop use and consult a doctor if

- Condition worsens
- Redness is present
- Irritation develops injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.

Other Information
Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80.

FAST-ACTING AND LONG-LASTING


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

TARGETED PAIN MANAGEMENT

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

EFFECTIVE PAIN RELIEF

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing

vive
health

8955 Fontana Del Sol Way
Naples, FL 34109
1-800-487-3808
www.vivehealth.com
Made in China



Lidocaine Patches
RHB3041CT5



| Drug Facts | | | |
|---|--------------------|--|--|
| Active ingredient | Purpose | Do not use <ul style="list-style-type: none"> • more than 1 patch at a time • on wounds or damaged skin • with a heating pad • if you are allergic to any ingredients of this product • if pouch is damaged or opened • When using this product • Do not microwave • Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch. Use only as directed <ul style="list-style-type: none"> • Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use. | Stop use and consult a doctor if <ul style="list-style-type: none"> • Condition worsens • Redness is present • Irritation develops injury, such as pain, swelling or blistering where the product was applied. |
| Lidocaine 4%..... | Topical anesthetic | | If pregnant or breastfeeding, ask a health professional before use. |
| Menthol 1% | Topical anesthetic | | |
| Uses Use for the temporary relief of pain | | | |
| Warnings For external use only | | Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away. | |
| Directions Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. Children under 12 years of age: consult a physician. | | | |
| Inactive Ingredients Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, gloydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80. | | Other Information Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture. | |

FAST-ACTING AND LONG-LASTING


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

TARGETED PAIN MANAGEMENT

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

EFFECTIVE PAIN RELIEF

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing



8955 Fontana Del Sol Way
Naples, FL 34109
1-800-487-3808
www.vivehealth.com



Lidocaine Patches
RHB3041CT5



Made in China



Drug Facts

| Active ingredient | Purpose |
|-------------------|--------------------|
| Lidocaine 4%..... | Topical anesthetic |
| Menthol 1% | Topical anesthetic |

Uses
Use for the temporary relief of pain

Warnings
For external use only

Directions
Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. **Children under 12 years of age:** consult a physician.

Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product
- if pouch is damaged or opened

When using this product

- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Use only as directed

- Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use.

Stop use and consult a doctor if

- Condition worsens
- Redness is present
- Irritation develops injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.

Other Information
Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glycydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80.

FAST-ACTING AND LONG-LASTING


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

TARGETED PAIN MANAGEMENT

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

EFFECTIVE PAIN RELIEF

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing



Lidocaine Patches
RHB3041CT5



8955 Fontana Del Sol Way
Naples, FL 34109
1-800-487-3808



(01)00810113579115(241)RHB3041CT5

Drug Facts

Active ingredient Purpose
Lidocaine 4%.....Topical anesthetic
Menthol 1%Topical anesthetic

Uses
Use for the temporary relief of pain

Warnings
For external use only

Directions
Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. **Children under 12 years of age:** consult a physician.

Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product
- if pouch is damaged or opened

When using this product

- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Use only as directed

- Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use.

Stop use and consult a doctor if

- Condition worsens
- Redness is present
- Irritation develops injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.

Other Information
Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glaydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80.

FAST-ACTING AND LONG-LASTING


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

TARGETED PAIN MANAGEMENT

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

EFFECTIVE PAIN RELIEF

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing



8 10113 57911 5

Lidocaine Patches
RHB3041CT5



Naples, FL 34109
 1-800-487-3808
 www.vivehealth.com
 Made in China



(01)00810113579115(241)RHB3041CT5

Drug Facts

Active ingredient Purpose
 Lidocaine 4%.....Topical anesthetic
 Menthol 1%Topical anesthetic

Uses
 Use for the temporary relief of pain

Warnings
 For external use only

Directions
 Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. **Children under 12 years of age:** consult a physician.

Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product
- if pouch is damaged or opened

When using this product

- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Use only as directed

- Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use.

Stop use and consult a doctor if

- Condition worsens
- Redness is present
- Irritation develops injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.

Other Information
 Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glycydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80.

FAST-ACTING AND LONG-LASTING


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

TARGETED PAIN MANAGEMENT

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

EFFECTIVE PAIN RELIEF

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing



8 10113 57911 5

Lidocaine Patches

vive
health

8955 Fontana Del Sol Way
Naples, FL 34109
1-800-487-3808
www.vivehealth.com
Made in China

RHB3041CT5



(01)00810113579115(241)RHB3041CT5

ORIGINAL FORMULA
DR. PAT'S
LIDOCAINE
PATCHES

MAXIMUM STRENGTH RELIEF

INSTANT & SOOTHING COLD


4% LIDOCAINE

PLUS 1% MENTHOL



5 PATCHES

5.5" x 4" / 14 x 10 cm



Drug Facts

| Active ingredient | Purpose |
|--------------------------|--------------------|
| Lidocaine 4%..... | Topical anesthetic |
| Menthol 1% | Topical anesthetic |

Uses

Use for the temporary relief of pain

Warnings

For external use only

Directions

Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product
- if pouch is damaged or opened
- When using this product
- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Use only as directed

- Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use.

Stop use and consult a doctor if

- Condition worsens
- Redness is present
- Irritation develops injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.

Other Information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80.

FAST-ACTING AND LONG-LASTING


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

TARGETED PAIN MANAGEMENT

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

EFFECTIVE PAIN RELIEF

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing





8955 Fontana Del Sol Way
Naples, FL 34109
1-800-487-3808
www.vivehealth.com
Made in China

Lidocaine Patches
RHB3041CT5



(01)00810113579115(241)RHB3041CT5

LIDOCAINE

lidocaine, menthol patch

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:84722-3041 |
| Route of Administration | TRANSDERMAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE | 0.4 g in 10 g |
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL | 0.1 g in 10 g |

Inactive Ingredients

| Ingredient Name | Strength |
|------------------------------------|----------|
| KAOLIN (UNII: 24H4NWX5CO) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:84722-3041-0 | 5 g in 1 PACKET; Type 0: Not a Combination Product | 10/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017 | 10/01/2024 | |

Labeler - Vive Health LLC (047025993)

