

# **KEEPS MINOXIDIL TOPICAL SOLUTION, 5%- minoxidil solution solution Keeps (30 Madison)**

-----  
**Keeps Minoxidil Topical Solution USP, 5%**

## ***Drug Facts***

### **Active ingredient**

Minoxidil USP 5% w/v

### **Purpose**

Hair regrowth treatment for men

### **Use**

to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

### **Warnings**

**For external use only. For use by men only.**

**Flammable:** Keep away from fire or flame

### **Do not use if**

- you are a woman
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical solution is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have** heart disease

### **When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work

for all men.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

**Other information**

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies with mostly white men aged 18 to 49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25° C (68° to 77° F)

**Inactive ingredients**

alcohol (28.86% v/v), propylene glycol, purified water


**Made in Israel****Distributed by:**

Thirty Madison, Inc. New York, NY 10016

**Questions?**

Call toll-free **1-866-923-4914**

**PRINCIPAL DISPLAY PANEL - 60 mL Bottle Carton**



## KEEPS MINOXIDIL TOPICAL SOLUTION, 5%

minoxidil solution solution

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71713-102
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	50 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71713-102-09	3 in 1 CARTON	08/31/2025	
1	NDC:71713-102-04	60 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA217998	08/31/2025	

Labeler - Keeps (30 Madison) (080774087)

Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries Ltd.		600072078	manufacture(71713-102)

Revised: 8/2025

Keeps (30 Madison)