

PHENOL- phenol spray
CHAIN DRUG MARKETING ASSOCIATION INC.

Sore Throat

Relief Spray

Active Ingredient

Purpose

Phenol 1.4%..... Oral Anesthetic/Analgesic

Sore Throat Relief

Uses

- For temporary relief of occasional minor throat irritation, pain, sore mouth, sore throat.

Warnings

Sore throat warning: Severe and persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by a doctor.

When using this product do not exceed recommended dose. Do not use more than 2 days. Use only as directed. Use of this container by more than one person may spread infection.

Stop use and ask a doctor or dentist if

- sore throat symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

If pregnant or breast-feeding ask a doctor before use.

Keep out of reach of children. In case of overdose or accidental poisoning, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 3 years of age and older.

- Apply to the affected area (one spray)
- Allow to remain in place for at least 15 seconds, then spit out
- Use every 2 hours or as directed by a doctor or dentist. **Children under 12 years**

of age should be supervised in the use of this product. **Children under 3 years of age**, consult a doctor or dentist

- Before using the first time, remove the protective neck band and dust cap from the tip. To spray hold bottle straight up and press the nozzle with index finger without tilting head. Fully depress pump all the way down with a firm, even stroke. Wipe nozzle dry.

Other information

- Store at room temperature

Inactive ingredients

cherry flavor, FD&C Red #40, glycerin, purified water, sodium saccharin.

- Tamper Evident: Do not use if printed shrink band is broken or missing.
- This product is not manufactured or distributed by Prestige Brands Inc., distributor of Chloraseptic.

Questions or comments?

call 866-200-8310 (Mon-Fri. 9 am-5 pm EST)

Distributed by C.D.M.A Inc.

Novi, MI 48375

www.qualitychoice.com

Question: 800-935-2362

PRINCIPAL DISPLAY PANEL

NDC-83324-031-06

	<p>Drug Facts</p> <table border="1"> <tr> <td>Active ingredient Phenol 1.4%</td> <td>Purpose Oral Anesthetic/Analgesic</td> </tr> </table> <p>Uses: For temporary relief of occasional minor throat irritation, pain, sore mouth, sore throat.</p> <p>Warnings Sore throat warning: Severe and persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by a doctor.</p> <p>When using this product do not exceed recommended dose. Do not use more than 2 days. Use only as directed. Use of this container by more than one person may spread infection.</p> <p>Stop use and ask a doctor or dentist if ■ sore throat symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ swelling, rash or fever develops</p> <p>If pregnant or breast-feeding ask a doctor before use.</p> <p>Keep out of reach of children. In case of overdose or accidental poisoning, get medical help or contact a Poison Control Center right away.</p> <p>Directions Adults and children 3 years of age and older: ■ Apply to the affected area (one spray) ■ Allow to remain in place for at least 15 seconds, then spit out ■ Use every 2 hours or as directed by a</p>	Active ingredient Phenol 1.4%	Purpose Oral Anesthetic/Analgesic	<p>TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINK BAND IS BROKEN OR MISSING</p> <p>Drug Facts (continued)</p> <p>doctor or dentist. Children under 12 years of age should be supervised in the use of this product. Children under 3 years of age, consult a doctor or dentist ■ Before using the first time, remove the protective neck band and dust cap from the tip. To spray hold bottle straight up and press the nozzle with index finger without tilting head. Fully depress pump all the way down with a firm, even stroke. Wipe nozzle dry.</p> <p>Other information: Store at room temperature</p> <p>Inactive ingredients cherry flavor, FD&C Red #40, glycerin, purified water, sodium saccharin.</p> <p>Question or comments Call 866-200-8310 (Mon.-Fri. 9 am-4 pm EST)</p> <p>Distributed by CDMA, Inc. Novi, MI 48375 www.qualitychoice.com Question: 800-935-2362</p> <p>*This product is not manufactured or distributed by Prestige Brands Inc., distributor of Chloraseptic®.</p> <p>Lot: _____ Exp: _____</p> <p>6 35515 97536 1</p>
Active ingredient Phenol 1.4%	Purpose Oral Anesthetic/Analgesic			

PHENOL
phenol spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83324-031
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	14 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM SACCHARIN (UNII: SB8ZUX40TY)	
WATER (UNII: 059QF0KOOR)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-031-06	177 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	12/12/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	12/12/2024	

Labeler - CHAIN DRUG MARKETING ASSOCIATION INC. (011920774)**Registrant** - Seaway Pharma Inc. (117218785)**Establishment**

Name	Address	ID/FEI	Business Operations
Seaway Pharma Inc.		117218785	manufacture(83324-031)

Revised: 12/2024

CHAIN DRUG MARKETING ASSOCIATION INC.