

CLEANSER- oiw niacinamide brightening facial cleanser emulsion
Guangzhou Meiya Cosmetics Co. ,Ltd.

Function:Contains Niacinamide ,Multiple amino acids and soybean extracts.The foam is soft and delicate, cleanses the excess oil and dirt on the face, moisturizes and nourishes the skin, makes the skin elastic and makes the skin bright and moist.

HOW TO USE : After moistening the face with clean water, apply an appropriate amount of this product to the palm of your hand, massage the face skin for 1-2 minutes, and rinse with clean water.

1. This product is for external use only and is not edible;
2. Avoid eye contact, if accidentally into the eyes, please rinse with water immediately;
3. Do not use it if you have dermatitis or skin damage;
4. Depending on the individual's physical condition, before use,It is recommended to have an allergy test behind the ear and stop using it immediately if you feel unwell.
5. Please keep it out of reach of children, Beware of Children's Mis-eating, and children under the age of 3 should not use it.

1. Avoid eye contact, if accidentally into the eyes, please rinse with water immediately;
2. Do not use it if you have dermatitis or skin damage;
3. Depending on the individual's physical condition, before use,It is recommended to have an allergy test behind the ear and stop using it immediately if you feel unwell.

1. Avoid eye contact, if accidentally into the eyes, please rinse with water immediately;
2. Do not use it if you have dermatitis or skin damage;
3. Depending on the individual's physical condition, before use,It is recommended to have an allergy test behind the ear and stop using it immediately if you feel unwell.

Please keep it out of reach of children, Beware of Children's Mis-eating, and children under the age of 3 should not use it.

1. This product is for external use only and is not edible;
2. Avoid eye contact, if accidentally into the eyes, please rinse with water immediately;
3. Do not use it if you have dermatitis or skin damage;
4. Depending on the individual's physical condition, before use,It is recommended to have an allergy test behind the ear and stop using it immediately if you feel unwell.
5. Please keep it out of reach of children, Beware of Children's Mis-eating, and children under the age of 3 should not use it.



CLEANSER

ojw niacinamide brightening facial cleanser emulsion

Product Information

| | | | |
|--------------------------------|---|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:84673-012 |
| Route of Administration | CONJUNCTIVAL, BUCCAL, AURICULAR (OTIC), CUTANEOUS, DENTAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| NIACINAMIDE (UNII: 25X5118RD4) (NIACINAMIDE - UNII:25X5118RD4) | NIACINAMIDE | 100 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|------------------|
| WATER (UNII: 059QF0KO0R) | 46.769 mg in 1 g |
| STEARIC ACID (UNII: 4ELV7Z65AP) | 9.2 mg in 1 g |
| PALMITIC ACID (UNII: 2V16EO95H1) | 13.8 mg in 1 g |
| LAURETH-7 (UNII: Z95S6G8201) | 0.07 mg in 1 g |
| CETEARETH-25 (UNII: 8FA93U5T67) | 1 mg in 1 g |
| PEG-150 DISTEARATE (UNII: 6F36Q0I0AC) | 0.4925 mg in 1 g |

| | |
|--|----------------------|
| METHYLPARABEN (UNII: A2I8C7HI9T) | 0.2 mg in 1 g |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | 0.1 mg in 1 g |
| SODIUM LACTATE (UNII: TU7HW0W0QT) | 0.0005 mg in 1 g |
| GLYCINE (UNII: TE7660XO1C) | 0.0004 mg in 1 g |
| ALANINE (UNII: OF5P57N2ZX) | 0.0003 mg in 1 g |
| PROLINE (UNII: 9DLQ4CIU6V) | 0.00025 mg in 1 g |
| ISOLEUCINE (UNII: 04Y7590D77) | 0.00025 mg in 1 g |
| ASPARTIC ACID (UNII: 30KYC7MIAI) | 0.00025 mg in 1 g |
| VALINE (UNII: HG18B9YRS7) | 0.00025 mg in 1 g |
| SODIUM LAUROYL SARCOSINATE (UNII: 632GS99618) | 0.003 mg in 1 g |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | 0.00003 mg in 1 g |
| FOLIC ACID (UNII: 935E97BOY8) | 0.000002 mg in 1 g |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | 0.000002 mg in 1 g |
| HYDROXYPROPYL TETRAHYDROPYRANTRIOL (UNII: 4U3GMG1OT1) | 0.000005 mg in 1 g |
| HEXAPEPTIDE-9 (UNII: L25414IE41) | 0.00000002 mg in 1 g |
| ACETYL TETRAPEPTIDE-5 (UNII: Y1DFQ308G8) | 0.0000001 mg in 1 g |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | 0.00000004 mg in 1 g |
| RESVERATROL (UNII: Q369O8926L) | 0.0000003 mg in 1 g |
| SERINE (UNII: 452VLY9402) | 0.00045 mg in 1 g |
| HYDROXYACETOPHENONE (UNII: G1L3HT4CMH) | 0.0000005 mg in 1 g |
| POTASSIUM HYDROXIDE (UNII: WZH3C48M4T) | 5.75 mg in 1 g |
| LAURIC ACID (UNII: 1160N9NU9U) | 4 mg in 1 g |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | 0.0175 mg in 1 g |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | 0.002 mg in 1 g |
| ARGININE (UNII: 94ZLA3W45F) | 0.00025 mg in 1 g |
| LEUCINE (UNII: GMW67QNF9C) | 0.00025 mg in 1 g |
| CARNOSINE (UNII: 8HO6PVN24W) | 0.0001 mg in 1 g |
| GLYCERIN (UNII: PDC6A3C0OX) | 10 mg in 1 g |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:84673-012-12 | 100 g in 1 BOTTLE; Type 0: Not a Combination Product | 04/14/2024 | 04/14/2027 |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | 505G(a)(3) | 04/14/2024 | 04/14/2027 |

Labeler - Guangzhou Meiya Cosmetics Co.,Ltd. (553030421)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------------------|---------|-----------|------------------------|
| Guangzhou Meiya Cosmetics Co.,Ltd. | | 553030421 | manufacture(84673-012) |

Revised: 10/2024

Guangzhou Meiya Cosmetics Co. ,Ltd.