

**REVERSE REGIMEN FOR THE APPEARANCE OF SKIN DULLNESS, DISCOLORATION AND UNEVEN SKIN TONE- avobenzone, homosalate, octisalate, octocrylene lotion**  
**Rodan & Fields**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Broad Spectrum SPF 50+ Sunscreen**

**50 mL/1.7 Fl. Oz. U.S.**

**Drug Facts**

**Active ingredients**

Avobenzone 3%

Homosalate 10%

Octisalate 5%

Octocrylene 2.6%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use on** damaged or broken skin

**When using this product keep** out of eyes. Rinse with water to remove.

**Stop use and ask doctor if** rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure
- Reapply:
  - at least every 2 hours
  - use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.

- wear long-sleeve shirts, pants, hats and sunglasses
- Children under 6 months: Ask a doctor

### **Other Information**

- Protect this product from excessive heat and direct sun.

### **Inactive Ingredients**

Water/Aqua/Eau, Caprylyl Methicone, Dipropylene Glycol, Dicaprylyl Carbonate, PEG/PPG-17/6 Copolymer, Alcohol Denat., Methyl Glucose Sesquistearate, Potassium Cetyl Phosphate, Dipotassium Glycyrrhizate, Adenosine, Tocopheryl Acetate, Euterpe Oleracea Fruit Extract, Morus Alba Root Extract, Portulaca Oleracea Extract, Camellia Oleifera Leaf Extract, Dunaliella Salina Extract, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Polyacrylate-15, Cetyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, Hydrogenated Palm Glycerides, Fragrance/Parfum, Isohexadecane, Panthenol, Butylene Glycol, PEG-10 Dimethicone, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Polyacrylate-17, Polysorbate 80, Polydecene, C11-15 Pareth-40, C11-15 Pareth-7, Sorbitan Oleate, Disodium Lauryl Sulfosuccinate, Sodium Laureth-12 Sulfate, Potassium Hydroxide, Disodium EDTA, Tetrasodium EDTA, Phenoxyethanol, Caprylyl Glycol, Citral, Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde, Limonene, Linalool.

### **Deep Exfoliating Wash**

**125 mL/4.2 Fl. Oz. U.S.**

### **Product Details**

### **Directions**

Wet skin with lukewarm water. Using fingertips, gently and evenly massage a thin, even layer over the entire face for 30-60 seconds, avoiding contact with eyes. Rinse thoroughly with water and pat dry. Use once every other day for the first week and increase to twice daily as tolerated.

### **Warnings**

For external use only. When using this product keep out of eyes. Rinse with water to remove. If irritation or rash occurs, discontinue use and consult your doctor. Keep out of reach of children. If product is swallowed, seek medical attention.

### **Ingredients**

Water/Aqua/Eau, C12-15 Alkyl Benzoate, Diethylhexyl Sebacate, Polylactic Acid, Cetearyl Alcohol, Jojoba Esters, PEG-40 Stearate, Glyceryl Stearate, Ammonium Laureth Sulfate, Magnesium Aluminum Silicate, Pentylene Glycol, Potassium Cetyl Phosphate, Cetareth-20, Hydroxyacetophenone, Lactic Acid, Mentha Piperita (Peppermint) Oil, Fragrance/Parfum, Xanthan Gum, Glycolic Acid, Sodium Magnesium Silicate, Propylene Glycol, Citric Acid, Phenoxyethanol, Potassium Sorbate, Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde, Limonene, Linalool, Yellow 5 (CI 19140), Yellow 6 (CI 15985).

### **Intensive Brightening Toner**

**125 mL/4.2 Fl. Oz. U.S.**

### **Product Details**

### **Directions**

Apply evenly to entire face with a fresh gauze pad, avoiding the eye area. Do not rinse off. Allow to dry. Use morning and evening. Use once every other day for the first week and increase to twice daily as tolerated.

### **Warnings**

For external use only. When using this product keep out of eyes. Rinse with water to remove. If irritation or rash occurs, discontinue use and consult your doctor. Keep out of reach of children. If product is swallowed, seek medical attention.

### **Ingredients**

Water/Aqua/Eau, Hamamelis Virginiana (Witch Hazel) Water, Butylene Glycol, Polysorbate 20, Ethoxydiglycol, Alcohol, Kojic Acid, Dipotassium Glycyrrhizate, Glycyrrhiza Glabra (Licorice) Root Extract, Salicylic Acid, Phenylethyl Resorcinol, Tocopherol, Alanine, Glycine, Isoleucine, Leucine, Fragrance/Parfum, Sodium Sulfite, PEG-12 Dimethicone, Sodium Metabisulfite, Sodium Hydroxide, Citric Acid, Disodium EDTA, Caprylyl Glycol, Chlorphenesin, Phenoxyethanol, Citral, Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde, Limonene, Linalool.

### **Dual Active Brightening Complex**

**2 x 25 mL/0.85 Fl. Oz. U.S.**

### **Product Details**

### **Directions**

After cleansing and toning, dispense an equal pea-sized amount of product from each tube, side by side. Blend product and apply evenly over the entire face, avoiding eye area. Allow product to be absorbed. Do not rinse off. Use once every other day for the first week and increase to twice daily as tolerated.

### **Warnings**

For external use only. When using this product keep out of eyes. Rinse with water to remove. If irritation or rash occurs, discontinue use and consult your doctor. Keep out of reach of children. If product is swallowed, seek medical attention.

### **Other information**

Store between 2-8 °C (35-47 °F)

### **Ingredients**

**Vitamin C Formula:** Isododecane, Cyclopentasiloxane, Cyclohexasiloxane, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Ethoxydiglycol, Ascorbic Acid, Caprylic/Capric Triglyceride, Kojic Acid, Ethylhexyl Hydroxystearate, Polysilicone-11, Syringa Vulgaris (Lilac) Leaf Cell Culture Extract, Maltodextrin.

**Retinol Formula:** Water/Aqua/Eau, Caprylic/Capric Triglyceride, Butyrospermum Parkii (Shea) Butter, Glycerin, Glyceryl Stearate, Ethoxydiglycol, Butylene Glycol, Carthamus Tinctorius (Safflower) Seed Oil, Stearic Acid, Polysorbate 60, Stearyl Alcohol, Cyclopentasiloxane, Cyclohexasiloxane, Retinol, Dipotassium Glycyrrhizate, Glycyrrhiza Glabra (Licorice) Root Extract, Sodium Hyaluronate, Sorbitol, Tocopheryl Acetate, Fragrance/Parfum, Polysorbate 20, Carbomer, Triethanolamine, Glyceryl Acrylate/Acrylic Acid Copolymer, Caprylyl Glycol, Hexylene Glycol, Ethylhexylglycerin, BHT, Citric Acid, Disodium EDTA, Phenoxyethanol, Methylparaben, Propylparaben, Citral,

Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde, Limonene, Linalool, Yellow 5 (CI 19140).

## **Principal Display Panel - Rodan Fields Reverse Carton Label**

### **RODAN + FIELDS® REVERSE™**

Regiment for the Appearance of  
Skin Dullness, Discoloration and  
Uneven Skin Tone

Based on Multi-Med® Therapy, **REVERSE** Brightening Regimen is a complete skincare system that combines cosmetic and OTC ingredients to visibly brighten and even discolored skin. The highly effective formulas contain Vitamin C and Retinol to provide a long-term solution for a more radiant, even complexion.

This 4-step Regimen was developed by Stanford-trained dermatologists Dr. Katie Rodan and Dr. Kathy Fields.

### **RODAN + FIELDS®**

#### **BRIGHTENING**

Deep Exfoliating Wash

125 mL/  
4.2 Fl.Oz. U.S.

Intensive Brightening Toner

125 mL/  
4.2 Fl.Oz. U.S.

Dual Active Brightening Complex

2 x 25 mL/  
0.85 Fl.Oz. U.S.

Broad Spectrum  
SPF 50+ Sunscreen

50 mL/  
1.7 Fl.Oz. U.S.

Take a picture prior to starting your Regimen.  
Upload your BEFORE and AFTER images at [rodanandfieldresults.com](http://rodanandfieldresults.com)



**TRACK YOUR PROGRESS**

# RODAN+FIELDS® REVERSE™

Regimen for the Appearance of  
Skin Dullness, Discoloration and  
Uneven Skin Tone

Based on Multi-Med® Therapy, **REVERSE** Brightening Regimen is a complete skincare system that combines cosmetic and OTC ingredients to visibly brighten and even discolored skin. The highly effective formulas contain Vitamin C and Retinol to provide a long-term solution for a more radiant, even complexion.

This 4-step Regimen was developed by Stanford-trained dermatologists Dr. Katie Rodan and Dr. Kathy Fields.

**RODAN+FIELDS®**

**BRIGHTENING**

Deep Exfoliating Wash	Intensive Brightening Toner	Dual Active Brightening Complex	Broad Spectrum SPF 50+ Sunscreen
125 mL/ 4.2 Fl. Oz. U.S.	125 mL/ 4.2 Fl. Oz. U.S.	2 x 25 mL/ 0.85 Fl. Oz. U.S.	50 mL/ 1.7 Fl. Oz. U.S.

*life-changing SKINCARE*

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
RVREGIM: 9000-05-0013 (6000-05-2193)  
Please Recycle



life-changing SKINCARE™

**Deep Exfoliating Wash**  
125 mL/4.2 FL. Oz. U.S.

**Product Details**

**Directions**

Wet skin with lukewarm water. Using fingertips, gently and evenly massage a thin, even layer over the entire face for 30-60 seconds, avoiding contact with eyes. Rinse thoroughly with water and pat dry. Use once every other day for the first week and increase to twice daily as tolerated.

**Warnings**

For external use only. When using this product keep out of eyes. Rinse with water to remove. If irritation or rash occurs, discontinue use and consult your doctor. Keep out of reach of children. If product is swallowed, seek medical attention.

**Ingredients**

Water/Aqua/Eau, C12-15 Alkyl Benzoate, Diethylhexyl Sebacate, Polyactic Acid, Cetearyl Alcohol, Xylitol Glucoside, PEG-40 Stearate, Glyceryl Stearate, Ammonium Lauryl Sulfate, Magnesium Aluminum Silicate, Penthylene Glycol, Potassium Citrate Phosphate, Cetostearyl-20, Hydroxyacetophenone, Lactic Acid, Mentha Piperita (Peppermint) Oil, Fragrance/Parfum, Xanthan Gum, Glycolic Acid, Sodium Magnesium Silicate, Propylene Glycol, Citric Acid, Phenylethanol, Potassium Sorbate, Hydroxyisohexyl 3-Cyclohexane Carboxaldehyde, Limonene, Linalool, Yellow 5 (CI 19140), Yellow 6 (CI 15985).

**Intensive Brightening Toner**  
125 mL/4.2 FL. Oz. U.S.

**Product Details**

**Directions**

Apply evenly to entire face with a fresh gauze pad, avoiding the eye area. Do not rinse off. Allow to dry. Use morning and evening. Use once every other day for the first week and increase to twice daily as tolerated.

**Warnings**

For external use only. When using this product keep out of eyes. Rinse with water to remove. If irritation or rash occurs, discontinue use and consult your doctor. Keep out of reach of children. If product is swallowed, seek medical attention.

**Ingredients**

Water/Aqua/Eau, Hamamelis Virginiana (Witch Hazel) Water, Butylene Glycol, Polysorbate 20, Ethoxyglycol, Alcohol, Kojic Acid, Dipotassium Glycyrrhizate, Glycyrrhiza Glabra (Licorice) Root Extract, Salicylic Acid, Phenylethyl Resorcinol, Tocopherol, Alanine, Glycine, Isoleucine, Leucine, Fragrance/Parfum, Sodium Sulfite, PEG-12 Dimethicone, Sodium Metabисульфит, Sodium Hydroxide, Citric Acid, Disodium EDTA, Caprylyl Glycol, Chlorphenesin, Phenylethanol, Citral, Hydroxyisohexyl 3-Cyclohexane Carboxaldehyde, Limonene, Linalool.

**Dual Active Brightening Complex**  
2 x 25 mL/0.85 FL. Oz. U.S.

**Product Details**

**Directions**

After cleansing and toning, dispense an equal pea-sized amount of product from each tube, side by side. Blend product and apply evenly over the entire face, avoiding eye area. Allow product to be absorbed. Do not rinse off. Use once every other day for the first week and increase to twice daily as tolerated.

**Warnings**

For external use only. When using this product keep out of eyes. Rinse with water to remove. If irritation or rash occurs, discontinue use and consult your doctor. Keep out of reach of children. If product is swallowed, seek medical attention.

**Other Information**

Store between 2-8 °C (35-47 °F)

**Ingredients**

**Vitamin C Formula:** Isodecane, Cyclopentasiloxane, Cyclohexasiloxane, Dimethicone/90-t-butyl PPG-20 Crosspolymer, Ethoxyglycol, Ascorbic Acid, Caprylyl/Capric Triglyceride, Kojic Acid, Ethylhexyl Hydroxyacetate, Polysilicone-11, Sprays Vulgaris (Lilac) Leaf Cell Culture Extract, Malvidiolin.  
**Retinol Formula:** Water/Aqua/Eau, Caprylyl/Capric Triglyceride, Butyrospermum Parkii (Shea) Butter, Glycerin, Glyceryl Stearate, Ethoxyglycol, Butylene Glycol, Carthamus Tinctorius (Safflower) Seed Oil, Stearic Acid, Polysorbate 60, Stearyl Alcohol, Cyclohexasiloxane, Cyclohexasiloxane, Retinol, Dipotassium Glycyrrhizate, Glycyrrhiza Glabra (Licorice) Root Extract, Sodium Hyaluronate, Sorbitol, Tocopheryl Acetate, Fragrance/Parfum, Polysorbate 20, Carbomer, Triethoxycarbonyl Acrylate/Acrylic Acid Copolymer, Caprylyl Glycol, Hexylene Glycol, Ethylhexylglycerin, BHT, Citric Acid, Disodium EDTA, Phenylethanol.

**Broad Spectrum SPF 50+ Sunscreen**  
50 mL/1.7 FL. Oz. U.S.

**Drug Facts**

Active ingredients	Purpose
Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 2.6%	Sunscreen

**Uses**

• Helps prevent sunburn  
• If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Step use and ask doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Apply liberally 15 minutes before sun exposure

- Reapply:
  - at least every 2 hours
  - use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats and sunglasses
  - Children under 6 months. Ask a doctor

**Other Information**

Protect this product from excessive heat and direct sun.

**Inactive Ingredients**

Water/Aqua/Eau, Caprylyl Methicone, Dipropylene Glycol, Dicaprylyl Carbonate, PEG/PPG-1/8 Copolymer, Alcohol Denat., Methyl Glucosyl Stearates, Potassium Citrate Phosphate, Dipotassium Glycyrrhizate, Adenosine, Tocopheryl Acetate, Esters Oleacea Fruit Extract, Menzuba Root Extract, Portulaca Oleracea Extract, Carthamus Tinctorius Leaf Extract, Danaldia Salina Extract, Sodium Acrylate/Sodium Acrylamide/Trimethylammonium Copolymer, Polysorbate-15, Cetyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, Hydroxyethyl Palm Glycolides, Fragrance/Parfum, Isodecane, Pentaerythrityl Diisostearate, PEG-20 Dimethicone, Acrylate/C10-30 Alkyl Acrylate Copolymer, Polysorbate-17, Polysorbate 80, Polysilicone, C11-15 Paraffin-40, C11-15 Paraffin-7, Sorbitan Oleate, Disodium Lauryl Sulfosuccinate, Sodium Lauryl-12 Sulfate, Potassium Hydroxide, Disodium EDTA, Tetrasodium EDTA, Phenylethanol, Caprylyl Glycol, Citral, Hydroxyisohexyl 3-Cyclohexane Carboxaldehyde, Limonene, Linalool.

**Dual Active Brightening Complex**  
2 x 25 mL/0.85 FL. Oz. U.S.

**Product Details**

**(continued)**

Methylsiloxanes, Propylparaben, Citral, Hydroxyisohexyl 3-Cyclohexane Carboxaldehyde, Limonene, Linalool, Yellow 5 (CI 19140).

**Other Information**

You may report a serious adverse reaction to Rodan+Fields®  
QUESTIONS: 1-888-895-5656  
visit [rodanandfields.com](http://rodanandfields.com)

**Principal Display Panel - Rodan Fields Reverse Tube Label**

**RODAN + FIELDS®**  
**REVERSE**

**4 Broad Spectrum**  
**SPF 50 + Sunscreen**

RODAN+FIELDS®  
**REVERSE**

**4**

Broad Spectrum  
SPF 50+ Sunscreen

**PURPOSE:** Helps prevent sunburn and skin discolorations due to sun exposure.

**DIRECTIONS:** Apply a generous dime-sized amount evenly over the entire face every morning, 15 minutes before sun exposure, as the final step in the Regimen. Reapply every 2 hours when exposed to the sun. Avoid the eye area.

**ACTIVE INGREDIENTS:** Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 2.6% Sunscreens

**WARNINGS:** For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Manufactured for Rodan & Fields, LLC  
San Francisco, CA 94105  
Made in USA RVSS050 85-05-0010 Please Recycle  
visit [rodanandfields.com](http://rodanandfields.com)

**QUESTIONS OR COMMENTS 1-888-995-5656**

50 mL/1.7 Fl.Oz.

**REVERSE REGIMEN FOR THE APPEARANCE OF SKIN DULLNESS, DISCOLORATION AND UNEVEN SKIN TONE**

avobenzone, homosalate, octisalate, octocrylene lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14222-50 20
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Avobenzone</b> (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	3.0 g in 100 mL
<b>Homosalate</b> (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	10 g in 100 mL
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	5 g in 100 mL
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	2.6 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0K00R)	
<b>Caprylyl Trisiloxane</b> (UNII: Q95M2P1KJL)	
<b>Dipropylene Glycol</b> (UNII: E107L85C40)	
<b>Dicaprylyl Carbonate</b> (UNII: 609A3V1SUA)	
<b>PEG/PPG-17/6 Copolymer</b> (UNII: P5QZM4T259)	
<b>Alcohol</b> (UNII: 3K9958V90M)	
<b>Methyl Glucose Sesquistearate</b> (UNII: V1YW10H14D)	
<b>Potassium Cetyl Phosphate</b> (UNII: 03KCY6P7UT)	
<b>Glycyrrhizinate Dipotassium</b> (UNII: CA2Y0FE3FX)	
<b>Adenosine</b> (UNII: K72T3FS567)	
<b>.Alpha.-Tocopherol Acetate</b> (UNII: 9E8X80D2L0)	
<b>Acai</b> (UNII: 46AM2VJ0AW)	
<b>Morus Alba Root</b> (UNII: CST1G9BZGD)	
<b>Purslane</b> (UNII: M6S840WXG5)	
<b>Camellia Oleifera Leaf</b> (UNII: 5077EL0C60)	
<b>Dunaliella Salina</b> (UNII: F4O1DKI9A6)	
<b>Sodium Acrylate/Sodium Acryloyldimethyltaurate Copolymer (400000 MW)</b> (UNII: 1DXE3F3OZX)	
<b>Cetyl Alcohol</b> (UNII: 936JST6JCN)	
<b>Glyceryl Monostearate</b> (UNII: 230OU9XXE4)	
<b>PEG-100 Stearate</b> (UNII: YD01N1999R)	
<b>Hydrogenated Palm Glycerides</b> (UNII: YCZ8EM144Q)	
<b>Isohexadecane</b> (UNII: 918X10UF1E)	
<b>Panthenol</b> (UNII: WV9CM0O67Z)	
<b>Butylene Glycol</b> (UNII: 3XUS85K0RA)	
<b>PEG-10 Dimethicone (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>Carbomer Interpolymer Type A (Allyl Sucrose Crosslinked)</b> (UNII: 59TL3WG5CO)	
<b>Polysorbate 80</b> (UNII: 6OZP39ZG8H)	
<b>Hydrogenated Polydecene (550 MW)</b> (UNII: U333RI6EB7)	
<b>C11-15 Pareth-40</b> (UNII: L774F88277)	
<b>C11-15 Pareth-7</b> (UNII: 261HPE0IS3)	
<b>Sorbitan Monooleate</b> (UNII: 06XEA2VD56)	
<b>Disodium Lauryl Sulfosuccinate</b> (UNII: P160Q81342)	
<b>Sodium Laureth-12 Sulfate</b> (UNII: 8M492LDU23)	
<b>Potassium Hydroxide</b> (UNII: WZH3C48M4T)	
<b>Edetate Disodium Anhydrous</b> (UNII: 8NLQ36F6MM)	
<b>Edetate Sodium</b> (UNII: MP1J8420LU)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>Caprylyl Glycol</b> (UNII: 00YIU5438U)	
<b>Citral</b> (UNII: T7EU009VPP)	
<b>Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde</b> (UNII: QUE43B9Z2Q)	
<b>Limonene, (+)-</b> (UNII: GFD7C86Q1W)	
<b>Linalool, (+/-)-</b> (UNII: D81QY6I88E)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-5020-1	1 in 1 BOX	06/01/2017	



1	50 mL in 1 TUBE; Type 0: Not a Combination Product		
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part352	06/01/2017	

**Labeler** - Rodan & Fields (051659584)

Revised: 7/2017

Rodan & Fields