

**EVEN BETTER CLINICAL VITAMIN MAKEUP BROAD SPECTRUM SPF 45-
ensulizole, octinoxate, octisalate, and zinc oxide liquid
CLINIQUE LABORATORIES LLC**

EVEN BETTER CLINICAL VITAMIN MAKEUP BROAD SPECTRUM SPF 45

Active ingredients

ENSULIZOLE 2.7%
OCTINOXATE 6.7%
OCTISALATE 4.5%
ZINC OXIDE 7.7%

Purpose

Sunscreen

Use

helps prevent sunburn

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use

and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

apply liberally 15 minutes before sun exposure

reapply at least every two hours

use a water resistant sunscreen if swimming or sweating

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

limit time in the sun, especially from 10 a.m.-2 p.m.
wear long-sleeved shirts, pants, hats and sunglasses
children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau, methyl trimethicone, dimethicone, niacinamide, neopentyl glycol diheptanoate, phenyl trimethicone, glycerin, tromethamine, lauryl peg-9 polydimethylsiloxyethyl dimethicone, hdi/ppg/polycaprolactone crosspolymer, trimethylsiloxysilicate, polysilicone-11, hexyl laurate, cetyl peg/ppg-10/1 dimethicone, butylene glycol, ascorbyl glucoside, sodium hyaluronate, caffeine, hydrolyzed wheat protein/pvp crosspolymer, polyglyceryl-4 isostearate, trehalose, acetyl glucosamine, triethyl citrate, hydrogenated coco-glycerides, aminopropyl ascorbyl phosphate, dimethicone/divinyldimethicone/silsesquioxane crosspolymer, polyethylene, silica, polymethylsilsesquioxane, disteardimonium hectorite, polyhydroxystearic acid, glyceryl stearate, cetearyl alcohol, ammonium polyacryloyldimethyl taurate, polysorbate 80, stearic acid, polysorbate 20, lecithin, hydrogenated lecithin, palmitic acid, laureth-7, sodium phosphate, disodium phosphate, potassium hydroxide, stearyl alcohol, behenyl alcohol, triethoxycaprylsilane, ascorbyl palmitate, tocopheryl acetate, magnesium ascorbyl phosphate, tetrahexyldecyl ascorbate, bht, disodium edta, phenoxyethanol, potassium sorbate, sodium dehydroacetate, [+/- mica, titanium dioxide (ci 77891), iron oxides (ci 77491), iron oxides (ci 77492), iron oxides (ci 77499)]

Other information

protect the product in this container from excessive heat and direct sun

CLINIQUE

even better clinical

vitamon makeup

broad spectrum SPF 45

1 FL.OZ.LIQ/30 ml



shopability label

shopability label

Allergy Tested.
100% Fragrance Free.
Dermatologist Tested.
Vitamin-infused makeup delivers a radiant finish for healthy-looking skin. Formulated with 5 forms of vitamin C, 4% vitamin B3, and vitamin E. Sheer to moderate coverage. Shake well.

Drug Facts

Active ingredients	Purpose
Ensilazole 2.7%	Sunscreen
Octinoxate 6.7%	
Octisalate 4.5%	
Zinc oxide 7.7%	

Use helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • methyl trimethicone • dimethicone • niacinamide • neopentyl glycol diheptanoate • phenyl trimethicone • glycerin • tromethamine • lauryl peg-9 polydimethylsiloxyethyl dimethicone ▶

Drug Facts (cont.)

hdi/ppg/polycaprolactone crosspolymer • trimethylsiloxyethyl silicate • polysilicone-11 • hexyl laurate • cetyl peg/ppg-10/1 dimethicone • butylene glycol • ascorbyl glucoside • sodium hyaluronate • caffeine • hydrolyzed wheat protein/ppg crosspolymer • polyglyceryl-4 isostearate • trahalose • acetyl glucosamine • triethyl citrate • hydrogenated coco-glycerides • aminopropyl ascorbyl phosphate • dimethicone/dimethylmethicone/silsesquioxane crosspolymer • polyethylene • silica • polymethylsilsesquioxane • disteardimonium hectorite • polyhydroxystearic acid • glyceryl stearate • cetearyl alcohol • ammonium polyacryloyldimethyl taurate • polysorbate 80 • stearic acid • polysorbate 20 • lecithin • hydrogenated lecithin • palmitic acid • laureth-7 • sodium phosphate • disodium phosphate • potassium hydroxide • stearyl alcohol • behenyl alcohol • triethoxycaprylylsilane • ascorbyl palmitate • tocopheryl acetate • magnesium ascorbyl phosphate • tetrahydroxydecyl ascorbate • bht • disodium edta • phenoxethanol • potassium sorbate • sodium dihydroacetate • +/- mica • titanium dioxide (ci 77891) • iron oxides (ci 77491) • iron oxides (ci 77499) [ins3082]

Other information

protect the product in this container from excessive heat and direct sun

***RESPONSIBLE PACKAGE: INNER – PLEASE REMOVE CAP AND PUMP, THEN RECYCLE BOTTLE.**



even better clinical

vitamin makeup

broad spectrum
SPF 45



© CLINIQUE LABORATORIES, DIST.
NEW YORK, N.Y. 10022
WLB LTD, GUSSE 300, UK
WLB NV, ORFEL BE-2260
NEW YORK · LONDON · PARIS
V7GY

clinique.com

1 FL.OZ.LIQ./30 ml e



C187108

FPO/UPG/COO

V7GY-01-1112

Clinique Stamping Die #32

EVEN BETTER CLINICAL VITAMIN MAKEUP BROAD SPECTRUM SPF

45

ensulizole, octinoxate, octisalate, and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49527-220
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	77 mg in 1 mL
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	27 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	67 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
POTASSIUM SORBATE (UNII: 1VPU26JZ4)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIMETHICONE/DIVINYLDIMETHICONE/SILSESQUIOXANE CROSSPOLYMER (UNII: T3064TZ75A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
DOCOSANOL (UNII: 9G1OE216XY)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LAURETH-7 (UNII: Z95S6G8201)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM PHOSPHATE (UNII: SE337SVY37)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
WATER (UNII: 059QF0KO0R)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MAGNESIUM ASCORBYL PHOSPHATE (UNII: 0R822556M5)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
TREHALOSE (UNII: B8WCK70T7I)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ASCORBYL GLUCOSIDE (UNII: 2V52RONHXW)	

POLYSORBATE 20 (UNII: 7T1F30V5YH)
CAFFEINE (UNII: 3G6A5W338E)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
AMMONIUM POLYACRYLOYLDIMETHYL TAURATE (UNII: F01RIY4371)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
POTASSIUM HYDROXIDE (UNII: WZ H3C48M4T)
SOYBEAN (UNII: L7HT8F1ZOD)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
PALMITIC ACID (UNII: 2V16EO95H1)
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)
N-ACETYLGLUCOSAMINE (UNII: V956696549)
TROMETHAMINE (UNII: 023C2WHX2V)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
MICA (UNII: V8A1AW0880)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)
NIACINAMIDE (UNII: 25X51I8RD4)
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)
AMINOPROPYL ASCORBYL PHOSPHATE (UNII: 290O2PQ83R)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
GLYCERIN (UNII: PDC6A3C0OX)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49527-220-01	1 in 1 CARTON	10/04/2024	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/04/2024	

Labeler - CLINIQUE LABORATORIES LLC (044475127)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder N.V.		370151326	manufacture(49527-220)

Revised: 12/2025

CLINIQUE LABORATORIES LLC