FACIL 1.1 CONCENTRATE- none liquid Dairy Alarm LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Facil 1.1 Concentrate SPL SubmissionDairy Alarm LLC Dairy Alarm LLC

Safety Data Sheet

SAFETY DATA SHEET (Abbreviated. For full version, please contact the manufacturer or visit www.udderwash.com)

1. Identification

Product identifier Facil 1.1 Concentrate

Manufacturer

Dairy Alarm, LLC

37 Homer Street

Union Springs, NY 13160

Website: www.udderwash.com

Telephone 315-515-9698

Emergency phone number 565-465-2218

Reorder: www.udderwash.com or call company at number provided

2. Mixing and Use Directions

Add 6 fluid ounces of Facil 1.1 concentrate to a non-metallic container and dilute with clean water to 1 gallon.

Prior to milking, dip each teat into the mixed solution. Teats should be dipped to the base of the udder. If, or when, the solution becomes visibly dirty or sediment begins to build in the mixture, replace with a fresh batch of new solution mixed as previously described. If possible, a foamer should be used for application to teats.

3. Hazard(s) identification

Hazard statement Toxic if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.

Toxic to aquatic life.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response If swallowed: Immediately call a poison center/doctor. If swallowed: Rinse mouth. Do NOT induce

vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

4. First-aid measures

Inhalation Move to fresh air.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Skin contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Eye contact

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Ingestion

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Most important

symptoms/effects, acute and

delayed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

5. Handling and storage

Provide adequate ventilation. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment.

Precautions for safe handling

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Facil 1.1 Concentrate Label



ACTIVE INGREDIENT:

Sodium hypochlorite (7681-52-9)

01-<10%

GHS HAZARD STATEMENTS:

Danger. Toxic if swallowed. Causes severe skin burns and eye damage. Toxic to aquatic life.

GHS PRECAUTIONARY STATEMENTS: Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink, or smoke when using this product. Avoid release to the solution, Ideally a foamer should be used. environment. Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: immediately call a POISON CONTROL CENTER/doctor. Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (OR HAIR): Take off all contaminated clothing immediately. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call poison control center/doctor immediately. Take off contaminated clothing and wash before

STORAGE AND DISPOSAL:

Avoid freezing. Store in a cool, dry area. Dispose of contents or container at an approved waste disposal facility.

Facil 1.1 New Generation Chlorine PreDip

MIXING DIRECTIONS:

To make 1 gallon of Facil 1.1 RTU, add 6 fl oz of Facil 1.1 Concentrate to a clean, non-metallic container. Dilute to 1 gallon with fresh water.

USE DIRECTIONS:

Before each milking, dip each teat in a RTU solution of Facil Teat Dip. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh

TO RE-ORDER, VISIT:

Www.udderwash.com udderwash@gmail.com Or call: (585)465-2218

Dairy Alarm, LLC



UN1791



ACTIVE INGREDIENT:

Sodium hypochlorite (7681-52-9)

0.1 - < 10%

GHS HAZARD STATEMENTS:

Danger. Toxic if swallowed. Causes severe skin burns and eye damage. Toxic to aquatic life.

GHS PRECAUTIONARY STATEMENTS: Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink, or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: immediately call a POISON CONTROL CENTER/doctor. Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (OR HAIR): Take off all contaminated clothing immediately. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call poison control center/doctor immediately. Take off contaminated clothing and wash before

STORAGE AND DISPOSAL:

Avoid freezing. Store in a cool, dry area. Dispose of contents or container at an approved waste disposal facility.

Facil 1.1 New Generation Chlorine PreDip

MIXING DIRECTIONS:

To make 1 gallon of Facil 1.1 RTU, add 6 fl oz of Facil 1.1 Concentrate to a clean, non-metallic container. Dilute to 1 gallon with fresh water

USE DIRECTIONS:

Before each milking, dip each teat in a RTU solution of Facil Teat Dip. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution. Ideally a foamer should be used.

TO RE-ORDER, VISIT:

Www.udderwash.com udderwash@gmail.com Or call: (585)465-2218 Dairy Alarm, LLC





ACTIVE INGREDIENT:

Sodium hypochlorite (7681-52-9)

0.1 - < 10%

GHS HAZARD STATEMENTS:

Danger. Toxic if swallowed. Causes severe skin burns and eye damage. Toxic to aquatic life.

GHS PRECAUTIONARY STATEMENTS: Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink, or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

IF **SWALLOWED:** immediately call a POISON CONTROL CENTER/doctor. Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (OR HAIR): Take off all contaminated clothing immediately. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call poison control center/doctor immediately. Take off contaminated clothing and wash before reuse.

STORAGE AND DISPOSAL:

Avoid freezing. Store in a cool, dry area. Dispose of contents or container at an approved waste disposal facility.

Facil 1.1 New Generation Chlorine

New Generation Chlorine PreDip

MIXING DIRECTIONS:

To make 1 gallon of Facil 1.1 RTU, add 6 fl oz of Facil 1.1 Concentrate to a clean, non-metallic container. Dilute to 1 gallon with fresh water.

USE DIRECTIONS:

Before each milking, dip each teat in a RTU solution of Facil Teat Dip. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution. Ideally a foamer should be used.

TO RE-ORDER, VISIT:

Www.udderwash.com udderwash@gmail.com Or call: (585)465-2218 Dairy Alarm, LLC



UN1791

Hypochlorite solutions (contains sodium hypochlorite

FACIL 1.1 CONCENTRATE

none liquid

Product Information				
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86112-1821	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SODIUM HYPOCHLORITE (UNII: DY38 VHM5OD) (HYPOCHLORITE ION - UNII:T5UM7HB19N)	SODIUM HYPOCHLORITE	1 kg in 1 kg	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T) (HYDROXIDE ION - UNII:9159UV381P)	POTASSIUM HYDROXIDE	1 kg in 1 kg	
SODIUM TRIPOLYPHOSPHATE (UNII: 5HK03SA80J) (TRIPOLYPHOSPHATE ION - UNII:5798IYA5AY)	SODIUM TRIPOLYPHOSPHATE	1 kg in 1 kg	
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	1 kg in 1 kg	
SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6)	SODIUM CHLORITE	1 kg in 1 kg	
PO VIDO NE (UNII: FZ989 GH94E) (PO VIDO NE - UNII: FZ989 GH94E)	POVIDONE	1 kg in 1 kg	

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86112-1821-1	2 kg in 1 PAIL		

	9	
2 NDC:86112-1821-2	7 kg in 1 PAIL	
3 NDC:86112-1821-3	27 kg in 1 DRUM	
4 NDC:86112-1821-4	135 kg in 1 TANK	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2019	

Labeler - Dairy Alarm LLC (117168486)

Registrant - Dairy Alarm LLC (117168486)

Establishment				
Name	Address	ID/FEI	Business Operations	
Thatcher Company of New York		043921993	api manufacture, manufacture	

Revised: 11/2019 Dairy Alarm LLC