#### OXYGEN- oxygen gas Bernens Convalescent Pharmacy, Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### PRODUCT WARNINGS AND PRECAUTIONS

FIRST AID: FOR OXYGEN DEFICIENCY IN BREATHING PERSONS OR EMERGENCY RESUSCITATION WHEN USED BY PERSONNEL INSTRUCTED IN OXYGEN ADMINISTRATION. FOR OTHER MEDICAL APPLICATIONS USE ONLY AS DIRECTED BY A LICENSED PRACTITIONER. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT REMOVE THIS PRODUCT LABEL. CAUTION: FEDERAL LAW PROHIBITS DISPENSING WITHOUT A PRESCRIPTION.

IN CASE OF FROSTBITE OBTAIN PROFESSIONAL MEDICAL TREATMENT IMMEDIATELY.

#### **OXYGEN REFRIGERATED LABEL**

OXYGEN U.S.P. REFRIGERATED LIQUID - OXYGEN UN 1073 PRODUCED BY AIR LIQUEFACTION

MARKETED BY BERNENS MEDICAL

WARNING: ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. KEEP OIL, GREASE AND COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID IN EYES, ON SKIN, OR CLOTHING. FOR LIQUID WITHDRAWAL WEAR FACE SHIELD AND GLOVES. DO NOT DROP OR HANDLE CONTAINER ROUGHLY. USE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK ON OR ROLL EQUIPMENT OVER SPILLS. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE IN ACCORDANCE WITH COMPRESSED GAS ASSOCIATION PAMPHLETS G-4, G-4.1, G-4.4, P-1. P-12. AND P-14 AND WITH MATERIAL SAFETY DATA SHEET.

253



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION.

253

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

CAN CAUSE SEVERE FROSTBITE.
Keep oil, greese and combustibles away.
Use only with equipment cleaned for oxygen service.
Store and use with adequate ventilation.
Do not got liquid in eyes, on ekin, or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop or handle container roughly.
Use hand-truck for container movement.
Avoid sellib. Do not walk on or roll equipment over so

Avoid spitis. Do not walk on or roll equipment over spitis.

Close valve after each use and when empty.
Use in accordance with Compressed Gas Association Pamphiets G-4, G-4.1, G-4.4, P-1, P-2, P-4, P-12 and P-14, and with material safety data

IN CASE OF FROSTBITE, obtain professional medical treatm

rel Alc:

For exygen deficiency in breathing persons or emergency resuscitation when used by personnel instructed in oxygen administration. For other medical applications, use only as directed by a licensed practitioner. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen.

DO NOT REMOVE THIS PRODUCT LABEL.

CAUTION: Federal Law prohibits dispensing without a prescription.

# Oxygen, Refrigerated Liquid **UN 1073**

PRODUCED BY AIR LIQUEFACTION

MARKETED BY:

#### BERNENS MEDICAL

5053 GLENWAY AVE. **CINTI., OH 45238** 513-471-7575

#### **OXYGEN**

oxygen gas

#### **Product Information**

**HUMAN PRESCRIPTION DRUG** Item Code (Source) NDC:57957-0007 **Product Type Route of Administration** RESPIRATORY (INHALATION)

### **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength** Strength **OXYGEN** (UNII: \$88TT14065) (OXYGEN - UNII:\$88TT14065) **OXYGEN** 99 L in 100 L

Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:57957- 0007-1	25 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976				
2	NDC:57957- 0007-2	37 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976				
3	NDC:57957- 0007-3	400 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976				
4	NDC:57957- 0007-4	630 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976				
5	NDC:57957- 0007-5	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976				
6	NDC:57957- 0007-6	22800 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976				
7	NDC:57957- 0007-7	28800 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976				

Marketing Information							
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
	01/01/1976						
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date					

## Labeler - Bernens Convalescent Pharmacy, Inc (041603101)

# Registrant - Bernens Convalescent Pharmacy, Inc (041603101)

Establishment								
Name	Address	ID/FEI	<b>Business Operations</b>					
Bernens Convalescent Pharmacy, Inc		041603101	manufacture(57957-0007)					

Revised: 12/2023 Bernens Convalescent Pharmacy, Inc