

ALLERGY- diphenhydramine hydrochloride tablet
Publix Super Markets Inc

Publix Super Markets, Inc. Allergy Tablets Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
- runny nose
- sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness

- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 20 mg
- store at 68-77°F (20-25°C). Avoid high humidity. Protect from light.
- **do not use if blister unit is broken or torn**

Inactive ingredients

carnauba wax, crospovidone, D&C red no. 27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, pregelatinized starch, stearic acid, titanium dioxide

Principal Display Panel

P

allergy tablets

DIPHENHYRAMINE HCl 25 mg

ANTIHISTAMINE

Relieves:

- Sneezing
- Itchy, watery eyes
- Runny nose
- Itchy throat

ACTUAL SIZE

24 TABLETS

Compare to the active ingredient in Benadryl® Allergy Tablets



Drug Facts (continued)
Inactive ingredients: carnuba wax, croscollon, D&C red no. 27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, poly sorbate 80, pregelatinized starch, stearyl acid, titanium dioxide

Important: Read all product information before using. Keep this box for important information.

Drug Facts
Active ingredient (in each tablet) Diphenhydramine HCl 25 mg. *Antihistamine*

Uses
 ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat
 ■ temporarily relieves these symptoms due to the common cold: ■ runny nose ■ sneezing

Warnings
 Do not use ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin
 Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ trouble urinating due to an enlarged prostate gland
 Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers
 When using this product ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children
 If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222).

Directions ■ take every 4 to 6 hours, or as directed by a doctor. ■ do not take more than 6 doses in 24 hours
 adults and children 12 years and over 1 to 2 tablets
 children 6 to under 12 years 1 tablet
 children under 6 years do not use

Other information
 ■ each tablet contains: calcium 20 mg ■ store at 68-77°F (20-25°C). Avoid high humidity. Protect from light. ■ do not use if blister unit is broken or torn

OPEN OTHER END

Doodle/Artoon

47962 63 C9

CONVENIENT RECLOSING TAB

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.,
 3300 PUBLIX CORPORATE PARKWAY
 LAKELAND, FL 33811 publix.com
 1-888-267-3037
PUBLIX GUARANTEE: COMPLETE SATISFACTION OR YOUR MONEY BACK
Publix.
 *This product is not manufactured or distributed by the owner of the registered trademark Benadryl®.





NDC 56062-479-62

allergytablets
DIPHENHYDRAMINE HCl 25 mg
 ANTIHISTAMINE

- Relieves:**
- Sneezing
 - Itchy, watery eyes
 - Runny nose
 - Itchy throat



ACTUAL SIZE



24 TABLETS

*Compare to the active ingredient in Benadryl® Allergy Tablets

ALLERGY

diphenhydramine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56062-479
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	

Product Characteristics

Color	PINK (dark)	Score	no score
Shape	OVAL	Size	10mm
Flavor		Imprint Code	L479;25
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56062-479-	24 in 1 CARTON	05/07/2008	12/31/2024

1	62	24 in 1 CARTON	05/07/1998	12/31/2024
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:56062-479-67	48 in 1 CARTON	04/18/2002	07/31/2024
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:56062-479-78	1 in 1 CARTON	11/26/2007	
3		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/07/1998	

Labeler - Publix Super Markets Inc (006922009)

Revised: 7/2024

Publix Super Markets Inc